
Lighting B



GNC Genco Electro
We supply trust

gencoelectro.com

ABOUT US

GNC Genco Electro, taking its strength and experience from the rich career history and reliability of its founders, was established in 2023. GNC Genco Electro aims to supply products especially lighting, decorative lighting, cable, cable glads, transformer, cable reel, switch-socket, group socket, distribution box, panel, accessories etc. from domestic and national suppliers and to send 140 countries of the world.

GNC Genco Electro has been established to provide fast and reliable solutions for the wholesale, retail and project requirements of its business partners in the sectors, especially in the electricity sector.

GNC Genco Electro has always prioritized to take quick actions upon demands with its young, dynamic and experienced staff and to present best solutions at the optimum price - quality level.

GNC Genco Electro aims to establish a strong logistics and supply network in Europe, the Middle East and Africa with its newly opened offices in France, Germany, Kosovo, Senegal and Dubai.

At the same time, GNC Genco Electro aims to be one of the leading companies in Turkey in the e-export sector, which is expected to surpass traditional exports in the next 5 years, with its branch established in England.

Focusing on establishing long-term relationships with both its business partners and suppliers, GNC Genco Electro has made it its mission to stick to the commercial ethical principles based on trust.

GNC Genco Electro, which combines the brand awareness and quality of its domestic and national partners with its internal dynamism and strong customer relations, has adopted the principle of providing trust and quality product supply to its business partners.



LED LUMINAIRE WITH MOTION SENSOR

BFR101

Motion Sensor Luminaire E27



Watt	2xE27	Usage Area	Indoor
Voltage	220 V	Box Size	645x320x615
Lumen	-	Box Weight	13,86 KG
IP	20	Box Quantity	12
Chip Type	-		

BFR102

Motion Sensor Luminaire with Emergency Kit



In The Emergency
540 Lumen



Watt	2xE27	Usage Area	Indoor
Voltage	220 V	Box Size	645x320x615
Lumen	-	Box Weight	14,58 KG
IP	20	Box Quantity	12
Chip Type	SMD		

BFR103

Led Motion Sensor Luminaire



Watt	18w	Usage Area	Indoor
Voltage	220 V	Box Size	645x320x615
Lumen	1620 lm	Box Weight	13,98 KG
IP	20	Box Quantity	12
Chip Type	SMD		

BFR104

Led Motion Sensor Luminaire with Emergency Kit



In The Emergency
540 Lumen



Watt	18w	Usage Area	Indoor
Voltage	220 V	Box Size	645x320x615
Lumen	1620 lm	Box Weight	14,82 KG
IP	20	Box Quantity	12
Chip Type	SMD		

LED LUMINAIRE WITH MOTION SENSOR

BFR101-P

Motion Sensor Luminaire E27
(Plastic Crates)



Watt	2xE27	Usage Area	Indoor
Voltage	220 V	Box Size	600x305x520
Lumen	-	Box Weight	4,89 KG
IP	20	Box Quantity	10
Chip Type	-		

BFR102-P

Motion Sensor Luminaire with Emergency Kit
(Plastic Crates)



In The Emergency
540 Lumen



Watt	2xE27	Usage Area	Indoor
Voltage	220 V	Box Size	600x305x520
Lumen	-	Box Weight	5,10 KG
IP	20	Box Quantity	10
Chip Type	SMD		

BFR103-P

Led Motion Sensor Luminaire
(Plastic Crates)



Watt	18w	Usage Area	Indoor
Voltage	220 V	Box Size	600x305x520
Lumen	1620 lm	Box Weight	4,50 KG
IP	20	Box Quantity	10
Chip Type	SMD		

BFR104-P

Led Motion Sensor Luminaire with Emergency Kit
(Plastic Crates)



In The Emergency
540 Lumen



Watt	18w	Usage Area	Indoor
Voltage	220 V	Box Size	600x305x520
Lumen	1620 lm	Box Weight	5,00 KG
IP	20	Box Quantity	10
Chip Type	SMD		

LED LUMINAIRE WITH MOTION SENSOR

BFR113

Nesil Slim Led Sensored Luminaire (Adjustable)



Watt	18w	Usage Area	Indoor
Voltage	220 V	Box Size	645x320x615
Lumen	1620 lm	Box Weight	14,50 KG
IP	20	Box Quantity	24
Chip Type SMD			

BFR114

Nesil Slim Led Sensored Luminaire (Adjustable)
with Emergency Kit



In The Emergency
540 Lumen



Watt	18w	Usage Area	Indoor
Voltage	220 V	Box Size	645x320x615
Lumen	1620 lm	Box Weight	15,60 KG
IP	20	Box Quantity	24
Chip Type SMD			

BFR119

Trend Slim Led Sensored Luminaire



Watt	18w	Usage Area	Indoor
Voltage	220 V	Box Size	645x320x615
Lumen	1620 lm	Box Weight	4,50 KG
IP	20	Box Quantity	12
Chip Type SMD			

BFR120

Trend Slim Led Sensored Luminaire (Adjustable)
with Emergency Kit



In The Emergency
540 Lumen



Watt	18w	Usage Area	Indoor
Voltage	220 V	Box Size	645x320x615
Lumen	1620 lm	Box Weight	5,00 KG
IP	20	Box Quantity	12
Chip Type SMD			

BFR105

Motion Sensor Sconce E27

○ BFR105-B ● BFR105-B



Watt	1xE27	Usage Area	Indoor
Voltage	220 V	Box Size	600x265x570
Lumen	-	Box Weight	11,00 KG
IP	20	Box Quantity	24
Chip Type SMD			

BFR107

Led Motion Sensor Sconce

○ BFR107-B ● BFR107-B



Watt	12W	Usage Area	Indoor
Voltage	220 V	Box Size	600x265x570
Lumen	1080 lm	Box Weight	11,40 KG
IP	20	Box Quantity	24
Chip Type SMD			

MOTION SENSOR SYSTEMS

BFR111

360° Recessed Motion Sensor



Watt	1200W	Usage Area	Indoor
Voltage	220 V	Box Size	410x310x220
Lumen	-	Box Weight	3,26 KG
IP	20	Box Quantity	24
Chip Type	SMD		

BFR112

360° Recessed Motion Sensor
with Emergency Kit



Watt	1200W	Usage Area	Indoor
Voltage	220 V	Box Size	410x310x220
Lumen	-	Box Weight	3,26 KG
IP	20	Box Quantity	24
Chip Type	SMD		

BFR109

360° Surface Mounted Motion Sensor



Watt	1200W	Usage Area	Indoor
Voltage	220 V	Box Size	410x310x220
Lumen	-	Box Weight	4,40 KG
IP	20	Box Quantity	36
Chip Type	SMD		

BFR110

Surface Mounted Motion Sensor
with Emergency Kit



Watt	1200W	Usage Area	Indoor
Voltage	220 V	Box Size	410x310x220
Lumen	-	Box Weight	4,40 KG
IP	20	Box Quantity	36
Chip Type	SMD		

BFR117

Radar Sensor Module



Watt	-	Color Efficiency	-
Voltage	220 V	Usage Area	Indoor
Lumen	-	Light Angle	360°
IP	20	Box Quantity	24
Chip Type	SMD		

BFR118

Sensor Eye Module




Watt	-	Color Efficiency	-
Voltage	220 V	Usage Area	Indoor
Lumen	-	Light Angle	360°
IP	20	Box Quantity	250
Chip Type	SMD		

LED BULB

BFR217

7W E14 Led Bulb

○ BFR217-B ● BFR217-G



Watt	7W	Usage Area	Indoor
Voltage	220 V	Box Size	510x260x250
Lumen	630 lm	Box Weight	4,10 KG
IP	20	Box Quantity	100
Chip Type SMD Led			

BFR207

7W E27 Led Bulb

○ BFR207-B ● BFR207-G



Watt	7W	Usage Area	Indoor
Voltage	220 V	Box Size	560x290x210
Lumen	630 lm	Box Weight	8,00 KG
IP	20	Box Quantity	200
Chip Type SMD Led			

BFR209

9W E27 Led Bulb

○ BFR209-B ● BFR209-G



Watt	9W	Usage Area	Indoor
Voltage	220 V	Box Size	640x325x480
Lumen	720 lm	Box Weight	8,90 KG
IP	20	Box Quantity	200
Chip Type SMD Led			

BFR212

12W E27 Led Bulb

○ BFR212-B ● BFR212-G



Watt	12W	Usage Area	Indoor
Voltage	220 V	Box Size	690x350x500
Lumen	1080 lm	Box Weight	9,10 KG
IP	20	Box Quantity	200
Chip Type SMD Led			

BFR205

5W E27 Led Bulb

○ BFR205-B ● BFR205-G



Watt	5W	Usage Area	Indoor
Voltage	220 V	Box Size	560x290x210
Lumen	450 lm	Box Weight	8,00 KG
IP	20	Box Quantity	200
Chip Type SMD Led			

BFR215

15W E27 Led Bulb

○ BFR215-B ● BFR215-G



Watt	15W	Usage Area	Indoor
Voltage	220 V	Box Size	640x325x480
Lumen	1350 lm	Box Weight	10,80 KG
IP	20	Box Quantity	100
Chip Type SMD Led			

BFR255

9W E27 Controlled RGB Led Bulb (With Dimmer)



Watt	9W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	720 lm	Light Angle	210°
IP	20	Box Quantity	50
Chip Type SMD Led			

BFR201

1W Night Light

● BFR201-M ● BFR201-Y ● BFR201-K ● BFR201-S



Watt	1W	Usage Area	Indoor
Voltage	220 V	Box Size	465x295x250
Lumen	90 lm	Box Weight	3,20 KG
IP	20	Box Quantity	200
Chip Type SMD Led			

BFR229

9W E27 Color Case Led Bulb

● BFR229-M ● BFR229-Y ● BFR229-K



Watt	9W	Usage Area	Indoor
Voltage	220 V	Box Size	625x245x380
Lumen	720 lm	Box Weight	3,90 KG
IP	20	Box Quantity	90
Chip Type SMD Led			

BFR211

9+2W E27 Led Bulb (6500K)


● BFR211-S ● BFR211-M ● BFR211-Y ● BFR211-K



Watt	9+2W	Usage Area	Indoor
Voltage	220 V	Box Size	340x490x660
Lumen	720 lm	Box Weight	7,25 KG
IP	20	Box Quantity	200
Chip Type SMD Led			

BFR219

9W E27 Led Bulb (With Dimmer)



Watt	9W	Usage Area	Indoor
Voltage	220 V	Box Size	640x325x480
Lumen	720 lm	Box Weight	8,90 KG
IP	20	Box Quantity	200
Chip Type SMD Led			



T LED BULB

BFR260

20W E27 T Led Bulb

○ BFR220-B ● BFR220-G



Watt	20W	Usage Area	Indoor
Voltage	220 V	Box Size	695x426x465
Lumen	1800 lm	Box Weight	7,60 KG
IP	20	Box Quantity	50
Chip Type SMD Led			

BFR230

30W E27 T Led Bulb

○ BFR230-B ● BFR230-G



Watt	30W	Usage Area	Indoor
Voltage	220 V	Box Size	525x520x375
Lumen	2700 lm	Box Weight	8,00 KG
IP	20	Box Quantity	50
Chip Type SMD Led			

BFR240

40W E27 T Led Bulb

○ BFR240-B ● BFR240-G



Watt	40W	Usage Area	Indoor
Voltage	220 V	Box Size	615x425x380
Lumen	36 00 lm	Box Weight	6,10 KG
IP	20	Box Quantity	30
Chip Type SMD Led			

BFR250

50W E27 T Led Bulb

○ BFR250-B ● BFR250-G



Watt	50W	Usage Area	Indoor
Voltage	220 V	Box Size	665x400x480
Lumen	4500 lm	Box Weight	7,80 KG
IP	20	Box Quantity	20
Chip Type SMD Led			



"Işığın doğduğu yer"

LED PANELS

BFR401

6W Recessed Slim Led Panel

○ BFR401-B ● BFR401-G



Watt	6W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	270 lm	Light Angle	150°
IP	20	Box Quantity	50
Chip Type	SMD		

BFR402

12W Recessed Slim Led Panel

○ BFR402-B ● BFR402-G



Watt	12W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	540 lm	Light Angle	150°
IP	20	Box Quantity	50
Chip Type	SMD		

BFR401

18W Recessed Slim Led Panel

○ BFR401-B ● BFR401-G



Watt	18W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	270 lm	Light Angle	150°
IP	20	Box Quantity	50
Chip Type	SMD		

BFR402

24W Recessed Slim Led Panel

○ BFR402-B ● BFR402-G



Watt	24W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	540 lm	Light Angle	150°
IP	20	Box Quantity	50
Chip Type	SMD		

BFR506

5+5W Recessed
Gold Case 3 Colors



BFR507

5+5W Recessed
Satin Case 3 Colors



Watt	5+5W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	900 lm	Light Angle	150°
IP	20	Box Quantity	200
Chip Type	SMD		

BFR412

5+5W Recessed Plastic Frame 3 Colors



Watt	5+5W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	900 lm	Light Angle	210°
IP	20	Box Quantity	100
Chip Type	SMD		

LED PANELS

BFR401

3W Recessed Slim Led Panel

○ BFR401-B ● BFR401-G



Watt	3W	Usage Area	Indoor
Voltage	220 V	Box Size	465x216x378
Lumen	270 lm	Box Weight	7,40 KG
IP	20	Box Quantity	100
Chip Type SMD			

BFR402

6W Recessed Slim Led Panel

○ BFR402-B ● BFR402-G




Watt	6W	Usage Area	Indoor
Voltage	220 V	Box Size	620x220x402
Lumen	540 lm	Box Weight	11,8 KG
IP	20	Box Quantity	100
Chip Type SMD			

BFR403

9W Recessed Slim Led Panel

○ BFR403-B ● BFR403-G



Watt	9W	Usage Area	Indoor
Voltage	220 V	Box Size	400x310x310
Lumen	720 lm	Box Weight	8,30 KG
IP	20	Box Quantity	40
Chip Type SMD			

BFR404

12W Recessed Slim Led Panel

○ BFR404-B ● BFR404-G




Watt	12W	Usage Area	Indoor
Voltage	220 V	Box Size	400x356x358
Lumen	960 lm	Box Weight	10,10 KG
IP	20	Box Quantity	40
Chip Type SMD			

BFR415

15W Recessed Slim Led Panel

○ BFR415-B ● BFR415-G



Watt	15W	Usage Area	Indoor
Voltage	220 V	Box Size	400x400x210
Lumen	1350 lm	Box Weight	5,00 KG
IP	20	Box Quantity	20
Chip Type SMD			

BFR405

18W Recessed Slim Led Panel

○ BFR405-B ● BFR405-G



Watt	18W	Usage Area	Indoor
Voltage	220 V	Box Size	464x410x240
Lumen	1620 lm	Box Weight	6,3 KG
IP	20	Box Quantity	20
Chip Type SMD			

LED PANELS

BFR410

18W Surface Mounted
Square Led Panel

○ BFR410-B ● BFR410-G



210 mm



Watt	18W	Usage Area	Indoor
Voltage	220 V	Box Size	480x425x245
Lumen	1620 lm	Box Weight	11,00 KG
IP	20	Box Quantity	20
Chip Type	SMD		

BFR411

30W Surface Mounted
Square Led Panel

○ BFR411-B ● BFR411-G



280 mm



Watt	30W	Usage Area	Indoor
Voltage	220 V	Box Size	425x325x325
Lumen	2700 lm	Box Weight	9,0 KG
IP	20	Box Quantity	10
Chip Type	SMD		

BFR409

18W Surface Mounted
Square Led Panel

○ BFR409-B ● BFR409-G



210 mm



Watt	18W	Usage Area	Indoor
Voltage	220 V	Box Size	480x425x245
Lumen	1620 lm	Box Weight	11,00 KG
IP	20	Box Quantity	20
Chip Type	SMD		

BFR413

30W Surface Mounted
Square Led Panel

○ BFR413-B ● BFR413-G



280 mm



Watt	30W	Usage Area	Indoor
Voltage	220 V	Box Size	425x325x325
Lumen	2700 lm	Box Weight	9,0 KG
IP	20	Box Quantity	10
Chip Type	SMD		

BFR414

18W Surface Mounted
Round Led Panel

○ BFR414-B ● BFR414-G



210 mm



Watt	18W	Usage Area	Indoor
Voltage	220 V	Box Size	480x425x245
Lumen	1620 lm	Box Weight	9,4 KG
IP	20	Box Quantity	20
Chip Type	SMD		

BFR415

30W Surface Mounted
Round Led Panel

○ BFR415-B ● BFR415-G



280 mm



Watt	30W	Usage Area	Indoor
Voltage	220 V	Box Size	425x325x325
Lumen	2700 lm	Box Weight	8,0 KG
IP	20	Box Quantity	10
Chip Type	SMD		

BFR416

18W Surface Mounted
Round Led Panel

○ BFR416-B ● BFR416-G



210 mm



Watt	18W	Usage Area	Indoor
Voltage	220 V	Box Size	480x425x245
Lumen	1620 lm	Box Weight	9,4 KG
IP	20	Box Quantity	20
Chip Type	SMD		

BFR417

30W Surface Mounted
Round Led Panel

○ BFR417-B ● BFR417-G



280 mm




Watt	30W	Usage Area	Indoor
Voltage	220 V	Box Size	425x325x325
Lumen	2700 lm	Box Weight	8,0 KG
IP	20	Box Quantity	10
Chip Type	SMD		

LED PANELS

BFR615

60x60 Panel Led (Backlight)

○ BFR615-B ● BFR615-G ● BFR615-N




Watt	48W	Usage Area	Indoor
Voltage	220 V	Box Size	605x365x625
Lumen	4320 lm	Box Weight	12,35 KG
IP	20	Box Quantity	10
Chip Type	SMD		

BFR616

60x60 Panel Led (Backlight)

○ BFR616-B ● BFR616-G ● BFR616-N




Watt	40W	Usage Area	Indoor
Voltage	220 V	Box Size	605x365x625
Lumen	3600 lm	Box Weight	12,35 KG
IP	20	Box Quantity	10
Chip Type	SMD		

BFR614

30x30 Panel Led (Backlight)

○ BFR614-B ● BFR614-G ● BFR614-N



Watt	24W	Usage Area	Indoor
Voltage	220 V	Box Size	630x415x335
Lumen	1800 lm	Box Weight	15,00 KG
IP	20	Box Quantity	20
Chip Type	SMD		

BFR505

60x60 Panel Led (Backlight)

○ 6500K ● 3500K

Pro Series



DRIVER OPTIONS

- Osram
- Philips
- Tridonic

Watt	40W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	4200 lm	Light Angle	150°
IP	44	Box Quantity	100
Chip Type	SMD		

BFR601

60x60 cm Panel Led Case (Surface Mounted)



Watt	48W	Usage Area	Indoor
Voltage	220 V	Box Size	620x310x280
Lumen	4320 lm	Box Weight	8,00 KG
IP	20	Box Quantity	17
Chip Type	SMD		



BFR611

36W Led Band Luminaire (120 cm Sheet Metal Case)



Watt	36W	Chip Type	SMD	Box Quantity	40
Voltage	220 V	Usage Area	1225x245x330		
Lumen	3240 lm	Box Size	13,00 KG		
IP	20	Box Weight	14		

BFR622


36W Uzay Led Band Luminaire (120 cm)



Watt	36W	Chip Type	SMD	Box Quantity	60
Voltage	220 V	Usage Area	1260x365x335		
Lumen	3240 lm	Box Size	18,00 KG		
IP	65	Box Weight	14		

BFR626

54W Waterproof Led Band Luminaire (120 cm)



Watt	54W	Chip Type	SMD	Box Quantity	40
Voltage	220 V	Usage Area	660x420x320		
Lumen	4860 lm	Box Size	7,10 KG		
IP	20	Box Weight	14		

BFR613

18W Led Band Luminaire (60 cm Sheet Metal Case)



Watt	18W	Usage Area	660x420x320
Voltage	220 V	Box Size	7,10 KG
Lumen	1620 lm	Box Weight	14
IP	20	Box Quantity	60
Chip Type	SMD		

BFR624

18W Uzay Led Band Luminaire
(60 cm Sheet Metal Case)



Watt	18W	Usage Area	660x420x320
Voltage	220 V	Box Size	7,10 KG
Lumen	1620 lm	Box Weight	14
IP	65	Box Quantity	40
Chip Type	SMD		

DECORATIVE PANEL CASE

BFR3055

Decorative Case

DEEP CASE



IP 20
Usage Area Indoor

BFR3056

Decorative Case

FLAT CASE



IP 20
Usage Area Indoor

BFR3057

Decorative Case

DEEP CASE



IP 20
Usage Area Indoor

BFR3058

Decorative Case

FLAT CASE



IP 20
Usage Area Indoor

BFR3059

Decorative Case

DEEP CASE



IP 20
Usage Area Indoor

BFR3060

Decorative Case

FLAT CASE



IP 20
Usage Area Indoor

BFR3061

Decorative Case

DEEP CASE



IP 20
Usage Area Indoor

BFR3062

Decorative Case

FLAT CASE



IP 20
Usage Area Indoor

BFR3063

Decorative Case

DEEP CASE



IP 20
Usage Area Indoor

BFR3064

Decorative Case

FLAT CASE




IP 20
Usage Area Indoor

DECORATIVE PANEL CASE

BFR3065

Decorative Case




DEEP CASE




IP 20
Usage Area Indoor

BFR3066

Decorative Case



FLAT CASE



IP 20
Usage Area Indoor

BFR3067

Decorative Case



DEEP CASE




IP 20
Usage Area Indoor

BFR3068

Decorative Case




FLAT CASE



IP 20
Usage Area Indoor

BFR3069

Decorative Case




DEEP CASE




IP 20
Usage Area Indoor

BFR3070

Decorative Case




FLAT CASE




IP 20
Usage Area Indoor

BFR3071

Decorative Case




DEEP CASE




IP 20
Usage Area Indoor

BFR3072

Decorative Case




FLAT CASE




IP 20
Usage Area Indoor

BFR3073

Decorative Case



DEEP CASE




IP 20
Usage Area Indoor

BFR3074

Decorative Case



FLAT CASE



IP 20
Usage Area Indoor

DECORATIVE PANEL CASE


BFR3075

Decorative Case

DEEP CASE



IP 20
Usage Area Indoor




BFR3076

Decorative Case

FLAT CASE



IP 20
Usage Area Indoor




BFR3077

Decorative Case

DEEP CASE



IP 20
Usage Area Indoor




BFR3078

Decorative Case

FLAT CASE



IP 20
Usage Area Indoor




BFR3079

Decorative Case

DEEP CASE



IP 20
Usage Area Indoor




BFR3080

Decorative Case

FLAT CASE



IP 20
Usage Area Indoor




BFR3081

Decorative Case

DEEP CASE



IP 20
Usage Area Indoor




BFR3082

Decorative Case

FLAT CASE



IP 20
Usage Area Indoor





BFR3083

Decorative Case

DEEP CASE



IP 20
Usage Area Indoor




BFR3084

Decorative Case

FLAT CASE



IP 20
Usage Area Indoor



STEP and CORRIDOR LUMINAIRE

BFR517

3W Step and Corridor Spot with Sensor (Oval)

○ BFR517-B ● BFR517-G



Watt	3W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	180 lm	Light Angle	150°
IP	20	Box Quantity	100
Chip Type	SMD		

BFR518

3W Step and Corridor Spot with Sensor (Square)

○ BFR518-B ● BFR518-G



Watt	3W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	180 lm	Light Angle	150°
IP	20	Box Quantity	100
Chip Type	SMD		

BFR516

3W Step and Corridor Spot with Radar Sensor (Kare)

○ BFR516-B ● BFR516-G ● BFR516-M



Watt	3W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	180 lm	Light Angle	150°
IP	20	Box Quantity	100
Chip Type	SMD		



BFR512

3W Step and Corridor Spot (Oval)

○ BFR512-B ● BFR512-G ● BFR512-M



Watt	3W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	180 lm	Light Angle	150°
IP	20	Box Quantity	100
Chip Type	SMD		

BFR511

3W Step and Corridor Spot (Square)

○ BFR511-B ● BFR511-G ● BFR511-M



Watt	3W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	180 lm	Light Angle	150°
IP	20	Box Quantity	100
Chip Type	SMD		

SLIM PROJECTOR

BFR010

10W Slim Projector

○ BFR010-B ● BFR010-G ● BFR010-Y



Watt	10W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Outdoor
Lumen	900 lm	Light Angle	150°
IP	65	Box Quantity	30
Chip Type SMD			

BFR020

20W Slim Projector

○ BFR020-B ● BFR020-G ● BFR020-Y



Watt	20W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Outdoor
Lumen	1800 lm	Light Angle	150°
IP	65	Box Quantity	20
Chip Type SMD			

BFR030

30W Slim Projector

○ BFR030-B ● BFR030-G ● BFR030-Y



Watt	30W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Outdoor
Lumen	2700 lm	Light Angle	150°
IP	65	Box Quantity	30
Chip Type SMD			

BFR050

50W Slim Projector

○ BFR050-B ● BFR050-G ● BFR050-Y



Watt	50W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Outdoor
Lumen	4500 lm	Light Angle	150°
IP	65	Box Quantity	40
Chip Type SMD			

BFR100

100W Slim Projector

○ BFR100-B ● BFR100-G



Watt	100W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Outdoor
Lumen	9000 lm	Light Angle	150°
IP	65	Box Quantity	20
Chip Type SMD			

BFR150

150W Slim Projector

○ BFR150-B ● BFR150-G



Watt	150W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Outdoor
Lumen	13.500 lm	Light Angle	150°
IP	65	Box Quantity	10
Chip Type SMD			

SLIM and PROFESSIONAL
PROJECTOR

BFR200

200W Slim Projector

○ **BFR200-B** ● **BFR200-G**



Watt	200W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Outdoor
Lumen	18.000 lm	Light Angle	150°
IP	65	Box Quantity	5
Chip Type	SMD		

BFR300

300W Slim Projector

○ **BFR300-B** ● **BFR300-G**



Watt	300W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Outdoor
Lumen	27.000 lm	Light Angle	150°
IP	65	Box Quantity	5
Chip Type	SMD		



RAY SPOT

BFR420

30W Ray Spot (Black Case)

○ BFR420-B ● BFR420-G



Watt	30W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	2700	Light Angle	150°
IP	20	Box Quantity	20
Chip Type SMD			

BFR430

30W Ray Spot (White Case)

○ BFR430-B ● BFR430-G



Watt	30W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	2700	Light Angle	150°
IP	20	Box Quantity	20
Chip Type SMD			

BFR460

Lux 30W Ray Spot (Black Case)

○ BFR460-B ● BFR460-G



Watt	30W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	2700	Light Angle	150°
IP	20	Box Quantity	20
Chip Type SMD			

BFR470

Lux 30W Ray Spot (White Case)

○ BFR470-B ● BFR470-G



Watt	30W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	2700	Light Angle	150°
IP	20	Box Quantity	20
Chip Type SMD			

BFR499

Monofaze Ray

← 1m → ← 2m → ← 3m →
BFR499-B1 BFR499-B2 BFR499-B3

← 1m → ← 2m → ← 3m →
BFR499-S1 BFR499-S2 BFR499-S3



LED CEILING LUMINAIRES

BFR541

12W Led Ceiling Luminaire (Inflated Plastic Glass)

○ BFR541-B ● BFR541-G




Watt	12W	Usage Area	Indoor
Voltage	220 V	Box Size	500x300x500
Lumen	1080 lm	Box Weight	6,45 KG
IP	20	Box Quantity	20
Chip Type	SMD		

BFR542

18W Led Ceiling Luminaire (Inflated Plastic Glass)

○ BFR542-B ● BFR542-G




Watt	18W	Usage Area	Indoor
Voltage	220 V	Box Size	660x420x320
Lumen	1620 lm	Box Weight	7,10 KG
IP	20	Box Quantity	14
Chip Type	SMD		

BFR543

24W Led Ceiling Luminaire (Inflated Plastic Glass)

○ BFR543-B ● BFR543-G




Watt	24W	Usage Area	Indoor
Voltage	220 V	Box Size	745x300x380
Lumen	2160 lm	Box Weight	6,55 KG
IP	20	Box Quantity	10
Chip Type	SMD		

BFR544

24W Led Square Ceiling Light (Inflated Plastic Glass)

○ BFR544-B ● BFR544-G



Watt	24W	Usage Area	Indoor
Voltage	220 V	Box Size	640x300x320
Lumen	2160 lm	Box Weight	6,55 KG
IP	20	Box Quantity	10
Chip Type	SMD		

STRIP LEDS

BFR350

Led Strip 40x40 5 mt. (Indoor)

○ BFR350-B ● BFR350-G ● BFR350-M



Watt	10W / 1m	Usage Area	Indoor
Voltage	12 V	Box Size	480x230x280
Lumen	14 lm / 16 lm	Box Weight	5,55 KG
IP	20	Box Quantity	500 m
Chip Type	SMD		

BFR350

Led Strip 40x40 4 mt. (Indoor)

● BFR350-K ● BFR350-Y ● BFR350-A ● 4000K



Watt	10W / 1m	Usage Area	Indoor
Voltage	12 V	Box Size	480x230x280
Lumen	14 lm / 16 lm	Box Weight	5,55 KG
IP	20	Box Quantity	500 m
Chip Type	SMD		

BFR350-RGB

Led Strip 40x40 5 mt. (Indoor)



Watt	10W / 1m	Usage Area	Indoor
Voltage	12 V	Box Size	480x230x280
Lumen	14 lm / 16 lm	Box Weight	7,45 KG
IP	20	Box Quantity	500 m
Chip Type	SMD		

BFR355

RGB Controlled Led Strip Set



Watt	-	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	-	Light Angle	150°
IP	20	Box Quantity	50
Chip Type	SMD		

BFR352

1.5W Led Module



Watt	1.5W	Color Efficiency	CRI>80
Voltage	12 V	Usage Area	Indoor
Lumen	-	Light Angle	150°
IP	67	Box Quantity	-
Chip Type	SMD		

BFR353

40x40 Outdoor Led Strip (220V)

○ ● ● ● ● ●



Watt	2W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Outdoor
Lumen	16 lm	Light Angle	150°
IP	67	Box Quantity	100 m
Chip Type	SMD		

LED TRANSFORMERS

BFR305

5A Slim Led Transformer



Watt	40W	Usage Area	Indoor
Voltage	220-12 V	Box Size	340x195x210
Lumen	-	Box Weight	5,60 KG
IP	20	Box Quantity	35
Chip Type SMD			

BFR308

8.5A Slim Led Transformer



Watt	60W	Usage Area	Indoor
Voltage	220-12 V	Box Size	340x195x210
Lumen	-	Box Weight	5,60 KG
IP	20	Box Quantity	35
Chip Type SMD			

BFR312

12.5A Slim Led Transformer



Watt	150W	Usage Area	Indoor
Voltage	220-12 V	Box Size	340x195x210
Lumen	-	Box Weight	6,90 KG
IP	20	Box Quantity	30
Chip Type SMD			

BFR316

16.5A Slim Led Transformer



Watt	200W	Usage Area	Indoor
Voltage	220-12 V	Box Size	340x195x210
Lumen	-	Box Weight	5,50 KG
IP	20	Box Quantity	20
Chip Type SMD			

BFR320

20A Slim Led Transformer



Watt	250W	Usage Area	Indoor
Voltage	220-12 V	Box Size	340x195x210
Lumen	-	Box Weight	5,55 KG
IP	20	Box Quantity	20
Chip Type SMD			

BFR330

30A Slim Led Transformer



Watt	350W	Usage Area	Indoor
Voltage	220-12 V	Box Size	510x250x260
Lumen	-	Box Weight	11,70 KG
IP	20	Box Quantity	30
Chip Type SMD			

BFR340

40A Slim Led Transformer



Watt	490W	Usage Area	Indoor
Voltage	220-12 V	Box Size	510x250x260
Lumen	-	Box Weight	13,20 KG
IP	20	Box Quantity	30
Chip Type SMD			

BFR341

41A Slim Led Transformer



Watt	492W	Usage Area	Indoor
Voltage	220-12 V	Box Size	510x250x260
Lumen	-	Box Weight	13,55 KG
IP	20	Box Quantity	30
Chip Type SMD			

FANLI

CEILING LUMINAIRES

BFR704-30

30 cm Sconce (Sandblasted Glass)



Watt	2xE27	Color Efficiency	-
Voltage	220 V	Usage Area	Indoor
Lumen	-	Light Angle	-
IP	20	Box Quantity	10
Duy	E27		

BFR704-20

20 cm Sconce (Sandblasted Glass)



Watt	1xE27	Color Efficiency	-
Voltage	220 V	Usage Area	Indoor
Lumen	-	Light Angle	-
IP	20	Box Quantity	12
Duy	E27		

BFR701

Circular Ceiling Luminaire (Sandblasted Glass)

○ BFR701-B ● BFR701-K



Watt	1xE27	Color Efficiency	-
Voltage	220 V	Usage Area	Indoor
Lumen	-	Light Angle	-
IP	20	Box Quantity	12
Duy	E27		

BFR706

Circular Ceiling Luminaire (Sandblasted Glass)



Watt	1xE27	Color Efficiency	-
Voltage	220 V	Usage Area	Indoor
Lumen	-	Light Angle	-
IP	20	Box Quantity	12
Duy	E27		

BFR702

Big Button Ceiling Light (Sandblasted Glass)

○ BFR702-B ● BFR702-K



Watt	2xE27	Color Efficiency	-
Voltage	220 V	Usage Area	Indoor
Lumen	-	Light Angle	-
IP	20	Box Quantity	12
Duy	E27		



CEILING LUMINAIRES

BFR705

Sconce (Düz)



Watt	1xE27
Usage Area	Indoor
Duy	E27
Box Quantity	12

BFR705

Sconce (Martı)



Watt	1xE27
Usage Area	Indoor
Duy	E27
Box Quantity	12

BFR705

Sconce (Güneş)



Watt	1xE27
Usage Area	Indoor
Duy	E27
Box Quantity	12

BFR703-25

Hanging 25 cm Glass Fixture (Düz)



Watt	1xE27
Usage Area	Indoor
Duy	E27
Box Quantity	12

BFR703-25

Hanging 25 cm Glass Fixture (Martı)



Watt	1xE27
Usage Area	Indoor
Duy	E27
Box Quantity	12

BFR703-25

Hanging 25 cm Glass Fixture (Güneş)



Watt	1xE27
Usage Area	Indoor
Duy	E27
Box Quantity	12

BFR703-30

Hanging 30 cm Glass Fixture (Düz)



Watt	2xE27
Usage Area	Indoor
Duy	E27
Box Quantity	12

BFR703-30

Hanging 30 cm Glass Fixture (Martı)



Watt	2xE27
Usage Area	Indoor
Duy	E27
Box Quantity	12

BFR703-30

Hanging 30 cm Glass Fixture (Güneş)



Watt	2xE27
Usage Area	Indoor
Duy	E27
Box Quantity	12

TABLE LAMPS and BUILT-IN LIGHTING

BFR801-B

4W Led Bodrum
Decorative
Desk Lamp
(6500 K)



Watt	4W
Lumen	360 lm
Box Quantity	12

BFR801-S

4W Led Bodrum
Decorative
Desk Lamp
(6500 K)



Watt	4W
Lumen	360 lm
Box Quantity	12

BFR801-K

4W Led Bodrum
Decorative
Desk Lamp
(6500 K)



Watt	4W
Lumen	360 lm
Box Quantity	12

BFR801-M

4W Led Bodrum
Decorative
Desk Lamp
(6500 K)



Watt	4W
Lumen	360 lm
Box Quantity	12

BFR801-PB

4W Led Bodrum
Decorative
Desk Lamp
(6500 K)



Watt	4W
Lumen	360 lm
Box Quantity	12

BFR811-G

Antalya Decorative
Table Lamp



Box Quantity	12
--------------	----

BFR811-S

Antalya Decorative
Table Lamp



Box Quantity	12
--------------	----

BFR811-K

Antalya Decorative
Table Lamp



Box Quantity	12
--------------	----

BFR811-M

Antalya Decorative
Table Lamp



Box Quantity	12
--------------	----

BFR811-PB

Antalya Decorative
Table Lamp



Box Quantity	12
--------------	----

BFR821-B

Recessed Lighting (White)



Watt	4W
Usage Area	Indoor
Lumen	3600 lm
Box Quantity	20

BFR821-S

Recessed Lighting (Black)



Watt	4W
Usage Area	Indoor
Holder	3600 lm
Box Quantity	20

BFR821-i

Ankastre Aydınlatma (Inox)



Watt	4W
Usage Area	Indoor
Holder	3600 lm
Box Quantity	20

DECORATIVE LED APPLICATIONS

BRS1001

Nil Led Sconce

○ BRS1001-B ● BRS1001-G ● BRS1001-A



Watt	3W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	-	Light Angle	150°
IP	40	Box Quantity	1
Chip Type	SMD		

BRS1002

Dicle Led Sconce

○ BRS1002-B ● BRS1002-G ● BRS1002-A




Watt	4W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	-	Light Angle	150°
IP	40	Box Quantity	1
Chip Type	SMD		

BRS1003

Meriç Led Sconce

○ BRS1003-B ● BRS1003-G ● BRS1003-A




Watt	5W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	-	Light Angle	150°
IP	40	Box Quantity	1
Chip Type	SMD		

BRS1004

Firat Led Sconce

○ BRS1004-B ● BRS1004-G ● BRS1004-A



Watt	5W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	-	Light Angle	150°
IP	40	Box Quantity	1
Chip Type	SMD		

BRS1005

Bafra Led Sconce

○ BRS1005-B ● BRS1005-G ● BRS1005-A



Watt	6W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	-	Light Angle	150°
IP	40	Box Quantity	1
Chip Type	SMD		

BRS2001

Led Sconce (Adjustable Light Angle)

○ BRS2001-B ● BRS2001-G ● BRS2001-A



Watt	6W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Indoor
Lumen	-	Light Angle	-
IP	40	Box Quantity	1
Chip Type	SMD		

GARDEN LUMINAIRES

BFR630

Garden Luminaires (Wall Sconce)



Box Size	755x560x450	Usage Area	Outdoor
Box Weight	8,00 KG	Box Quantity	16
IP	65		

BFR640

Garden Luminaires (Counter Top)



Box Size	755x560x450	Usage Area	Outdoor
Box Weight	8,55 KG	Box Quantity	16
IP	65		

BFR650

Garden Luminaires (Pendant Lamp)



Box Size	755x560x450	Usage Area	Outdoor
Box Weight	7,60 KG	Box Quantity	16
IP	65		

BFR660

Garden Luminaires Pile (5W Led)

○ BFR660-B ● BFR660-G ● BFR660-Y



Watt	7W	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Outdoor
Lumen	630 lm	Light Angle	150°
IP	65	Box Quantity	100
Chip Type	SMD		

BFR680

Garden Luminaires (Square Cube)



Box Size	695x470x580	Usage Area	Outdoor
Box Weight	12,00 KG	Box Quantity	12
IP	65		

BFR690

Garden Luminaires (Square Cube Grid)



Box Size	695x470x580	Usage Area	Outdoor
Box Weight	13,00 KG	Box Quantity	12
IP	65		

GARDEN LUMINAIRES

BFR610

Garden Luminaires (Mushroom Sconce)



Box Size	860x860x920	Usage Area	Outdoor
Box Weight	13,60 KG	Box Quantity	27
IP	65		

BFR620

Garden Luminaires (Mushroom Countertops)



Box Size	860x860x920	Usage Area	Outdoor
Box Weight	13,60 KG	Box Quantity	27
IP	65		

BFR450

Decorative Two Way Wall Sconce



Watt	1xG10	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Outdoor
Lumen	-	Light Angle	150°
IP	64	Box Quantity	45
Holder	G10		

BFR450

Decorative Two Way Wall Sconce




Watt	1xG10	Color Efficiency	CRI>80
Voltage	220 V	Usage Area	Outdoor
Lumen	-	Light Angle	150°
IP	64	Box Quantity	45
Holder	G10		

BFR670

Tree Lantern (E27)



Box Quantity	100
---------------------	-----



EMERGENCY LOCK
DIRECTION BOARDS



EMERGENCY LOCK DIRECTION BOARDS



LED 7W EMERGENCY OUTPUT GUIDE (IP44) LOCKED

Product Code	Type	Package Quantity	Box Quantity
BFR5001	7W Emergency Lighting Fixture	1	40
BFR5001-1	7W Emergency Lighting Fix. (Emergency Exit)	1	40
BFR5001-2	7W Emergency Lighting Fix. (Exit)	1	40
BFR5001-3	7W Emergency Lighting Fix. (Exit Çıkış)	1	40
BFR5001-4	7W Emergency Lighting Fix. (Left Direction)	1	40
BFR5001-5	7W Emergency Lighting Fix. (Right Direction)	1	40
BFR5001-6	7W Emergency Lighting Fix. (Door Exit Left)	1	40
BFR5001-7	7W Emergency Lighting Fix. (Door Exit Right)	1	40
BFR5001-8	7W Emergency Lighting Fix. (Door Exit Down)	1	40
BFR5001-9	7W Emergency Lighting Fix. (Door Exit Up)	1	40
BFR5001-10	7W Emergency Lighting Fix. (Up Direction)	1	40
BFR5001-11	7W Emergency Lighting Fix. (Down Direction)	1	40

ACİL
ÇIKIŞ

EXIT

EXIT
ÇIKIŞ



LED 8W EMERGENCY OUTPUT GUIDE (IP20)

Product Code	Type	Package Quantity	Box Quantity
BFR5055	8W Emergency Lighting Fixture	1	40
BFR5055-1	8W Emergency Lighting Fix. (Emergency Exit)	1	40
BFR5055-2	8W Emergency Lighting Fix. (Exit)	1	40
BFR5055-3	8W Emergency Lighting Fix. (Exit Çıkış)	1	40
BFR5055-4	8W Emergency Lighting Fix. (Left Direction)	1	40
BFR5055-5	8W Emergency Lighting Fix. (Right Direction)	1	40
BFR5055-6	8W Emergency Lighting Fix. (Door Exit Left)	1	40
BFR5055-7	8W Emergency Lighting Fix. (Door Exit Right)	1	40
BFR5055-8	8W Emergency Lighting Fix. (Door Exit Down)	1	40
BFR5055-9	8W Emergency Lighting Fix. (Door Exit Up)	1	40
BFR5055-10	8W Emergency Lighting Fix. (Up Direction)	1	40
BFR5055-11	8W Emergency Lighting Fix. (Down Direction)	1	40
BFR5056	Hanger Bracket	1	-

ACİL
ÇIKIŞ

EXIT

EXIT
ÇIKIŞ



ASPIRATORS

BFR902

100 mm Aspirator



Watt	-	Usage Area	Indoor
Voltage	220 V	Box Size	465x335x325
Lumen	-	Box Weight	9,15 KG
IP	20	Box Quantity	20
Chip Type -			

BFR903

120 mm Aspirator



Watt	-	Usage Area	Indoor
Voltage	220 V	Box Size	470x380x380
Lumen	-	Box Weight	10,25 KG
IP	20	Box Quantity	20
Chip Type -			

BFR904

150 mm Aspirator



Watt	-	Usage Area	Indoor
Voltage	220 V	Box Size	565x230x450
Lumen	-	Box Weight	6,75 KG
IP	20	Box Quantity	10
Chip Type -			



Quiet, Decorative
WC - Bathroom
Aspirator

Reels Cables

BFR907	Empty Cable Reel (Monophase)
BFR908	20 mt. Reel Cable 3 x 1.5
BFR909	35 mt. Reel Cable 3 x 1.5
BFR910	50 mt. Reel Cable 3 x 1.5
BFR911	20 mt. Reel Cable 3 x 2.5
BFR912	30 mt. Reel Cable 3 x 2.5
BFR913	40 mt. Reel Cable 3 x 2.5
BFR914	50 mt. Reel Cable 3 x 2.5



Box Quantity

4

BFR905

Junior Office Type Reel Cable (5 mt)



Box Quantity

10

BFR906

Junior Office Type Reel Cable (10 mt)



Box Quantity

10



TIJ SENSORY TEAMS AND ELECTRONIC DOORBELL

BFR5500

Cord Cable



Box Quantity 100 m

BFR1101

Ding Dong
Electronic Doorbell



Box Size 430x195x260 Box Quantity 48
Box Weight 5,90 KG

BFRKC601

Protected Rod Set



Fireproof
Lampholder

Box Quantity 300

BFR5501

G10 Lampholder



Box Quantity 300

BFR5502

Flat Tip Control
Pen (Eco)



Box Quantity 36

BFR5503

Flat Tip Control
Pen



Box Quantity 10

BFR5504

Set of 2 Controllers



CONTROL PEN
GIFT

Box Quantity 50 Set

BFR5505

Set of 7 Controllers



CONTROL PEN
GIFT


Box Quantity 12 Set

b RUBBER SERIES

Product Code	Type	Package Quantity	Box Quantity
B KS 20	1x16A Case Wall Socket	20	120
B KS 21	1x16A Case Double Group Socket	12	72
B KS 22	1x16A Case Triple Group Socket	10	60
B KS 23	3x25 Flat Plug	30	90
B KS 24	3x25 Flat Socket	30	90
B KS 25	3x25A 1x16A Double Group Socket	12	72
B KS 26	3x25A Wall Socket	20	120
B KS 27	3x25A Flat Plug	50	300
B KS 28	3x25A Double Group Socket	12	72
B KS 29	3x25A Extension Socket	25	150
B KS 30	3x25A Triple Group Socket 1-2	10	60
B KS 31	3x25A Triple Group Socket 2-1	10	60
B KS 32	3x25A Triple Group Socket	10	60


b CABLE TIE

Product Code	Type	Package Quantity	Box Quantity
B KB 01	2.5 x 150 Cable Tie	100	20.000
B KB 02	2.5 x 200 Cable Tie	100	15.000
B KB 03	3.6 x 150 Cable Tie	100	10.000
B KB 04	3.6 x 200 Cable Tie	100	10.000
B KB 05	3.6 x 250 Cable Tie	100	10.000
B KB 06	3.6 x 300 Cable Tie	100	10.000
B KB 07	3.6 x 370 Cable Tie	130	25.000
B KB 08	4.8 x 250 Cable Tie	100	10.000
B KB 09	4.8 x 300 Cable Tie	100	10.000
B KB 10	4.8 x 380 Cable Tie	100	5.000
B KB 11	4.8 x 450 Cable Tie	100	5.000
B KB 12	4.8 x 500 Cable Tie	100	5.000
B KB 13	7.6 x 300 Cable Tie	100	2.500
B KB 14	7.6 x 370 Cable Tie	100	3.500
B KB 15	7.6 x 450 Cable Tie	100	2.000
B KB 16	7.6 x 550 Cable Tie	100	2.000



DECORATIVE PENDANT PLASTIC CHANDELIERS

BFRMD001

Decorative Pendant Plastic Chandelier



Box Quantity 5

BFRMD002

Decorative Pendant Plastic Chandelier



Box Quantity 5

BFRMD003

Decorative Pendant Plastic Chandelier



Box Quantity 15

BFRMD004

Decorative Pendant Plastic Chandelier



Box Quantity 15



The background features a series of overlapping, wavy, organic shapes in shades of light blue, beige, and white. In the top-left corner, there is a circular area filled with a pattern of small, light blue dots. Another similar dotted circular area is located in the bottom-right quadrant.

gencoelectro.com