

Rack Cabinet, L.V. Panels
PVC Cable Trunking
Metal Cable Tray
Conduit Systems, Pipes

GNC Genco Electro

We supply trust

gencoelectro.com

PE HALOGEN FREE NON FLAME PROPAGATING PIPES



Technical Specifications

Standard	: TS EN 61386-22
Material	: Polyethylene
Compressive Strenght	: 320 Newton Light Duty Class 2
Impact Strenght	: 2 kg / 100 mm Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: 60 °C Class 1
Color Option	

LIGHT DUTY 320 N 2331 — TS EN 61386-22

Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.MK.16/6	16 mm H.F Non Flame Propagating Pipes 320 N	16	$16^{-0,3}$	13	100
ZB.MK.20/6	20 mm H.F Non Flame Propagating Pipes 320 N	20	$20^{-0,3}$	17	100
ZB.MK.25/6	25 mm H.F Non Flame Propagating Pipes 320 N	25	$25^{-0,4}$	21	100
ZB.MK.32/6	32 mm H.F Non Flame Propagating Pipes 320 N	32	$32^{-0,4}$	27	100
ZB.MK.40/6	40 mm H.F Non Flame Propagating Pipes 320 N	40	$40^{-0,4}$	35	100
ZB.MK.50/6	50 mm H.F Non Flame Propagating Pipes 320 N	50	$50^{-0,5}$	44	100
ZB.MK.63/6	63 mm H.F Non Flame Propagating Pipes 320 N	63	$63^{-0,6}$	56	50
ZB.MK.75/6	75 mm H.F Non Flame Propagating Pipes 320 N	75	$75^{-0,6}$	68	50



Technical Specifications

Standard	: TS EN 61386-22
Material	: Polyethylene
Compressive Strenght	750 Newton Medium Duty Class 3
Impact Strenght	: 2 kg / 100 mm Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: 60 °C Class 1
Color Option	

MEDIUM DUTY 750 N 3331 — TS EN 61386-22

Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.MK.16/10	16 mm H.F Non Flame Propagating Pipes 750 N	16	$16^{-0,3}$	12	100
ZB.MK.20/10	20 mm H.F Non Flame Propagating Pipes 750 N	20	$20^{-0,3}$	16	100
ZB.MK.25/10	25 mm H.F Non Flame Propagating Pipes 750 N	25	$25^{-0,4}$	20	100
ZB.MK.32/10	32 mm H.F Non Flame Propagating Pipes 750 N	32	$32^{-0,4}$	26	100
ZB.MK.40/10	40 mm H.F Non Flame Propagating Pipes 750 N	40	$40^{-0,4}$	33	100
ZB.MK.50/10	50 mm H.F Non Flame Propagating Pipes 750 N	50	$50^{-0,5}$	42	100
ZB.MK.63/10	63 mm H.F Non Flame Propagating Pipes 750 N	63	$63^{-0,6}$	54	50
ZB.MK.75/10	75 mm H.F Non Flame Propagating Pipes 750 N	75	$75^{-0,6}$	65	50



Technical Specifications

Standard	: TS EN 61386-22
Material	Polyethylene
Compressive Strenght	: 320 Newton Light Duty Class 2
Impact Strenght	: 2 kg / 100 mm Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: 60 °C Class 1
Color Option	

LIGHT DUTY 320 N 2331 — TS EN 61386-22

Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.TK.14/6	14 mm H.F Flame Propagating 320 N	14	$14^{-0,3}$	11,2	100
ZB.TK.16/6	16 mm H.F Flame Propagating 320 N	16	$16^{-0,3}$	13	100
ZB.TK.18/6	18 mm H.F Flame Propagating 320 N	18	$18^{-0,3}$	15	100
ZB.TK.20/6	20 mm H.F Flame Propagating 320 N	20	$20^{-0,3}$	17	100
ZB.TK.25/6	25 mm H.F Flame Propagating 320 N	25	$25^{-0,4}$	21	100
ZB.TK.32/6	32 mm H.F Flame Propagating 320 N	32	$32^{-0,4}$	27	100
ZB.TK.40/6	40 mm H.F Flame Propagating 320 N	40	$40^{-0,4}$	35	100
ZB.TK.50/6	50 mm H.F Flame Propagating 320 N	50	$50^{-0,5}$	44	100
ZB.TK.63/6	63 mm H.F Flame Propagating 320 N	63	$63^{-0,6}$	56	50
ZB.TK.75/6	75 mm H.F Flame Propagating 320 N	75	$75^{-0,6}$	68	50



Technical Specifications

Standard	: TS EN 61386-22
Material	: Polietilen / Polyethylene
Compressive Strenght	: 750 Newton Medium Duty Class 3
Impact Strenght	: 2 kg / 100 mm Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: 60 °C Class 1
Color Option	

MEDIUM DUTY 750 N 3331 — TS EN 61386-22

Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.TK.14/10	14 mm H.F Flame Propagating 750 N	14	$14^{-0,3}$	10,8	100
ZB.TK.16/10	16 mm H.F Flame Propagating 750 N	16	$16^{-0,3}$	12	100
ZB.TK.18/10	18 mm H.F Flame Propagating 750 N	18	$18^{-0,3}$	14,2	100
ZB.TK.20/10	20 mm H.F Flame Propagating 750 N	20	$20^{-0,3}$	16	100
ZB.TK.25/10	25 mm H.F Flame Propagating 750 N	25	$25^{-0,4}$	20	100
ZB.TK.32/10	32 mm H.F Flame Propagating 750 N	32	$32^{-0,4}$	26	100
ZB.TK.40/10	40 mm H.F Flame Propagating 750 N	40	$40^{-0,4}$	33	100
ZB.TK.50/10	50 mm H.F Flame Propagating 750 N	50	$50^{-0,5}$	42	100
ZB.TK.63/10	63 mm H.F Flame Propagating 750 N	63	$63^{-0,6}$	54	50
ZB.TK.75/10	75 mm H.F Flame Propagating 750 N	75	$75^{-0,6}$	65	50

LIGHT DUTY



Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.SK.14/6	14 mm Black Pipes 320 N	14	$14^{-0,3}$	11,2	100
ZB.SK.16/6	16 mm Black Pipes 320 N	16	$16^{-0,3}$	13	100
ZB.SK.18/6	18 mm Black Pipes 320 N	18	$18^{-0,3}$	15	100
ZB.SK.20/6	20 mm Black Pipes 320 N	20	$20^{-0,3}$	16,6	100
ZB.SK.25/6	25 mm Black Pipes 320 N	25	$25^{-0,4}$	21,4	100
ZB.SK.32/6	32 mm Black Pipes 320 N	32	$32^{-0,4}$	27,8	100
ZB.SK.40/6	40 mm Black Pipes 320 N	40	$40^{-0,4}$	35 0	100
ZB.SK.50/6	50 mm Black Pipes 320 N	50	$50^{-0,5}$	45	100
ZB.SK.63/6	63 mm Black Pipes 320 N	63	$63^{-0,6}$	57	50
ZB.SK.70/6	70 mm Black Pipes 320 N	70	$70^{-0,6}$	63	50
ZB.SK.75/6	75 mm Black Pipes 320 N	75	$75^{-0,6}$	69	50
ZB.SK.90/6	90 mm Black Pipes 320 N	90	$90^{-0,7}$	83	50
ZB.SK.100/6	100 mm Black Pipes 320 N	100	$100^{-0,7}$	93	50

MEDIUM DUTY



Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.SK.14/10	14 mm Black Pipes 750 N	14	$14^{-0,3}$	10,8	100
ZB.SK.16/10	16 mm Black Pipes 750 N	16	$16^{-0,3}$	12,4	100
ZB.SK.18/10	18 mm Black Pipes 750 N	18	$18^{-0,3}$	14,2	100
ZB.SK.20/10	20 mm Black Pipes 750 N	20	$20^{-0,3}$	16	100
ZB.SK.25/10	25 mm Black Pipes 750 N	25	$25^{-0,4}$	20,1	100
ZB.SK.32/10	32 mm Black Pipes 750 N	32	$32^{-0,4}$	25,4	100
ZB.SK.40/10	40 mm Black Pipes 750 N	40	$40^{-0,4}$	32,6	100
ZB.SK.50/10	50 mm Black Pipes 750 N	50	$50^{-0,5}$	42 0	100
ZB.SK.63/10	63 mm Black Pipes 750 N	63	$63^{-0,6}$	54,4	50
ZB.SK.70/10	70 mm Black Pipes 750 N	70	$70^{-0,6}$	60,7	50
ZB.SK.75/10	75 mm Black Pipes 750 N	75	$75^{-0,6}$	67	50
ZB.SK.90/10	90 mm Black Pipes 750 N	90	$90^{-0,7}$	80	50
ZB.SK.100/10	100 mm Black Pipes 750 N	100	$100^{-0,7}$	90	50



Technical Specifications

Standard	: TS EN 61386-21
Material	: Polyethylene
Compressive Strenght	: 320 Newton Light Duty Class 2
Impact Strenght	: 2 kg / 100 mm Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: 60 °C Class 1

LIGHT DUTY — TS EN 61386-21

Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.DB.16/6	16 mm H.F Flame Propagating Rigid Pipe 3 m 320 N	16	$16^{-0,3}$	13,6	102
ZB.DB.20/6	20 mm H.F Flame Propagating Rigid Pipe 3 m 320 N	20	$20^{-0,3}$	17,3	102
ZB.DB.25/6	25 mm H.F Flame Propagating Rigid Pipe 3 m 320 N	25	$25^{-0,4}$	22,25	51
ZB.DB.32/6	32 mm H.F Flame Propagating Rigid Pipe 3 m 320 N	32	$32^{-0,4}$	29	51



Technical Specifications

Standard	: TS EN 61386-21
Material	: Polyethylene
Compressive Strenght	: 750 Newton Medium Duty Class 3
Impact Strenght	: 2 kg / 100 mm Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: 60 °C Class 1

MEDIUM DUTY — TS EN 61386-21

Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.DB.16/10	16 mm H.F Flame Propagating Rigid Pipe 3 m 750 N	16	$16^{-0,3}$	13	102
ZB.DB.20/10	20 mm H.F Flame Propagating Rigid Pipe 3 m 750 N	20	$20^{-0,3}$	17	102
ZB.DB.25/10	25 mm H.F Flame Propagating Rigid Pipe 3 m 750 N	25	$25^{-0,4}$	21,4	51
ZB.DB.32/10	32 mm H.F Flame Propagating Rigid Pipe 3 m 750 N	32	$32^{-0,4}$	28,5	51

PE HALOGEN FREE NON FLAME PROPAGATING RIGID PIPES



Technical Specifications

Standard	: TS EN 61386-21
Material	: Polyethylene
Compressive Strenght	: 320 Newton Light Duty Class 2
Impact Strenght	: 2 kg / 100 mm Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: 60 °C Class 1

LIGHT DUTY — TS EN 61386-21

Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.DBY.16/6	16 mm H.F Non Flame Propagating Rigid Pipe 3 m 320 N	16	$16^{-0,3}$	13,6	102
ZB.DBY.20/6	20 mm H.F Non Flame Propagating Rigid Pipe 3 m 320 N	20	$20^{-0,3}$	17,3	102
ZB.DBY.25/6	25 mm H.F Non Flame Propagating Rigid Pipe 3 m 320 N	25	$25^{-0,4}$	22,25	51
ZB.DBY.32/6	32 mm H.F Non Flame Propagating Rigid Pipe 3 m 320 N	32	$32^{-0,4}$	29	51



Technical Specifications

Standard	: TS EN 61386-21
Material	: Polyethylene
Compressive Strenght	: 750 Newton Medium DutyClass 3
Impact Strenght	: 2 kg / 100 mm Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: 60 °C Class 1

MEDIUM DUTY — TS EN 61386-21

Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.DBY.16/10	16 mm H.F Non Flame Propagating Rigid Pipe 3 m 750 N	16	$16^{-0,3}$	13	102
ZB.DBY.20/10	20 mm H.F Non Flame Propagating Rigid Pipe 3 m 750 N	20	$20^{-0,3}$	17	102
ZB.DBY.25/10	25 mm H.F Non Flame Propagating Rigid Pipe 3 m 750 N	25	$25^{-0,4}$	21,4	51
ZB.DBY.32/10	32 mm H.F Non Flame Propagating Rigid Pipe 3 m 750 N	32	$32^{-0,4}$	28,5	51



Technical Specifications

Standard	: TS EN 61386-21
Material	: PVC
Compressive Strenght	: 320 Newton Light Duty Class 2
Impact Strenght	: 2 kg / 100 mm Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: 60 °C Class 1

LIGHT DUTY — TS EN 61386-21

Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.PB.16/6	16 mm PVC Non Flame Propagating Rigid Pipes 3 m 320 N	16	$16^{-0,3}$	13,6	102
ZB.PB.20/6	20 mm PVC Non Flame Propagating Rigid Pipes 3 m 320 N	20	$20^{-0,3}$	17,3	102
ZB.PB.25/6	25 mm PVC Non Flame Propagating Rigid Pipes 3 m 320 N	25	$25^{-0,4}$	22,25	51
ZB.PB.32/6	32 mm PVC Non Flame Propagating Rigid Pipes 3 m 320 N	32	$32^{-0,4}$	29	51
ZB.PB.40/6	40 mm PVC Non Flame Propagating Rigid Pipes 3 m 320 N	40	$40^{-0,4}$	36,5	30



Technical Specifications

Standard	: TS EN 61386-21
Material	: PVC
Compressive Strenght	: 750 Newton Medium Duty Class 3
Impact Strenght	: 2 kg / 100 mm Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: 60 °C Class 1

MEDIUM DUTY — TS EN 61386-21

Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.PB.16/10	16 mm PVC Non Flame Propagating Rigid Pipes 3 m 750 N	16	$16^{-0,3}$	13	102
ZB.PB.20/10	20 mm PVC Non Flame Propagating Rigid Pipes 3 m 750 N	20	$20^{-0,3}$	17	102
ZB.PB.25/10	25 mm PVC Non Flame Propagating Rigid Pipes 3 m 750 N	25	$25^{-0,4}$	21,4	51
ZB.PB.32/10	32 mm PVC Non Flame Propagating Rigid Pipes 3 m 750 N	32	$32^{-0,4}$	28,5	51
ZB.PB.40/10	40 mm PVC Non Flame Propagating Rigid Pipes 3 m 750 N	40	$40^{-0,4}$	35,8	30

PVC NON FLAME PROPAGATING SELF FITTING RIGID PIPES



Self Fitting

Technical Specifications

Standart/Standard	: TS EN 61386-21	
Malzeme/Material	: PVC	
Sıkıştırma Dayanımı/Compressive Strenght	: 320 Newton Hafif Seri	Sınıf (class) 2
Darbe Dayanımı/Impact Strenght	: 2 kg / 100 mm	Sınıf (class) 3
Minimum Çalışma Sıcaklığı/Min. Operation Temperature	: -15 °C	Sınıf (class) 3
Maksimum Çalışma Sıcaklığı/Max. Operation Temperature	: 60 °C	Sınıf (class) 1

LIGHT DUTY — TS EN 61386-21

Ürün Kodu Order Code	Ürün İsmi Product Name	Anma Çapı Dia (mm)	Anma Dış Çap Outer Dia (mm)	Anma İç Çap Inner Dia (mm)	Ambalaj Miktarı Package (m)
ZB.PB.16/61	16 mm PVC Non Flame Propagating Rigid Pipes 3 m 320N (Self Fitting)	16	$16^{-0,3}$	13,6	102
ZB.PB.20/61	20 mm PVC Non Flame Propagating Rigid Pipes 3 m 320N (Self Fitting)	20	$20^{-0,3}$	17,3	102
ZB.PB.25/61	25 mm PVC Non Flame Propagating Rigid Pipes 3 m 320N (Self Fitting)	25	$25^{-0,4}$	22,25	51
ZB.PB.32/61	32 mm PVC Non Flame Propagating Rigid Pipes 3 m 320N (Self Fitting)	32	$32^{-0,4}$	28,7	42
ZB.PB.40/61	40 mm PVC Non Flame Propagating Rigid Pipes 3 m 320N (Self Fitting)	40	$40^{-0,4}$	36,5	30



Self Fitting

Technical Specifications

Standart/Standard	: TS EN 61386-21	
Malzeme/Material	: PVC	
Sıkıştırma Dayanımı/Compressive Strenght	: 750 Newton Orta Seri	Sınıf (class) 3
Darbe Dayanımı/Impact Strenght	: 2 kg / 100 mm	Sınıf (class) 3
Minimum Çalışma Sıcaklığı/Min. Operation Temperature	: -15 °C	Sınıf (class) 3
Maksimum Çalışma Sıcaklığı/Max. Operation Temperature	: 60 °C	Sınıf (class) 1

MEDIUM DUTY — TS EN 61386-21

Ürün Kodu Order Code	Ürün İsmi Product Name	Anma Çapı Dia (mm)	Anma Dış Çap Outer Dia (mm)	Anma İç Çap Inner Dia (mm)	Ambalaj Miktarı Package (m)
ZB.PB.16/101	16 mm PVC Non Flame Propagating Rigid Pipes 3 m 750N (Self Fitting)	16	$16^{-0,3}$	13	102
ZB.PB.20/101	20 mm PVC Non Flame Propagating Rigid Pipes 3 m 750N (Self Fitting)	20	$20^{-0,3}$	17	102
ZB.PB.25/101	25 mm PVC Non Flame Propagating Rigid Pipes 3 m 750N (Self Fitting)	25	$25^{-0,4}$	21,4	51
ZB.PB.32/101	32 mm PVC Non Flame Propagating Rigid Pipes 3 m 750N (Self Fitting)	32	$32^{-0,4}$	28	42
ZB.PB.40/101	40 mm PVC Non Flame Propagating Rigid Pipes 3 m 750N (Self Fitting)	40	$40^{-0,4}$	35,8	30



RIGID CONDUIT COUPLING

Order Code	Product Name	Package (piece)
ZB.PB.161	16 mm Rigid Conduit Coupling	100
ZB.PB.201	20 mm Rigid Conduit Coupling	100
ZB.PB.251	25 mm Rigid Conduit Coupling	100
ZB.PB.321	32 mm Rigid Conduit Coupling	50



90º BEND

Order Code	Product Name	Package (piece)
ZB.PB.162	16 mm Bend	100
ZB.PB.202	20 mm Bend	100
ZB.PB.252	25 mm Bend	50
ZB.PB.322	32 mm Bend	25



T BEND

Order Code	Product Name	Package (piece)
ZB.PB.163	16 mm T Bend	100
ZB.PB.203	20 mm T Bend	100
ZB.PB.253	25 mm T Bend	100
ZB.PB.323	32 mm T Bend	50



RIGID CONDUIT ADAPTOR

Order Code	Product Name	Package (piece)
ZB.PB.164	16 mm Rigid Conduit Adaptor	100
ZB.PB.204	20 mm Rigid Conduit Adaptor	100
ZB.PB.254	25 mm Rigid Conduit Adaptor	100
ZB.PB.324	32 mm Rigid Conduit Adaptor	50



CORRUGATED-RIGID COUPLING

Order Code	Product Name	Package (piece)
ZB.PB.1611	16 mm Corrugated - Rigid Coupling	100
ZB.PB.2011	20 mm Corrugated - Rigid Coupling	100
ZB.PB.2511	25 mm Corrugated - Rigid Coupling	100
ZB.PB.3211	32 mm Corrugated - Rigid Coupling	100



CORRUGATED CONDUIT ADAPTOR

Order Code	Product Name	Package (piece)
ZB.PB.167	16 mm Corrugated Conduit Adaptor	100
ZB.PB.207	20 mm Corrugated Conduit Adaptor	100
ZB.PB.257	25 mm Corrugated Conduit Adaptor	100
ZB.PB.327	32 mm Corrugated Conduit Adaptor	50



LOCKED CONDUIT SUPPORT

Order Code	Product Name	Package (piece)
ZB.PB.165	16 mm Locked Conduit Support	100
ZB.PB.205	20 mm Locked Conduit Support	100
ZB.PB.255	25 mm Locked Conduit Support	100
ZB.PB.325	32 mm Locked Conduit Support	50



DOWEL PIN CLIP

Order Code	Product Name	Package (piece)
ZB.PB.166	16 mm Dowel Pin Clip	100
ZB.PB.206	20 mm Dowel Pin Clip	100
ZB.PB.256	25 mm Dowel Pin Clip	100
ZB.PB.326	32 mm Dowel Pin Clip	100



CONDUIT SUPPORT

Order Code	Product Name	Package (piece)
ZB.PB.168	16 mm Conduit Support	100
ZB.PB.208	20 mm Conduit Support	100
ZB.PB.258	25 mm Conduit Support	100
ZB.PB.328	32 mm Conduit Support	50



TWEEZERS CLIP

Order Code	Product Name	Package (piece)
ZB.PB.1610	3/13 mm Tweezers Clip	500
ZB.PB.2010	20 mm Tweezers Clip	500



STICK CLIP

Order Code	Product Name	Package (piece)
ZB.PB.209	20 mm Stick Clip	250
ZB.PB.259	25 mm Stick Clip	250



BLACK PLASTIC SPIRALS

Order Code	Product Name	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.SB.14	14 mm Plastic Spiral	18	14	100
ZB.SB.16	16 mm Plastic Spiral	20	16	50
ZB.SB.18	18 mm Plastic Spiral	23	18	50
ZB.SB.26	26 mm Plastic Spiral	29,5	25	50
ZB.SB.32	32 mm Plastic Spiral	33,5	29	50
ZB.SB.40	40 mm Plastic Spiral	42	37	25



BLACK PLASTIC SPIRALS WITH GUIDE WIRE

Order Code	Product Name	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.SB1.14	14 mm Black Plastic Spiral with Guide wire	18	14	100
ZB.SB1.16	16 mm Black Plastic Spiral with Guide wire	20	16	50
ZB.SB1.18	18 mm Black Plastic Spiral with Guide wire	23	18	50
ZB.SB1.26	26 mm Black Plastic Spiral with Guide wire	29,5	25	50
ZB.SB1.32	32 mm Black Plastic Spiral with Guide wire	33,5	29	50
ZB.SB1.40	40 mm Black Plastic Spiral with Guide wire	42	42	25

HALOGEN FREE SPIRALS (NON FLAME PROPAGATING)

Technical Specifications

Standard	: TS EN 61386-22 / 08.112005
Certificate no	: 14.1134 / TSE-63870
Material	: Polyethylene
Compressive Strenght	: Light Class 2
Impact Strenght	: Medium Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: + 60 °C Class 1
Bending Strenght	: Flexible/Self Recovering

PE HALOGEN FREE SPIRALS (NON FLAME PROPAGATING)



LIGHT DUTY 320 N 2331 — TS EN 61386-22

Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.SH1.16	16 mm H.F Spiral (Non Flame Propagating)	16	$16^{-0,3}$	11,5	100
ZB.SH1.20	20 mm H.F Spiral (Non Flame Propagating)	20	$20^{-0,3}$	15	50
ZB.SH1.25	25 mm H.F Spiral (Non Flame Propagating)	25	$25^{-0,4}$	19	50
ZB.SH1.32	32 mm H.F Spiral (Non Flame Propagating)	32	$32^{-0,4}$	24,5	50

PE HALOGEN FREE SPIRALS (NON FLAME PROPAGATING) WITH GUIDE WIRE

LIGHT DUTY 320 N 2331 — TS EN 61386-22



Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.SH11.16	16 mm H.F Spiral (Non Flame Propagating) With Guide wire	16	$16^{-0,3}$	11,5	100
ZB.SH11.20	20 mm H.F Spiral (Non Flame Propagating) With Guide wire	20	$20^{-0,3}$	15	50
ZB.SH11.25	25 mm H.F Spiral (Non Flame Propagating) With Guide wire	25	$25^{-0,4}$	19	50
ZB.SH11.32	32 mm H.F Spiral (Non Flame Propagating) With Guide wire	32	$32^{-0,4}$	24,5	50

Technical Specifications

Standard	: TS EN 61386-22 / 08.11.2005
Certificate no	: 14.1.134 / TSE-63870
Material	: Polyethylene
Compressive Strenght	: Light Class 2
Impact Strenght	: Medium Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: + 60 °C Class 1
Bending Strenght	: Flexible/Self Recovering

HALOGEN FREE SPIRALS (FLAME PROPAGATING)



LIGHT DUTY 320 N 2331 — TS EN 61386-22

Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.SH2.16	16 mm H.F Spiral (Flame Propagating)	16	$16^{-0,3}$	11,5	100
ZB.SH2.20	20 mm H.F Spiral (Flame Propagating)	20	$20^{-0,3}$	15	50
ZB.SH2.25	25 mm H.F Spiral (Flame Propagating)	25	$25^{-0,4}$	19	50
ZB.SH2.32	32 mm H.F Spiral (Flame Propagating)	32	$32^{-0,4}$	24,5	50

HALOGEN FREE FLAME PROPAGATING SPIRALS

LIGHT DUTY 320 N 2331 — TS EN 61386-22



Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.SH21.16	16 mm H.F Spiral (Flame Propagating) with Guide wire	16	$16^{-0,3}$	11,5	100
ZB.SH21.20	20 mm H.F Spiral (Flame Propagating) with Guide wire	20	$20^{-0,3}$	15	50
ZB.SH21.25	25 mm H.F Spiral (Flame Propagating) with Guide wire	25	$25^{-0,4}$	19	50
ZB.SH21.32	32 mm H.F Spiral (Flame Propagating) with Guide wire	32	$32^{-0,4}$	24,5	50

HALOGEN FREE SPIRALS (NON FLAME PROPAGATING)

Technical Specifications

Standard	: TS EN 61386-22 / 08.112005
Certificate no	: 14.1134 / TSE-63870
Material	: Polyethylene
Compressive Strenght	: Medium Class 3
Impact Strenght	: Medium Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: + 60 °C Class 1
Bending Strenght	: Flexible/Self Recovering

PE HALOGEN FREE SPIRALS (NON FLAME PROPAGATING) WITH GUIDE WIRE

MEDIUM DUTY 750 N 3331 — TS EN 61386-22



Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.SH31.16	16 mm H.F Spiral (Non Flame Propagating) With Guide wire 750 N	16	16-0,3	11,5	100
ZB.SH31.20	20 mm H.F Spiral (Non Flame Propagating) With Guide wire 750 N	20	20-0,3	15	50
ZB.SH31.25	25 mm H.F Spiral (Non Flame Propagating) With Guide wire 750 N	25	25-0,4	19	50
ZB.SH31.32	32 mm H.F Spiral (Non Flame Propagating) With Guide wire 750 N	32	32-0,4	24,5	50

HALOGEN FREE FLAME PROPAGATING SPIRALS

MEDIUM DUTY 750 N 3331 — TS EN 61386-22



Order Code	Product Name	Dia (mm)	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.SH41.16	16 mm H.F Spiral (Flame Propagating) with Guide wire 750 N	16	16-0,3	11,5	100
ZB.SH41.20	20 mm H.F Spiral (Flame Propagating) with Guide wire 750 N	20	20-0,3	15	50
ZB.SH41.25	25 mm H.F Spiral (Flame Propagating) with Guide wire 750 N	25	25-0,4	19	50
ZB.SH41.32	32 mm H.F Spiral (Flame Propagating) with Guide wire 750 N	32	32-0,4	24,5	50

Technical Specifications

Standard	: TS EN 61386-22 / 08.112005
Certificate no	: 14.1134 / TSE-63870
Material	: Steel
Compressive Strenght	: Light Class 2
Impact Strenght	: Medium Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: + 60 °C Class 1
Bending Strenght	: Flexible

STEEL SPIRALS



Order Code	Product Name	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.CSB.11	11 mm Steel Spiral	14,50	11,00	50
ZB.CSB.14	14 mm Steel Spiral	17,50	14,00	50
ZB.CSB.16	16 mm Steel Spiral	19,50	16,00	50
ZB.CSB.18	18 mm Steel Spiral	21,50	18,00	50
ZB.CSB.21	21 mm Steel Spiral	24,00	21,00	50
ZB.CSB.26	26 mm Steel Spiral	29,50	26,00	25
ZB.CSB.32	32 mm Steel Spiral	35,50	32,00	25
ZB.CSB.37	37 mm Steel Spiral	40,50	37,00	25

STEEL SPIRALS WITH GUIDE WIRE



Order Code	Product Name	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.KCSB.11	11 mm Steel Spiral With Guide Wire	14,50	11,00	50
ZB.KCSB.14	14 mm Steel Spiral With Guide Wire	17,50	14,00	50
ZB.KCSB.16	16 mm Steel Spiral With Guide Wire	19,50	16,00	50
ZB.KCSB.18	18 mm Steel Spiral With Guide Wire	21,50	18,00	50
ZB.KCSB.21	21 mm Steel Spiral With Guide Wire	24,00	21,00	50
ZB.KCSB.26	26 mm Steel Spiral With Guide Wire	29,50	26,00	25
ZB.KCSB.32	32 mm Steel Spiral With Guide Wire	35,50	32,00	25
ZB.KCSB.37	37 mm Steel Spiral With Guide Wire	40,50	37,00	25

PVC INSULATED STEEL SPIRAL

Technical Specifications

Standard	: TS EN 61386-22 / 08.112005
Certificate no	: 14.1134 / TSE-63870
Material	: Steel
Compressive Strenght	: Light Class 2
Impact Strenght	: Medium Class 3
Min. Operation Temperature	: -15 °C Class 3
Max. Operation Temperature	: + 60 °C Class 1
Bending Strenght	: Flexible



PVC INSULATED STEEL SPIRALS

Order Code	Product Name	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.ICSB.11	11 mm PVC Insulated Steel Spiral	15,50	11,00	50
ZB.ICSB.14	14 mm PVC Insulated Steel Spiral	18,50	14,00	50
ZB.ICSB.16	16 mm PVC Insulated Steel Spiral	20,50	16,00	50
ZB.ICSB.18	18 mm PVC Insulated Steel Spiral	22,50	18,00	50
ZB.ICSB.21	21 mm PVC Insulated Steel Spiral	25,00	21,00	50
ZB.ICSB.26	26 mm PVC Insulated Steel Spiral	30,50	26,00	25
ZB.ICSB.32	32 mm PVC Insulated Steel Spiral	36,50	32,00	25
ZB.ICSB.37	37 mm PVC Insulated Steel Spiral	41,50	37,00	25



ECO PVC INSULATED STEEL SPIRALS

Order Code	Product Name	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.ICSB.11	11 mm PVC Insulated Steel Spiral ECO	15,50	11,00	50
ZB.ICSB.14	14 mm PVC Insulated Steel Spiral ECO	18,50	14,00	50
ZB.ICSB.16	16 mm PVC Insulated Steel Spiral ECO	20,50	16,00	50
ZB.ICSB.18	18 mm PVC Insulated Steel Spiral ECO	22,50	18,00	50
ZB.ICSB.21	21 mm PVC Insulated Steel Spiral ECO	25,00	21,00	50
ZB.ICSB.26	26 mm PVC Insulated Steel Spiral ECO	30,50	26,00	25
ZB.ICSB.32	32 mm PVC Insulated Steel Spiral ECO	36,50	32,00	25
ZB.ICSB.37	37 mm PVC Insulated Steel Spiral ECO	41,50	37,00	25



INSULATED STEEL SPIRALS WITH GUIDE WIRE

Order Code	Product Name	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.KICSB.11	11 mm Insulated Steel Spiral With Guide Wire	15,50	11,00	50
ZB.KICSB.14	14 mm Insulated Steel Spiral With Guide Wire	18,50	14,00	50
ZB.KICSB.16	16 mm Insulated Steel Spiral With Guide Wire	20,50	16,00	50
ZB.KICSB.18	18 mm Insulated Steel Spiral With Guide Wire	22,50	18,00	50
ZB.KICSB.21	21 mm Insulated Steel Spiral With Guide Wire	25,00	21,00	50
ZB.KICSB.26	26 mm Insulated Steel Spiral With Guide Wire	30,50	26,00	25
ZB.KICSB.32	32 mm Insulated Steel Spiral With Guide Wire	36,50	32,00	25
ZB.KICSB.37	37 mm Insulated Steel Spiral With Guide Wire	41,50	37,00	25

Application Areas;

High density PE materials productions are must be double wall and especially used areas as telecommunication infrastructure and power lines underground for cable protection. For underground applications these type of pipes comply with the environmental conditions and also strengthing and flexible.


Products Specifications;

It is light weight and easy to transport,easy to install
Economics
High compressive strenght
Ex-proof strenght comply

Technical Specifications

Standard	: TS EN 61386-24 / 13.12.2011
Certificate No	: 003559
Material	: High density polyethylene (HDPE)
Compressive Strenght	: TYPE 450
Impact Strenght	: 3 kg / 400 mm / -5 C light L, normal N

TS EN 61386-24 / 13.12.2011



WALL CORRUGATED CABLE DUCTING SYSTEMS

Order Code	Product Name	Outer Dia (mm)	Inner Dia (mm)	Package (m)
ZB.KB.110-S	110 mm Wall Corrugated Cable Ducting Systems	110	95	6
ZB.KB.110	110 mm Wall Corrugated Cable Ducting Systems	90	77	6
ZB.KB.90	90 mm Wall Corrugated Cable Ducting Systems	90	77	6
ZB.KB.75	75 mm Wall Corrugated Cable Ducting Systems	75	67	6
ZB.KB.50	50 mm Wall Corrugated Cable Ducting Systems	50	43	6

COUPLING

Order Code	Product Name	Inner Dia (mm)
ZB.EK.110-S	110 mm Coupling Black	110
ZB.EK.110	110 mm Coupling Blue	90
ZB.EK.90	90 mm Coupling Blue	90
ZB.EK.75	75 mm Coupling Blue	75
ZB.EK.50	50 mm Coupling Blue	50




SPACER


ORDER CODE : ZB.KBD.110




PIPE STOPPER


ORDER CODE : ZB.KBT.110









Order Code	Product Name	Package (Piece)
ZEY.MEN020	20x20 cm Underground Junction Box	1




Order Code	Product Name	Package (Piece)
ZEY.MEN036	30x30 cm Underground Junction Box with 6 outlets	1




Order Code	Product Name	Package (piece/piece)
ZEY.MEN030	30x30 cm Underground Junction Box	1




Order Code	Product Name	Package (Piece)
ZEY.MEN046	40x40 cm Underground Junction Box with 6 outlets	1



Order Code	Product Name	Package (Piece)
ZEY.MEN040	40x40 cm Underground Junction Box	1



Order Code	Product Name	Package (Piece)
ZEY.MEN0510	55x55 cm Underground Junction Box with 10 outlets	1



Order Code	Product Name	Package (Piece)
ZEY.MEN055	55x55 cm Underground Junction Box	1

TS EN 60670-22



Order Code	Product Name	Package Piece
ZB.PM/1	HF Norm Casing	100



Order Code	Product Name	Package Piece
ZB.PM/2	HF Norm Junction Box	100



Order Code	Product Name	Package Piece
ZB.PM/5	HF Click - Fit Casing	100



Order Code	Product Name	Package Piece
ZB.PM/6-D	HF Click - Fit Deep Casing (Wall type)	100




Order Code	Product Name	Package Piece
ZB.PM/6-B	HF Click - Fit Deep Casing (Concrete Type)	100



Order Code	Product Name	Package Piece
ZB.PM/14	HF Die Fixing Tool Click - Fit Deep Casing	100



Order Code	Product Name	Package/Piece
ZB.PM/7	Click - Fit Drywall Casing	100



Order Code	Product Name	Package/Piece
ZB.PM/13	Plastic Cleat	100



Order Code	Product Name	Package/Piece
ZB.PM/16	Die Fixing Tool	100



Order Code	Product Name	Package/Piece
ZB.PM/10	HF Tunnel Junction Box	100

HALOGEN FREE FLAME RETARDANT PLASTIC CASING AND JUNCTION BOXES

TS EN 60670-22



Order Code	Product Name	Package/Piece
ZB.PM/1/0	HF Flame Retardant Norm Casing	100



Order Code	Product Name	Package/Piece
ZB.PM/2/0	HF Flame Retardant Norm Junction Box	100



Order Code	Product Name	Package/Piece
ZB.PM/5/0	HF Flame Retardant Click - Fit Casing	100



Order Code	Product Name	Package/Piece
ZB.PM/6/0-D	HF Flame Retardant Click - Fit Deep Casing (Wall type)	100



Order Code	Product Name	Package/Piece
ZB.PM/6/0-B	HF Flame Retardant Click - Fit Deep Casing (Concrete Type)	100



Order Code	Product Name	Package/Piece
ZB.PM/15	HF Flame Retardant Die Fixing Tool Click - Fit Deep Casing	100



Order Code	Product Name	Package Piece
ZB.PM/13/0	HF Flame Retardant Plastic Cleat	100



Order Code	Product Name	Package Piece
ZB.PM/10/0	HF Flame Retardant Tunnel Junction Box	100



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.401	Combination Box	2/24	11,12	0,086



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.402	Combination Box	1/12	10,42	0,101

IP 65

HF HALOGEN FREE



Order Code	Ürün İsmi Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM/9	110*110*74 mm Thermoplastic Junction Box	12/96	16,1	0,106

IP 65

HF HALOGEN FREE



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM/11	210*120*74 mm Thermoplastic Junction Box	4/48	15,04	0,113



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM/8	85*85*40 mm Square Thermoplastic Junction Box	20/240	12,3	0,081



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.101	Surface Mounted Fuse Box 1-2 Fuses	20/240	15,08	0,125



Ürün Kodu Order Code	Ürün İsmi Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.301	Oval Antigron Lighting Fixture	4/48	13,66	0,111



Ürün Kodu Order Code	Ürün İsmi Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.302	Papatya Wall Lamp	4/24	6,40	0,069



Ürün Kodu Order Code	Ürün İsmi Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.303	Yıldız Ceiling Globe Lighting Fixture	5/40	10,32	0,107



Ürün Kodu Order Code	Ürün İsmi Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.304	Mega Flat Ceiling Lighting Fixture	4/32	11,52	0,126



Ürün Kodu Order Code	Ürün İsmi Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.306	Eylül Wall Lamp	4/24	12,74	0,110

HF HALOGEN FREE




Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.106	Flush Mounted Fuse Box, 6 Fuses	30	10,1	0,103



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.108	Flush Mounted Fuse Box, 8 Fuses	20	9,88	0,09



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.112	Flush Mounted Fuse Box, 12 Fuses	20	14,4	0,140



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.118	Flush Mounted Fuse Box, 18 Fuses	10	9,76	0,090



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.124	Flush Mounted Fuse Box, 24 Fuses	10	10,86	0,108



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.136	Flush Mounted Fuse Box, 36 Fuses	10	14,80	0,15

SURFACE MOUNTED FUSE BOXES

HF HALOGEN FREE



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.206	Surface Mounted Fuse Box, 6 Fuses	30	10,82	0,103



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.208	Surface Mounted Fuse Box, 8 Fuses	20	10,66	0,09



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.212	Surface Mounted Fuse Box, 12 Fuses	20	14,88	0,14



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.218	Surface Mounted Fuse Box, 18 Fuses	10	9,96	0,09



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.224	Surface Mounted Fuse Box, 24 Fuses	10	8,96	0,108



Order Code	Product Name	Package Piece	Weight (kg)	M³ Volume
ZB.PM.236	Surface Mounted Fuse Box, 36 Fuses	10	15,46	0,15

ABS HALOGEN FREE PLASTIC PANELS



Order Code	Product Name	Width (mm)	Height (mm)	Depth (mm)	Weight (kg)
ZEY.AP01	20*30*13 ABS Plastic Panel	200	300	130	1,36
ZEY.AP02	25*35*15 ABS Plastic Panel	250	350	150	2,10
ZEY.AP03	30*40*17 ABS Plastic Panel	300	400	170	2,78
ZEY.AP04	30*40*22 ABS Plastic Panel	300	400	220	3,20
ZEY.AP05	35*50*19 ABS Plastic Panel	350	500	190	3,92
ZEY.AP06	40*50*18 ABS Plastic Panel	400	500	180	4,14
ZEY.AP07	40*50*24 ABS Plastic Panel	400	500	240	5,04
ZEY.AP08	40*60*20 ABS Plastic Panel	400	600	200	4,96
ZEY.AP10	50*70*25 ABS Plastic Panel	500	700	250	8,54
ZEY.AP11	60*80*26 ABS Plastic Panel	600	800	260	12,24

HF PLASTIC PANELS WİTH TRASPARENT LID




Order Code	Product Name	Width (mm)	Height (mm)	Depth (mm)	Weight (kg)
ZEY.AP101	20*30*13 PC Plastic Panel	200	300	130	1,36
ZEY.AP102	25*35*15 PC Plastic Panel	250	350	150	2,10
ZEY.AP103	30*40*17 PC Plastic Panel	300	400	170	2,78
ZEY.AP104	30*40*22 PC Plastic Panel	300	400	220	3,20
ZEY.AP105	35*50*19 PC Plastic Panel	350	500	190	3,92
ZEY.AP106	40*50*18 PC Plastic Panel	400	500	180	4,14
ZEY.AP107	40*50*24 PC Plastic Panel	400	500	240	5,04
ZEY.AP108	40*60*20 PC Plastic Panel	400	600	200	4,96
ZEY.AP110	50*70*25 PC Plastic Panel	500	700	250	8,54
ZEY.AP111	60*80*26 PC Plastic Panel	600	800	260	12,24

RoHS CE

STANDARD CORD END TERMINALS








%100 COPPER PA66

Order Code	Product Name	Dimension (mm) F	Dimension (mm) L	France Norm	Package (p)
ZB.KY-0.34	0,34 mm Standard Cord End Terminal	8	12	PINK	1000
ZB.KY-0.50	0,50 mm Standard Cord End Terminal	8	12	WHITE	1000
ZB.KY-0.75	0,75 mm Standard Cord End Terminal	8	14	BLUE	1000
ZB.KY-1.00	1,00 mm Standard Cord End Terminal	8	14	RED	1000
ZB.KY-1.50	1,5 mm Standard Cord End Terminal	8	14	BLACK	1000
ZB.KY-2.50	2,5 mm Standard Cord End Terminal	8	14	GRAY	500
ZB.KY-4.00	4,00 mm Standard Cord End Terminal	10	17	ORANGE	500
ZB.KY-6.00	6,00 mm Standard Cord End Terminal	12	20	GREEN	250
ZB.KY-10.00	10,00 mm Standard Cord End Terminal	12	22	BROWN	100
ZB.KY-16.00	16,00 mm Standard Cord End Terminal	12	24	BEIGE	100
ZB.KY-25.00	25,00 mm Standard Cord End Terminal	16	28	BLACK	50
ZB.KY-35.00	35,00 mm Standard Cord End Terminal	16	30	RED	50
ZB.KY-50.00	50,00 mm Standard Cord End Terminal	20	36	BLUE	25
ZB.KY-70.00	70,00 mm Standard Cord End Terminal	20	37	YELLOW	25

RoHS CE


TWIN CORD END TERMINALS





Order Code	Product Name	Dimension (mm) F	Dimension (mm) L	France Norm	Package (p)
ZB.CKY-0.50	2*0,50 mm Twin Cord End Terminal	8	14	WHITE	1000
ZB.CKY-0.75	2*0,75 mm Twin Cord End Terminal	8	14	BLUE	500
ZB.CKY-1.00	2*1,00 mm Twin Cord End Terminal	8	14	RED	500
ZB.CKY-1.50	2*1,5 mm Twin Cord End Terminal	8	14	BLACK	500
ZB.CKY-2.50	2*2,5 mm Twin Cord End Terminal	10	14	GRAY	250
ZB.CKY-4.00	2*4,00 mm Twin Cord End Terminal	12	17	ORANGE	200
ZB.CKY-6.00	2*6,00 mm Twin Cord End Terminal	14	20	GREEN	100
ZB.CKY-10.00	2*10,00 mm Twin Cord End Terminal	14	27	BROWN	50
ZB.CKY-16.00	2*16,00 mm Twin Cord End Terminal	14	31	BEIGE	50

FEMALE FASTON TYPE INSULATED CABLE END



Material :Insulation :Operating Temperature :

RoHS CE

Order Code	Colour	Cable Section	Sochet Width	Dimension (mm) WxFxLxBxD	Package (p)
ZB.ZFD-1288/5	RED	0,50 - 1,50 mm²	0,5x2,80	3,2x6,5x19x10,5x3,8	200
ZB.ZFD-1288	RED		0,8x2,80	3,2x6,5x19x10,5x3,8	200
ZB.ZFD-1488/5	RED		0,5x4,75	5x6,4x19,4x10,5x3,8	200
ZB.ZFD-1488	RED		0,8x4,75	5x6,4x19,4x10,5x3,8	200
ZB.ZFD-1638	RED		0,8x6,35	6,6x7,5x20,8x10,5x3,8	200
ZB.ZFD-2288	BLUE	1,50 - 2,50 mm²	0,8x2,80	3,2x6,5x19x10,5x4,7	150
ZB.ZFD-2488	BLUE		0,8x4,75	5x6,4x19,4x10,5x4,7	150
ZB.ZFD-2638	BLUE		0,8x6,35	6,6x7,5x20,8x10,5x4,7	150
ZB.ZFD-5638	YELLOW	4,00 - 6,00 mm²	0,8x6,35	6,6x7,5x23,3x13x6,2	100

INSULATED FEMALE FASTON TYPE CABLE NED




Material : Brass, Tinplated, with copper collet
Insulation : PVC
Operating Temperature : Approx. 75⁰ 300 Voltage Max.

RoHS CE

Order Code	Colour	Cable Section	Sochet Width	Dimension (mm) WxFxLxBxD	Package (p)
ZB.ZFFD-1288/5	RED	0,50 - 1,50 mm²	0,5x2,80	3,2x6,5x19x10,5x3,8	200
ZB.ZFFD-1288	RED		0,8x2,80	3,2x6,5x19x10,5x3,8	200
ZB.ZFFD-1488/5	RED		0,5x4,75	5x6,4x20,5x10,5x3,8	200
ZB.ZFFD-1488	RED		0,8x4,75	5x6,4x20,5x10,5x3,8	200
ZB.ZFFD-1638	RED		0,8x6,35	6,6x7,5x21,8x10,5x3,8	100
ZB.ZFFD-2288	BLUE	1,50 - 2,50 mm²	0,8x2,80	3,2x6,5x20x10,5x4,7	100
ZB.ZFFD-2488	BLUE		0,8x4,75	5x6,4x20,2x10,5x4,7	100
ZB.ZFFD-2638	BLUE		0,8x6,35	6,6x7,5x22,2x10,5x4,7	100
ZB.ZFFD-5638	YELLOW	4,00 - 6,00 mm²	0,8x6,35	6,6x7,5x24,2x12,5x6,2	75

MALE FASTON TYPE TERMINALS






Material : Brass, Tinplated, with copper collet
Insulation : PVC
Operating Temperature : Approx. 75⁰ 300 Voltage Max.

RoHS CE

Order Code	Colour	Cable Section	Sochet Width	Dimension (mm) WxFxLxBxD	Package (p)
ZB.ZFE-1288	RED	0,50 - 1,50 mm²	0,8x2,80	2,8x6,5x19,2x10,5x3,8	200
ZB.ZFE-1488	RED		0,8x4,75	4,8x6,7x19,8x10,5x3,8	200
ZB.ZFE-1638	RED		0,8x6,35	6,35x7,7x21,8x10,5x3,8	200
ZB.ZFE-2288	BLUE	1,50 - 2,50 mm²	0,8x2,80	2,8x6,7x19,8x10,5x4,7	200
ZB.ZFE-2488	BLUE		0,8x4,75	4,8x6,7x19,8x10,5x4,7	200
ZB.ZFE-2638	BLUE		0,8x6,35	6,35x7,7x21,8x10,5x4,7	200
ZB.ZFE-5638	YELLOW	4,00 - 6,00 mm²	0,8x6,35	6,35x7,7x24,8x13x6,2	100

NEEDLE TYPE INSULATED CABLE TIPS






Material : Brass, Tinplated, with copper collet
Insulation : PVC
Operating Temperature : Approx. 75⁰ 300 Voltage Max.

RoHS CE

Order Code	Colour	Cable Section	Dimension (mm) WxFxLxBxD	Package (p)
ZB.IIK.101	RED	0,50 - 1,50 mm²	1,9x10x19,8x10x4	200
ZB.IIK.102	BLUE	1,50 - 2,50 mm²	1,9x12x21,8x10x4,5	200
ZB.IIK.106	YELLOW	4,00 - 6,00 mm²	2,8x14x27x13x6,4	200

INSULATED RING TERMINALS







0,50 - 1,50 mm² Cable Section

Order Code	Cable Section	Dimension (mm)	Package (p)
ZB.YIK-301	0,50 - 1,50 mm²	M3	200
ZB.YIK-401		M4	200
ZB.YIK-501		M5	200
ZB.YIK-601		M6	200
ZB.YIK-801		M8	200



1,50 - 2,50 mm² Cable Section

Order Code	Cable Section	Dimension (mm)	Package (p)
ZB.YIK-302	1,50 - 2,50 mm²	M3	200
ZB.YIK-402		M4	200
ZB.YIK-502		M5	200
ZB.YIK-602		M6	200
ZB.YIK-802		M8	200
ZB.YIK-1002		M10	100



4,00 - 6,00 mm² Cable Section

Order Code	Cable Section	Dimension (mm)	Package (p)
ZB.YIK-406	4,00 - 6,00 mm²	M4	75
ZB.YIK-506		M5	75
ZB.YIK-606		M6	75
ZB.YIK-806		M8	75
ZB.YIK-1006		M10	75
ZB.YIK-1206		M12	75
ZB.YIK-610	8,00 - 10,00 mm²	M6	50




8,00 - 10,00 mm² Cable Section

RoHS CE

INSULATED FORK TERMINALS





Material:
Brass, Tinplated, with copper collet
Insulation : PVC
Operating Temperature:
Approx. 75^0 300 Voltage Max.



0,50 - 1,50 mm^2
Cable Section

Order Code	Cable Section	Dimension (mm)	Package (p)
ZB.CIK-3001	0,50 - 1,50 mm^2	M3	200
ZB.CIK-4001		M4	200
ZB.CIK-5001		M5	200
ZB.CIK-6001		M6	200



1,50 - 2,50 mm^2
Cable Section

Order Code	Cable Section	Dimension (mm)	Package (p)
ZB.CIK-3002	1,50 - 2,50 mm^2	M3	200
ZB.CIK-4002		M4	200
ZB.CIK-5002		M5	200
ZB.CIK-6002		M6	200




4,00 - 6,00 mm^2
Cable Section

Order Code	Cable Section	Dimension (mm)	Package (p)
ZB.CIK-4006	4,00 - 6,00 mm^2	M4	75
ZB.CIK-5006		M5	75
ZB.CIK-6006		M6	75
ZB.CIK-8006		M8	75

EMT Galvanized Steel Conduit Systems

Order Code	Size (İnch)	Outer Dia (mm)	Thickness (mm)
ZB.EM12	1/2”	17,9	1,07
ZB.EM34	3/4”	23,4	1,25
ZB.EM10	1”	29,5	1,45
ZB.EM114	1 1/4”	38,4	1,65
ZB.EM112	1 1/2”	44,2	1,65
ZB.EM20	2”	55,8	1,65
ZB.EM212	2 1/2”	73	1,83
ZB.EM30	3”	88,9	1,83
ZB.EM312	3 1/2”	101,6	2,11
ZB.EM40	4”	114,3	2,11



IMC Threaded Galvanized Steel Conduit Systems

Order Code	Size (İnch)	Outer Dia (mm)	Thickness (mm)
ZB.IM12	1/2”	20,7	1,79
ZB.IM34	3/4”	26,13	1,9
ZB.IM10	1”	32,76	2,16
ZB.IM114	1 1/4”	41,6	2,16
ZB.IM112	1 1/2”	47,82	2,29
ZB.IM20	2”	59,94	2,41
ZB.IM212	2 1/2”	72,56	3,56
ZB.IM30	3”	88,29	3,56
ZB.IM312	3 1/2”	100,86	3,56
ZB.IM40	4”	113,43	3,56



Screwed Coupling

Order Code	Size (İnch)
ZB.EVEK12	1/2”
ZB.EVEK34	3/4”
ZB.EVEK10	1”
ZB.EVEK114	1 1/4”
ZB.EVEK112	1 1/2”
ZB.EVEK20	2”
ZB.EVEK212	2 1/2”
ZB.EVEK30	3”
ZB.EVEK312	3 1/2”
ZB.EVEK40	4”



Rigid Coupling

Order Code	Size (İnch)
ZB.ESEK12	1/2”
ZB.ESEK34	3/4”
ZB.ESEK10	1”
ZB.ESEK114	1 1/4”
ZB.ESEK112	1 1/2”
ZB.ESEK20	2”
ZB.ESEK212	2 1/2”
ZB.ESEK30	3”
ZB.ESEK312	3 1/2”
ZB.ESEK40	4”



Screwed Box Connector

Order Code	Size (İnch)
ZB.VEB12	1/2”
ZB.VEB34	3/4”
ZB.VEB10	1”
ZB.VEB114	1 1/4”
ZB.VEB112	1 1/2”
ZB.VEB20	2”
ZB.VEB212	2 1/2”
ZB.VEB30	3”
ZB.VEB312	3 1/2”
ZB.VEB40	4”



Coupling

Order Code	Size (İnch)
ZB.DEM12	1/2”
ZB.DEM34	3/4”
ZB.DEM10	1”
ZB.DEM114	1 1/4”
ZB.DEM112	1 1/2”
ZB.DEM20	2”
ZB.DEM212	2 1/2”
ZB.DEM30	3”
ZB.DEM312	3 1/2”
ZB.DEM40	4”



45º EMT Conduit Elbows

Order Code	Size (İnch)
ZB.45'12	1/2"
ZB.45'34	3/4"
ZB.45'10	1"
ZB.45'114	1 1/4"
ZB.45'112	1 1/2"
ZB.45'20	2"
ZB.45'212	2 1/2"
ZB.45'30	3"
ZB.45'312	3 1/2"
ZB.45'40	4"



90º EMT Conduit Elbows

Order Code	Size (İnch)
ZB.90'12	1/2"
ZB.90'34	3/4"
ZB.90'10	1"
ZB.90'114	1 1/4"
ZB.90'112	1 1/2"
ZB.90'20	2"
ZB.90'212	2 1/2"
ZB.90'30	3"
ZB.90'312	3 1/2"
ZB.90'40	4"



45º IMC Rigid Conduit Elbows

Order Code	Size (İnch)
ZB.45'D12	1/2"
ZB.45'D34	3/4"
ZB.45'D10	1"
ZB.45'D114	1 1/4"
ZB.45'D112	1 1/2"
ZB.45'D20	2"
ZB.45'D212	2 1/2"
ZB.45'D30	3"
ZB.45'D312	3 1/2"
ZB.45'D40	4"



90º IMC Rigid Conduit Elbows

Order Code	Size (İnch)
ZB.90'D12	1/2"
ZB.90'D34	3/4"
ZB.90'D10	1"
ZB.90'D114	1 1/4"
ZB.90'D112	1 1/2"
ZB.90'D20	2"
ZB.90'D212	2 1/2"
ZB.90'D30	3"
ZB.90'D312	3 1/2"
ZB.90'D40	4"



Thereaded Oval Conduit Bodies

Type LB

Order Code	Size (İnch)
ZB.LB12	1/2”
ZB.LB34	3/4”
ZB.LB10	1”
ZB.LB114	1 1/4”
ZB.LB112	1 1/2”
ZB.LB20	2”
ZB.LB212	2 1/2”
ZB.LB30	3”
ZB.LB312	3 1/2”
ZB.LB40	4”



Type LL

Order Code	Size (İnch)
ZB.LL12	1/2”
ZB.LL34	3/4”
ZB.LL10	1”
ZB.LL114	1 1/4”
ZB.LL112	1 1/2”
ZB.LL20	2”
ZB.LL212	2 1/2”
ZB.LL30	3”
ZB.LL312	3 1/2”
ZB.LL40	4”



Type LR

Order Code	Size (İnch)
ZB.LR12	1/2”
ZB.LR34	3/4”
ZB.LR10	1”
ZB.LR114	1 1/4”
ZB.LR112	1 1/2”
ZB.LR20	2”
ZB.LR212	2 1/2”
ZB.LR30	3”
ZB.LR312	3 1/2”
ZB.LR40	4”



Type T

Order Code	Size (İnch)
ZB.T12	1/2”
ZB.T34	3/4”
ZB.T10	1”
ZB.T114	1 1/4”
ZB.T112	1 1/2”
ZB.T20	2”
ZB.T212	2 1/2”
ZB.T30	3”
ZB.T312	3 1/2”
ZB.T40	4”



Type C

Order Code	Size (İnch)
ZB.C12	1/2”
ZB.C34	3/4”
ZB.C10	1”
ZB.C114	1 1/4”
ZB.C112	1 1/2”
ZB.C20	2”
ZB.C212	2 1/2”
ZB.C30	3”
ZB.C312	3 1/2”
ZB.C40	4”



Type X

Order Code	Size (İnch)
ZB.X12	1/2”
ZB.X34	3/4”
ZB.X10	1”
ZB.X114	1 1/4”
ZB.X112	1 1/2”
ZB.X20	2”
ZB.X212	2 1/2”
ZB.X30	3”
ZB.X312	3 1/2”
ZB.X40	4”



U Bolt

Order Code	Size (İnch)
ZB.UB12	1/2”
ZB.UB34	3/4”
ZB.UB10	1”
ZB.UB114	1 1/4”
ZB.UB112	1 1/2”
ZB.UB20	2”
ZB.UB212	2 1/2”
ZB.UB30	3”
ZB.UB312	3 1/2”
ZB.UB40	4”



One-Hole Straps For Rigid

Order Code	Size (İnch)
ZB.TK12	1/2”
ZB.TK34	3/4”
ZB.TK10	1”
ZB.TK114	1 1/4”
ZB.TK112	1 1/2”
ZB.TK20	2”
ZB.TK212	2 1/2”
ZB.TK30	3”
ZB.TK312	3 1/2”
ZB.TK40	4”



Two-Hole Straps For Rigid

Order Code	Size (İnch)
ZB.ÇK12	1/2”
ZB.ÇK34	3/4”
ZB.ÇK10	1”
ZB.ÇK114	1 1/4”
ZB.ÇK112	1 1/2”
ZB.ÇK20	2”
ZB.ÇK212	2 1/2”
ZB.ÇK30	3”
ZB.ÇK312	3 1/2”
ZB.ÇK40	4”



Steel Conduit Locknuts

Order Code	Size (İnch)
ZB.KM12	1/2”
ZB.KM34	3/4”
ZB.KM10	1”
ZB.KM114	1 1/4”
ZB.KM112	1 1/2”
ZB.KM20	2”
ZB.KM212	2 1/2”
ZB.KM30	3”
ZB.KM312	3 1/2”
ZB.KM40	4”



Metallic Conduit Bushing

Order Code	Size (İnch)
ZB.MB12	1/2”
ZB.MB34	3/4”
ZB.MB10	1”
ZB.MB114	1 1/4”
ZB.MB112	1 1/2”
ZB.MB20	2”
ZB.MB212	2 1/2”
ZB.MB30	3”
ZB.MB312	3 1/2”
ZB.MB40	4”



Close Nippels


Order Code	Size (İnch)
ZB.NPL12	1/2”
ZB.NPL34	3/4”
ZB.NPL10	1”
ZB.NPL114	1 1/4”
ZB.NPL112	1 1/2”
ZB.NPL20	2”
ZB.NPL212	2 1/2”
ZB.NPL30	3”
ZB.NPL312	3 1/2”
ZB.NPL40	4”



Metallic Conduit Bushing

Order Code	Size (İnch)
ZB.KLP12	1/2”
ZB.KLP34	3/4”
ZB.KLP10	1”
ZB.KLP114	1 1/4”
ZB.KLP112	1 1/2”
ZB.KLP20	2”
ZB.KLP212	2 1/2”
ZB.KLP30	3”
ZB.KLP312	3 1/2”
ZB.KLP40	4”




90° L
Corner
45x45 mm
Double
Frame
Internal
Corner
External
Corner
T
Corner



100x50/35 mm Inside Locking Cover Trunking Z Systems

Order Code	Product Name	Quantity (m)	Weight (kg)	M³ Volume	Packing Type
ZB.PK.100035S	100x35 mm Inside Locking Cover Trunking (Z Series)	24	24,25	0,076	kutu / box
ZB.PK.100050S	100x50 mm Inside Locking Cover Trunking (Z Series)	20	22,65	0,087	kutu / box




100x50/35 mm Inside Locking Cover Trunking

Order Code	Product Name	Quantity (m)	Weight (kg)	M³ Volume	Packing Type
ZB.PK.100035	100x35 mm Inside Locking Cover Trunking	24	24	0,076	kutu / box
ZB.PK.100050	100x50 mm Inside Locking Cover Trunking	20	21	0,087	kutu / box

100x50 mm Inside Locking Cover Trunking Accessories


Packing Type




Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.100051	100x50 mm Internal Corner Live	12	box




Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.100052	100x50 mm External Corner Live	10	box



Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.100053	100x50 mm T Corner	12	box



Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.100054	100x50 mm 90º L Corner	12	box




Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.100055	100x50 mm Connector	24	box


100X50 MM INSIDE LOCKING COVER TRUNKING & PLUG SOCKET ASSEMBLY SETS




Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.100056	100x50 mm Blind Cap	30	box




Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.100057	100x50 mm Partition	100	box




Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.01	45x45 mm Single Frame	26	box



Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.02	45x45 mm Double Frame	22	box



Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.03	45x45 mm Triple Frame	14	box




Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.04	45x45 mm Quartet Frame	12	box



Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.05	45x45 mm Earthed Socket	50	box




Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.06	45x45 mm Ups Socket	50	box



Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.07	45x45 mm Data Socket Frame	40	box




Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.08	45x22,5 mm Data Socket Frame	80	box




Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.09	45X22,5 mm HDMI Socket	50	box

100x50 mm INSIDE LOCKING COVER TRUNKING ACCESSORIES



Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.10	45X22,5 mm USB Socket	50	box



Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.11	45X22,5 mm VGA Socket	50	box



Order Code	Product Name	Package (Piece)	Packing Type
ZB.PK.12	45X45 mm Switch	40	box




Order Code	Product Name	Package (Piece)	Packing Type
ZEY.KJ300	Data Connector CAT6 RJ45	50	box




Order Code	Product Name	Package (Piece)	Packing Type
ZEY.KJ102	Phone Connector RJ11	50	box

PVC FLOOR CABLE TRUNKING




Order Code	Product Name	Weight (kg)	M³ Volume	Package (Piece)	Packing Type
ZB.PK.50014	50*14 PVC Floor Cable Trunking	17,90	0,037	42	kutu / box




Order Code	Product Name	Weight (kg)	M³ Volume	Package (Piece)	Packing Type
ZB.PK.74018	74*18 PVC Floor Cable Trunking	15,35	0,037	20	kutu / box

PVC FLOOR CABLE TRUNKING / ADHESIVE



Order Code	Product Name	Weight (kg)	M³ Volume	Package (Piece)	Packing Type
ZB.PK.50114	50*14 PVC Floor Cable Trunking (Adhesive)	17,90	0,037	42	kutu / box




Order Code	Product Name	Weight (kg)	M³ Volume	Package (Piece)	Packing Type
ZB.PK.74118	74*18 PVC Floor Cable Trunking (Adhesive)	15,35	0,037	20	kutu / box


TS EN 50085-2-1



Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.12012	12X12 mm Cable Trunking	26,45	0,076	360	box




Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.16016	16X16 mm Cable Trunking	20,15	0,076	210	box




Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.20010	20X10 mm Cable Trunking	22,90	0,076	264	box




Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.25016	25X16 mm Cable Trunking	23,60	0,087	164	box



Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.25025	25x25 mm Cable Trunking	21,25	0,087	110	box




Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.40016	40x16 mm Cable Trunking	17,20	0,076	84	box




Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.400161	40x16 mm Cable Trunking (Partitioned)	22,25	0,076	84	box

TS EN 50085-2-1


Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.40025	40x25 mm Cable Trunking	18,95	0,087	70	box




Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.40040	40x40 mm Cable Trunking	18,90	0,122	56	box




Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.60040	60x40 mm Cable Trunking	19,20	0,122	42	box




Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.60060	60x60 mm Cable Trunking	16,90	0,122	30	box



Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.80060	80x60 mm Cable Trunking	14,75	0,122	22	box



Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.100060	100x60 mm Cable Trunking	16,52	0,122	18	box



SELF ADHESIVE PVC CABLE TRUNKING

TS EN 50085-2-1



Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.12112	12X12 mm Adhesive Cable Trunking	26,45	0,076	360	box



Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.16116	16X16 mm Adhesive Cable Trunking	20,15	0,076	210	box



Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.20110	20X10 mm Adhesive Cable Trunking	23,10	0,087	264	box



Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.25116	25X16 mm Adhesive Cable Trunking	23,60	0,087	164	box



Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.25125	25X25 mm Adhesive Cable Trunking	21,25	0,087	110	box

TS EN 50085-2-1


Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.40116	40x16 mm Adhesive Cable Trunking	17,20	0,076	84	box



Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.401161	40X16 mm Adhesive Cable Trunking (Partitioned)	22,25	0,076	84	box



Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.40125	40x25 mm Adhesive Cable Trunking	18,95	0,087	70	box



Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.40140	40x40 mm Adhesive Cable Trunking	18,91	0,122	56	box





Order Code	Product Name	Weight (kg)	M³ Volume	Package (m)	Packing Type
ZB.PK.60140	60x40 mm Adhesive Cable Trunking	19,19	0,122	42	box




FORMED CABLE TRAYS

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)
ZEY.FK.50-08-40	50	0,8	40	0,83
ZEY.FK.100-08-40	100	0,8	40	1,11
ZEY.FK.150-08-40	150	0,8	40	1,40
ZEY.FK.200-08-40	200	0,8	40	1,68
ZEY.FK.300-10-40	300	1	40	2,80
ZEY.FK.400-12-40	400	1,2	40	4,21







NORMAL TYPE CABLE TRAYS APPLICATION AND FIXING DETAILS



NORMAL TYPE CABLE TRAYS H:40 mm

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.NK.50-10-40	50	1	40	0,91	0,99
ZEY.NK.50-12-40	50	1,2	40	1,07	1,17
ZEY.NK.50-15-40	50	1,5	40	1,37	1,49
ZEY.NK.50-20-40	50	2	40	1,82	1,98
ZEY.NK.100-10-40	100	1	40	1,28	1,40
ZEY.NK.100-12-40	100	1,2	40	1,41	1,54
ZEY.NK.100-15-40	100	1,5	40	1,83	1,99
ZEY.NK.100-20-40	100	2	40	2,41	2,63
ZEY.NK.150-10-40	150	1	40	1,63	1,78
ZEY.NK.150-12-40	150	1,2	40	1,94	2,11
ZEY.NK.150-15-40	150	1,5	40	2,32	2,53
ZEY.NK.150-20-40	150	2	40	3,10	3,38
ZEY.NK.200-10-40	200	1	40	2,00	2,18
ZEY.NK.200-12-40	200	1,2	40	2,42	2,64
ZEY.NK.200-15-40	200	1,5	40	2,70	2,94
ZEY.NK.200-20-40	200	2	40	3,78	4,12
ZEY.NK.250-10-40	250	1	40	2,29	2,50
ZEY.NK.250-12-40	250	1,2	40	2,83	3,08
ZEY.NK.250-15-40	250	1,5	40	3,34	3,64
ZEY.NK.250-20-40	250	2	40	4,46	4,86
ZEY.NK.300-12-40	300	1,2	40	3,17	3,46
ZEY.NK.300-15-40	300	1,5	40	3,72	4,05
ZEY.NK.300-20-40	300	2	40	5,14	5,60
ZEY.NK.400-15-40	400	1,5	40	4,43	4,83
ZEY.NK.400-20-40	400	2	40	6,52	7,11
ZEY.NK.500-15-40	500	1,5	40	5,98	6,52
ZEY.NK.500-20-40	500	2	40	7,88	8,59
ZEY.NK.600-15-40	600	1,5	40	7,04	7,67
ZEY.NK.600-20-40	600	2	40	9,24	10,07







Mts weight tolerance ± %10
Standard Length 2400 mm
Special size (dimensions) pls call us
Pls define order codes when you offer or order

NORMAL TYPE CABLE TRAYS H:50 mm

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.NK.50-10-50	50	1	50	1,07	1,16
ZEY.NK.50-12-50	50	1,2	50	1,26	1,37
ZEY.NK.50-15-50	50	1,5	50	1,61	1,75
ZEY.NK.50-20-50	50	2	50	2,13	2,33
ZEY.NK.100-10-50	100	1	50	1,44	1,57
ZEY.NK.100-12-50	100	1,2	50	1,60	1,74
ZEY.NK.100-15-50	100	1,5	50	2,07	2,25
ZEY.NK.100-20-50	100	2	50	2,72	2,97
ZEY.NK.150-10-50	150	1	50	1,79	1,95
ZEY.NK.150-12-50	150	1,2	50	2,13	2,32
ZEY.NK.150-15-50	150	1,5	50	2,56	2,79
ZEY.NK.150-20-50	150	2	50	3,41	3,72
ZEY.NK.200-10-50	200	1	50	2,16	2,35
ZEY.NK.200-12-50	200	1,2	50	2,61	2,84
ZEY.NK.200-15-50	200	1,5	50	2,94	3,20
ZEY.NK.200-20-50	200	2	50	4,09	4,46
ZEY.NK.250-10-50	250	1	50	2,45	2,67
ZEY.NK.250-12-50	250	1,2	50	3,02	3,29
ZEY.NK.250-15-50	250	1,5	50	3,58	3,90
ZEY.NK.250-20-50	250	2	50	4,77	5,20
ZEY.NK.300-12-50	300	1,2	50	3,36	3,66
ZEY.NK.300-15-50	300	1,5	50	3,96	4,31
ZEY.NK.300-20-50	300	2	50	5,45	5,94
ZEY.NK.400-15-50	400	1,5	50	4,67	5,09
ZEY.NK.400-20-50	400	2	50	6,83	7,45
ZEY.NK.500-15-50	500	1,5	50	6,22	6,78
ZEY.NK.500-20-50	500	2	50	8,19	8,93
ZEY.NK.600-15-50	600	1,5	50	7,28	7,93
ZEY.NK.600-20-50	600	2	50	9,55	10,41







Mts weight tolerance ± %10
Standard Length 2400 mm
Special size (dimensions) pls call us
Pls define order codes when you offer or order

NORMAL TYPE CABLE TRAYS H:60 mm

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.NK.50-10-60	50	1	60	1,22	1,33
ZEY.NK.50-12-60	50	1,2	60	1,45	1,58
ZEY.NK.50-15-60	50	1,5	60	1,84	2,01
ZEY.NK.50-20-60	50	2	60	2,45	2,67
ZEY.NK.100-10-60	100	1	60	1,59	1,74
ZEY.NK.100-12-60	100	1,2	60	1,79	1,95
ZEY.NK.100-15-60	100	1,5	60	2,30	2,51
ZEY.NK.100-20-60	100	2	60	3,04	3,31
ZEY.NK.150-10-60	150	1	60	1,94	2,12
ZEY.NK.150-12-60	150	1,2	60	2,32	2,52
ZEY.NK.150-15-60	150	1,5	60	2,79	3,04
ZEY.NK.150-20-60	150	2	60	3,73	4,06
ZEY.NK.200-10-60	200	1	60	2,31	2,52
ZEY.NK.200-12-60	200	1,2	60	2,80	3,05
ZEY.NK.200-15-60	200	1,5	60	3,17	3,46
ZEY.NK.200-20-60	200	2	60	4,41	4,80
ZEY.NK.250-10-60	250	1	60	2,60	2,84
ZEY.NK.250-12-60	250	1,2	60	3,21	3,49
ZEY.NK.250-15-60	250	1,5	60	3,81	4,16
ZEY.NK.250-20-60	250	2	60	5,09	5,55
ZEY.NK.300-12-60	300	1,2	60	3,55	3,87
ZEY.NK.300-15-60	300	1,5	60	4,19	4,57
ZEY.NK.300-20-60	300	2	60	5,77	6,29
ZEY.NK.400-15-60	400	1,5	60	4,90	5,34
ZEY.NK.400-20-60	400	2	60	7,15	7,79
ZEY.NK.500-15-60	500	1,5	60	6,45	7,03
ZEY.NK.500-20-60	500	2	60	8,51	9,27
ZEY.NK.600-15-60	600	1,5	60	7,51	8,19
ZEY.NK.600-20-60	600	2	60	9,87	10,76







Mts weight tolerance ± %10
Standard Length 2400 mm
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HORIZONTAL BENDS 90º

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.90'.50-40	50	1	40	0,33	0,36
ZEY.90'.100-40	100	1	40	0,47	0,51
ZEY.90'.150-40	150	1	40	0,65	0,70
ZEY.90'.200-40	200	1	40	0,86	0,94
ZEY.90'.250-40	250	1	40	1,11	1,21
ZEY.90'.300-40	300	1,5	40	1,23	1,34
ZEY.90'.400-40	400	1,5	40	3,14	3,43
ZEY.90'.500-40	500	1,5	40	4,41	4,80
ZEY.90'.600-40	600	1,5	40	5,89	6,42



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.90'.50-50	50	1	50	0,37	0,40
ZEY.90'.100-50	100	1	50	0,51	0,56
ZEY.90'.150-50	150	1	50	0,69	0,75
ZEY.90'.200-50	200	1	50	0,91	0,99
ZEY.90'.250-50	250	1	50	1,17	1,27
ZEY.90'.300-50	300	1,5	50	1,76	1,92
ZEY.90'.400-50	400	1,5	50	3,25	3,55
ZEY.90'.500-50	500	1,5	50	4,53	4,94
ZEY.90'.600-50	600	1,5	50	6,04	6,58




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.90'.50-60	50	1	60	0,40	0,44
ZEY.90'.100-60	100	1	60	0,55	0,60
ZEY.90'.150-60	150	1	60	0,74	0,81
ZEY.90'.200-60	200	1	60	0,96	1,05
ZEY.90'.250-60	250	1	60	1,23	1,34
ZEY.90'.300-60	300	1,5	60	1,83	2,00
ZEY.90'.400-60	400	1,5	60	3,37	3,67
ZEY.90'.500-60	500	1,5	60	4,66	5,08
ZEY.90'.600-60	600	1,5	60	6,18	6,74


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HORIZONTAL TEES

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.T.50-40	50	1	40	0,45	0,50
ZEY.T.100-40	100	1	40	0,61	0,66
ZEY.T.150-40	150	1	40	0,79	0,86
ZEY.T.200-40	200	1	40	1,02	1,11
ZEY.T.250-40	250	1	40	1,28	1,40
ZEY.T.300-40	300	1,5	40	1,90	2,07
ZEY.T.400-40	400	1,5	40	3,44	3,75
ZEY.T.500-40	500	1,5	40	4,73	5,16
ZEY.T.600-40	600	1,5	40	6,25	6,81



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.T.50-50	50	1	50	0,50	0,55
ZEY.T.100-50	100	1	50	0,66	0,72
ZEY.T.150-50	150	1	50	0,85	0,93
ZEY.T.200-50	200	1	50	1,08	1,18
ZEY.T.250-50	250	1	50	1,35	1,47
ZEY.T.300-50	300	1,5	50	1,98	2,16
ZEY.T.400-50	400	1,5	50	3,56	3,88
ZEY.T.500-50	500	1,5	50	4,86	5,30
ZEY.T.600-50	600	1,5	50	6,39	6,96




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.T.50-60	50	1	60	0,55	0,60
ZEY.T.100-60	100	1	60	0,71	0,78
ZEY.T.150-60	150	1	60	0,91	0,99
ZEY.T.200-60	200	1	60	1,14	1,24
ZEY.T.250-60	250	1	60	1,41	1,54
ZEY.T.300-60	300	1,5	60	2,06	2,25
ZEY.T.400-60	400	1,5	60	3,67	4,00
ZEY.T.500-60	500	1,5	60	4,98	5,43
ZEY.T.600-60	600	1,5	60	6,52	7,11


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HORIZONTAL CROSSING

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.X.50-40	50	1	40	0,59	0,64
ZEY.X.100-40	100	1	40	0,74	0,81
ZEY.X.150-40	150	1	40	0,93	1,02
ZEY.X.200-40	200	1	40	1,16	1,27
ZEY.X.250-40	250	1	40	1,43	1,55
ZEY.X.300-40	300	1,5	40	2,07	2,26
ZEY.X.400-40	400	1,5	40	3,67	4,00
ZEY.X.500-40	500	1,5	40	4,96	5,41
ZEY.X.600-40	600	1,5	40	6,48	7,07



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.X.50-50	50	1	50	0,65	0,71
ZEY.X.100-50	100	1	50	0,80	0,87
ZEY.X.150-50	150	1	50	0,99	1,08
ZEY.X.200-50	200	1	50	1,22	1,33
ZEY.X.250-50	250	1	50	1,48	1,62
ZEY.X.300-50	300	1,5	50	2,14	2,34
ZEY.X.400-50	400	1,5	50	3,75	4,09
ZEY.X.500-50	500	1,5	50	5,05	5,51
ZEY.X.600-50	600	1,5	50	6,57	7,16



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.X.50-60	50	1	60	0,71	0,77
ZEY.X.100-60	100	1	60	0,86	0,94
ZEY.X.150-60	150	1	60	1,05	1,14
ZEY.X.200-60	200	1	60	1,28	1,39
ZEY.X.250-60	250	1	60	1,54	1,68
ZEY.X.300-60	300	1,5	60	2,77	3,02
ZEY.X.400-60	400	1,5	60	3,84	4,19
ZEY.X.500-60	500	1,5	60	5,14	5,60
ZEY.X.600-60	600	1,5	60	6,66	7,26

Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

REDUCING ANGLES


Order Code	Width B/A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.RED.100-40	50/100	1	40	0,37	0,40
ZEY.RED.150-40	100/150	1	40	0,53	0,58
ZEY.RED.200-40	150/200	1	40	0,73	0,80
ZEY.RED.250-40	200/250	1	40	0,97	1,06
ZEY.RED.300-40	250/300	1	40	1,87	2,04
ZEY.RED.400-40	300/400	1,5	40	2,87	3,13
ZEY.RED.500-40	400/500	1,5	40	4,10	4,47
ZEY.RED.600-40	500/600	1,5	40	5,44	5,93


Order Code	Width B/A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.RED.100-50	50/100	1	50	0,41	0,45
ZEY.RED.150-50	100/150	1	50	0,58	0,63
ZEY.RED.200-50	150/200	1	50	0,79	0,86
ZEY.RED.250-50	200/250	1	50	1,04	1,13
ZEY.RED.300-50	250/300	1	50	1,58	1,72
ZEY.RED.400-50	300/400	1,5	50	3,00	3,27
ZEY.RED.500-50	400/500	1,5	50	4,25	4,63
ZEY.RED.600-50	500/600	1,5	50	5,59	6,10


Order Code	Width B/A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.RED.100-60	50/100	1	60	0,45	0,49
ZEY.RED.150-60	100/150	1	60	0,63	0,68
ZEY.RED.200-60	150/200	1	60	0,84	0,92
ZEY.RED.250-60	200/250	1	60	1,10	1,20
ZEY.RED.300-60	250/300	1	60	1,67	1,82
ZEY.RED.400-60	300/400	1,5	60	3,12	3,40
ZEY.RED.500-60	400/500	1,5	60	4,40	4,79
ZEY.RED.600-60	500/600	1,5	60	5,75	6,27

Z TYPE REDUCER

Order Code	Width B/A (mm)	Thickness T (mm)	Height H (mm)
ZEY.ZRED.100	50/100	1,5	40-50-60
ZEY.ZRED.150	100/150	1,5	40-50-60
ZEY.ZRED.200	150/200	1,5	40-50-60
ZEY.ZRED.250	200/250	1,5	40-50-60
ZEY.ZRED.300	250/300	1,5	40-50-60
ZEY.ZRED.400	300/400	1,5	40-50-60
ZEY.ZRED.500	400/500	1,5	40-50-60
ZEY.ZRED.600	500/600	1,5	40-50-60









Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

INTERNAL AND EXTERNAL BEND

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.F.50-40	50	1	40	0,67	0,73
ZEY.F.100-40	100	1	40	0,89	0,98
ZEY.F.150-40	150	1	40	1,12	1,22
ZEY.F.200-40	200	1	40	1,34	1,46
ZEY.F.250-40	250	1	40	1,57	1,71
ZEY.F.300-40	300	1,5	40	2,68	2,93
ZEY.F.400-40	400	1,5	40	3,36	3,66
ZEY.F.500-40	500	1,5	40	4,03	4,39
ZEY.F.600-40	600	1,5	40	4,70	5,12



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.F.50-50	50	1	50	0,76	0,83
ZEY.F.100-50	100	1	50	0,98	1,07
ZEY.F.150-50	150	1	50	1,21	1,32
ZEY.F.200-50	200	1	50	1,43	1,56
ZEY.F.250-50	250	1	50	1,66	1,80
ZEY.F.300-50	300	1,5	50	2,82	3,07
ZEY.F.400-50	400	1,5	50	3,49	3,80
ZEY.F.500-50	500	1,5	50	4,16	4,54
ZEY.F.600-50	600	1,5	50	4,83	5,27




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.F.50-60	50	1	60	0,85	0,93
ZEY.F.100-60	100	1	60	1,07	1,17
ZEY.F.150-60	150	1	60	1,30	1,41
ZEY.F.200-60	200	1	60	1,52	1,66
ZEY.F.250-60	250	1	60	1,75	1,90
ZEY.F.300-60	300	1,5	60	2,95	3,22
ZEY.F.400-60	400	1,5	60	3,62	3,95
ZEY.F.500-60	500	1,5	60	4,30	4,68
ZEY.F.600-60	600	1,5	60	4,97	5,41


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HORIZONTAL BENDS 135º

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.135'.50-40	50	1	40	0,35	0,38
ZEY.135'.100-40	100	1	40	0,49	0,54
ZEY.135'.150-40	150	1	40	0,68	0,74
ZEY.135'.200-40	200	1	40	0,90	0,98
ZEY.135'.250-40	250	1	40	1,17	1,27
ZEY.135'.300-40	300	1,5	40	1,29	1,40
ZEY.135'.400-40	400	1,5	40	3,30	3,60
ZEY.135'.500-40	500	1,5	40	4,63	5,04
ZEY.135'.600-40	600	1,5	40	6,19	6,75



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.135'.50-50	50	1	50	0,38	0,42
ZEY.135'.100-50	100	1	50	0,54	0,58
ZEY.135'.150-50	150	1	50	0,73	0,79
ZEY.135'.200-50	200	1	50	0,96	1,04
ZEY.135'.250-50	250	1	50	1,23	1,34
ZEY.135'.300-50	300	1,5	50	1,85	2,01
ZEY.135'.400-50	400	1,5	50	3,42	3,72
ZEY.135'.500-50	500	1,5	50	4,76	5,19
ZEY.135'.600-50	600	1,5	50	6,34	6,91




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.135'.50-60	50	1	60	0,42	0,46
ZEY.135'.100-60	100	1	60	0,58	0,63
ZEY.135'.150-60	150	1	60	0,78	0,85
ZEY.135'.200-60	200	1	60	1,01	1,10
ZEY.135'.250-60	250	1	60	1,29	1,40
ZEY.135'.300-60	300	1,5	60	1,93	2,10
ZEY.135'.400-60	400	1,5	60	3,53	3,85
ZEY.135'.500-60	500	1,5	60	4,90	5,34
ZEY.135'.600-60	600	1,5	60	6,49	7,08


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

VERTICAL TEES

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DT.50-40	50	1	40	1,05	1,16
ZEY.DT.100-40	100	1	40	1,19	1,31
ZEY.DT.150-40	150	1	40	1,36	1,50
ZEY.DT.200-40	200	1	40	1,74	1,91
ZEY.DT.250-40	250	1	40	2,10	2,31
ZEY.DT.300-40	300	1,5	40	2,44	2,68
ZEY.DT.400-40	400	1,5	40	3,14	3,45
ZEY.DT.500-40	500	1,5	40	3,83	4,21
ZEY.DT.600-40	600	1,5	40	4,53	4,98



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DT.50-50	50	1	50	1,10	1,21
ZEY.DT.100-50	100	1	50	1,25	1,37
ZEY.DT.150-50	150	1	50	1,43	1,57
ZEY.DT.200-50	200	1	50	1,83	2,01
ZEY.DT.250-50	250	1	50	2,21	2,43
ZEY.DT.300-50	300	1,5	50	2,56	2,82
ZEY.DT.400-50	400	1,5	50	3,30	3,63
ZEY.DT.500-50	500	1,5	50	4,02	4,42
ZEY.DT.600-50	600	1,5	50	4,76	5,23




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DT.50-60	50	1	60	1,16	1,27
ZEY.DT.100-60	100	1	60	1,31	1,44
ZEY.DT.150-60	150	1	60	1,50	1,65
ZEY.DT.200-60	200	1	60	1,92	2,11
ZEY.DT.250-60	250	1	60	2,32	2,55
ZEY.DT.300-60	300	1,5	60	2,69	2,96
ZEY.DT.400-60	400	1,5	60	3,46	3,81
ZEY.DT.500-60	500	1,5	60	4,22	4,64
ZEY.DT.600-60	600	1,5	60	4,99	5,49

Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order


STRAIGHT JOINTING PIECE

Order Code	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.EKP.40	1,5	40	0,14	0,155
ZEY.EKP.50	1,5	50	0,16	0,181
ZEY.EKP.60	1,5	60	0,19	0,207




HINGE (LEVELING) PIECE

Order Code	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.SEKP.40	1,5	40	0,14	0,155
ZEY.SEKP.50	1,5	50	0,15	0,181
ZEY.SEKP.60	1,5	60	0,17	0,207




SEPERATOR

Order Code	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.SEP.40	1,5	40	0,70	0,77
ZEY.SEP.50	1,5	50	0,82	0,90
ZEY.SEP.60	1,5	60	0,93	1,02




END CAP

Order Code	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KS.50	1	50	0,04	0,044
ZEY.KS.100	1	100	0,06	0,066
ZEY.KS.150	1	150	0,07	0,077
ZEY.KS.200	1	200	0,09	0,099
ZEY.KS.250	1	250	0,10	0,110
ZEY.KS.300	1,2	300	0,14	0,154
ZEY.KS.400	1,5	400	0,22	0,242
ZEY.KS.500	1,5	500	0,27	0,297
ZEY.KS.600	1,5	600	0,32	0,352




COVER CLIPS

Order Code	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)
ZEY.KELEPCE	1,5	40	0,021
ZEY.KELEPCE/50	1,5	50	0,024
ZEY.KELEPCE/60	1,5	60	0,026




COVERS

Order Code	Lenght L (mm)	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.KK.50-10-10	2400	50	1	10	0,55	0,61
ZEY.KK.100-10-10	2400	100	1	10	0,94	1,03
ZEY.KK.150-10-10	2400	150	1	10	1,33	1,46
ZEY.KK.200-10-10	2400	200	1	10	1,72	1,89
ZEY.KK.250-10-10	2400	250	1	10	2,11	2,32
ZEY.KK.300-12-10	2400	300	1,2	10	3,01	3,31
ZEY.KK.400-15-10	2400	400	1,5	10	4,94	5,43
ZEY.KK.500-15-10	2400	500	1,5	10	6,12	6,73
ZEY.KK.600-15-10	2400	600	1,5	10	7,30	8,03




COVERS OF HORIZONTAL BENDS 90º

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.90'K.50-10	50	1	10	0,23	0,25
ZEY.90'K.100-10	100	1	10	0,43	0,47
ZEY.90'K.150-10	150	1	10	0,68	0,75
ZEY.90'K.200-10	200	1	10	0,99	1,09
ZEY.90'K.250-10	250	1	10	1,36	1,50
ZEY.90'K.300-10	300	1,2	10	1,79	1,97
ZEY.90'K.400-10	400	1,5	10	2,83	3,11
ZEY.90'K.500-10	500	1,5	10	4,10	4,51
ZEY.90'K.600-10	600	1,5	10	5,61	6,17



COVERS OF HORIZONTAL TEES

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.TK.50-10	50	1	10	0,32	0,35
ZEY.TK.100-10	100	1	10	0,52	0,57
ZEY.TK.150-10	150	1	10	0,79	0,87
ZEY.TK.200-10	200	1	10	1,12	1,23
ZEY.TK.250-10	250	1	10	1,45	1,60
ZEY.TK.300-10	300	1,2	10	1,94	2,13
ZEY.TK.400-10	400	1,5	10	2,98	3,28
ZEY.TK.500-10	500	1,5	10	4,25	4,68
ZEY.TK.600-10	600	1,5	10	5,75	6,32




COVERS OF CROSSING

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.XK.50-10	50	1	10	0,25	0,28
ZEY.XK.100-10	100	1	10	0,39	0,43
ZEY.XK.150-10	150	1	10	0,58	0,64
ZEY.XK.200-10	200	1	10	0,81	0,89
ZEY.XK.250-10	250	1	10	1,08	1,18
ZEY.XK.300-10	300	1,2	10	2,07	2,28
ZEY.XK.400-10	400	1,5	10	3,14	3,46
ZEY.XK.500-10	500	1,5	10	4,44	4,88
ZEY.XK.600-10	600	1,5	10	5,96	6,56



COVERS OF INTERNAL AND EXTERNAL BENDS

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.FK.50-10	50	1	10	0,67	0,74
ZEY.FK.100-10	100	1	10	0,89	0,98
ZEY.FK.150-10	150	1	10	1,12	1,23
ZEY.FK.200-10	200	1	10	1,34	1,48
ZEY.FK.250-10	250	1	10	1,57	1,72
ZEY.FK.300-10	300	1,2	10	2,15	2,36
ZEY.FK.400-10	400	1,5	10	3,36	3,69
ZEY.FK.500-10	500	1,5	10	4,03	4,43
ZEY.FK.600-10	600	1,5	10	4,70	5,17



COVERS OF HORIZONTAL BENDS 135º

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.135'K.50-10	50	1	10	0,25	0,28
ZEY.135'K.100-10	100	1	10	0,47	0,51
ZEY.135'K.150-10	150	1	10	0,75	0,82
ZEY.135'K.200-10	200	1	10	1,09	1,20
ZEY.135'K.250-10	250	1	10	1,50	1,65
ZEY.135'K.300-10	300	1,2	10	1,97	2,17
ZEY.135'K.400-10	400	1,5	10	3,11	3,42
ZEY.135'K.500-10	500	1,5	10	4,51	4,96
ZEY.135'K.600-10	600	1,5	10	6,17	6,78




CABLE TRAY FOR POLE

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.DKK.200-15-100	200	1,5	100	4,66	5,08
ZEY.DKK.250-15-100	250	1,5	100	5,19	5,66
ZEY.DKK.300-15-100	300	1,5	100	5,72	6,24
ZEY.DKK.400-20-100	400	2	100	9,04	9,86
ZEY.DKK.500-20-100	500	2	100	10,46	11,40
ZEY.DKK.600-20-100	600	2	100	11,87	12,94



POLE TRAY'S COVER


Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.DKKK.200-15-15	200	1,5	15	2,54	2,77
ZEY.DKKK.250-15-15	250	1,5	15	2,97	3,23
ZEY.DKKK.300-15-15	300	1,5	15	3,60	3,93
ZEY.DKKK.400-15-15	400	1,5	15	4,66	5,08
ZEY.DKKK.500-15-15	500	1,5	15	5,72	6,24
ZEY.DKKK.600-15-15	600	1,5	15	6,78	7,39




Mts weight tolerance ± %10
Standard Length 2400 mm
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HEAVY DUTY CABLE TRAYS H:40 mm

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.AK.50-10-40	50	1	40	1,07	1,16
ZEY.AK.50-12-40	50	1,2	40	1,26	1,37
ZEY.AK.50-15-40	50	1,5	40	1,61	1,75
ZEY.AK.50-20-40	50	2	40	2,13	2,33
ZEY.AK.100-10-40	100	1	40	1,44	1,57
ZEY.AK.100-12-40	100	1,2	40	1,60	1,74
ZEY.AK.100-15-40	100	1,5	40	2,07	2,25
ZEY.AK.100-20-40	100	2	40	2,72	2,97
ZEY.AK.150-10-40	150	1	40	1,79	1,95
ZEY.AK.150-12-40	150	1,2	40	2,13	2,32
ZEY.AK.150-15-40	150	1,5	40	2,56	2,79
ZEY.AK.150-20-40	150	2	40	3,41	3,72
ZEY.AK.200-10-40	200	1	40	2,16	2,35
ZEY.AK.200-12-40	200	1,2	40	2,61	2,84
ZEY.AK.200-15-40	200	1,5	40	2,94	3,20
ZEY.AK.200-20-40	200	2	40	4,09	4,46
ZEY.AK.250-10-40	250	1	40	2,45	2,67
ZEY.AK.250-12-40	250	1,2	40	3,02	3,29
ZEY.AK.250-15-40	250	1,5	40	3,58	3,90
ZEY.AK.250-20-40	250	2	40	4,77	5,20
ZEY.AK.300-12-40	300	1,2	40	3,36	3,66
ZEY.AK.300-15-40	300	1,5	40	3,96	4,31
ZEY.AK.300-20-40	300	2	40	5,45	5,94
ZEY.AK.400-15-40	400	1,5	40	4,67	5,09
ZEY.AK.400-20-40	400	2	40	6,83	7,45
ZEY.AK.500-15-40	500	1,5	40	6,22	6,78
ZEY.AK.500-20-40	500	2	40	8,19	8,93
ZEY.AK.600-15-40	600	1,5	40	7,28	7,93
ZEY.AK.600-20-40	600	2	40	9,55	10,41







Mts weight tolerance ± %10
Standard Length 2400 mm
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HEAVY DUTY CABLE TRAYS H:50 mm

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.AK.50-10-50	50	1	50	1,22	1,33
ZEY.AK.50-12-50	50	1,2	50	1,45	1,58
ZEY.AK.50-15-50	50	1,5	50	1,84	2,01
ZEY.AK.50-20-50	50	2	50	2,45	2,67
ZEY.AK.100-10-50	100	1	50	1,59	1,74
ZEY.AK.100-12-50	100	1,2	50	1,79	1,95
ZEY.AK.100-15-50	100	1,5	50	2,30	2,51
ZEY.AK.100-20-50	100	2	50	3,04	3,31
ZEY.AK.150-10-50	150	1	50	1,94	2,12
ZEY.AK.150-12-50	150	1,2	50	2,32	2,52
ZEY.AK.150-15-50	150	1,5	50	2,79	3,04
ZEY.AK.150-20-50	150	2	50	3,73	4,06
ZEY.AK.200-10-40	200	1	50	2,31	2,52
ZEY.AK.200-12-50	200	1,2	50	2,80	3,05
ZEY.AK.200-15-50	200	1,5	50	3,17	3,46
ZEY.AK.200-20-50	200	2	50	4,41	4,80
ZEY.AK.250-10-50	250	1	50	2,60	2,84
ZEY.AK.250-12-50	250	1,2	50	3,21	3,49
ZEY.AK.250-15-50	250	1,5	50	3,81	4,16
ZEY.AK.250-20-50	250	2	50	5,09	5,55
ZEY.AK.300-12-50	300	1,2	50	3,55	3,87
ZEY.AK.300-15-50	300	1,5	50	4,19	4,57
ZEY.AK.300-20-50	300	2	50	5,77	6,29
ZEY.AK.400-15-50	400	1,5	50	4,90	5,34
ZEY.AK.400-20-50	400	2	50	7,15	7,79
ZEY.AK.500-15-50	500	1,5	50	6,45	7,03
ZEY.AK.500-20-50	500	2	50	8,51	9,27
ZEY.AK.600-15-50	600	1,5	50	7,51	8,19
ZEY.AK.600-20-50	600	2	50	9,87	10,76







Mts weight tolerance ± %10
Standard Length 2400 mm
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HEAVY DUTY CABLE TRAYS H:60 mm

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.AK.50-10-60	50	1	60	1,38	1,50
ZEY.AK.50-12-60	50	1,2	60	1,63	1,78
ZEY.AK.50-15-60	50	1,5	60	2,08	2,27
ZEY.AK.50-20-60	50	2	60	2,76	3,01
ZEY.AK.100-10-60	100	1	60	1,75	1,91
ZEY.AK.100-12-60	100	1,2	60	1,97	2,15
ZEY.AK.100-15-60	100	1,5	60	2,54	2,77
ZEY.AK.100-20-60	100	2	60	3,35	3,65
ZEY.AK.150-10-60	150	1	60	2,10	2,29
ZEY.AK.150-12-60	150	1,2	60	2,50	2,73
ZEY.AK.150-15-60	150	1,5	60	3,03	3,30
ZEY.AK.150-20-60	150	2	60	4,04	4,41
ZEY.AK.200-10-60	200	1	60	2,47	2,69
ZEY.AK.200-12-60	200	1,2	60	2,98	3,25
ZEY.AK.200-15-60	200	1,5	60	3,41	3,71
ZEY.AK.200-20-60	200	2	60	4,72	5,15
ZEY.AK.250-10-60	250	1	60	2,76	3,01
ZEY.AK.250-12-60	250	1,2	60	3,39	3,70
ZEY.AK.250-15-60	250	1,5	60	4,05	4,41
ZEY.AK.250-20-60	250	2	60	5,40	5,89
ZEY.AK.300-12-60	300	1,2	60	3,73	4,07
ZEY.AK.300-15-60	300	1,5	60	4,43	4,83
ZEY.AK.300-20-60	300	2	60	6,08	6,63
ZEY.AK.400-15-60	400	1,5	60	5,14	5,60
ZEY.AK.400-20-60	400	2	60	7,46	8,13
ZEY.AK.500-15-60	500	1,5	60	6,69	7,29
ZEY.AK.500-20-60	500	2	60	8,82	9,62
ZEY.AK.600-15-60	600	1,5	60	7,75	8,45
ZEY.AK.600-20-60	600	2	60	10,18	11,10







Mts weight tolerance ± %10
Standard Length 2400 mm
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HORIZONTAL BENDS 90º

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.A90'.50-40	50	1	40	0,40	0,44
ZEY.A90'.100-40	100	1	40	0,55	0,60
ZEY.A90'.150-40	150	1	40	0,74	0,81
ZEY.A90'.200-40	200	1	40	0,96	1,05
ZEY.A90'.250-40	250	1	40	1,23	1,34
ZEY.A90'.300-40	300	1,5	40	2,29	2,50
ZEY.A90'.400-40	400	1,5	40	3,37	3,67
ZEY.A90'.500-40	500	1,5	40	4,66	5,08
ZEY.A90'.600-40	600	1,5	40	6,18	6,74



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.A90'.50-50	50	1	50	0,44	0,48
ZEY.A90'.100-50	100	1	50	0,59	0,65
ZEY.A90'.150-50	150	1	50	0,79	0,86
ZEY.A90'.200-50	200	1	50	1,02	1,11
ZEY.A90'.250-50	250	1	50	1,28	1,40
ZEY.A90'.300-50	300	1,5	50	1,91	2,08
ZEY.A90'.400-50	400	1,5	50	3,48	3,79
ZEY.A90'.500-50	500	1,5	50	4,79	5,22
ZEY.A90'.600-50	600	1,5	50	6,33	6,90




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece	Hot Dip Galvanization /Weight (kg/piece)
ZEY.A90'.60-60	50	1	60	0,48	0,52
ZEY.A90'.100-60	100	1	60	0,64	0,69
ZEY.A90'.150-60	150	1	60	0,83	0,91
ZEY.A90'.200-60	200	1	60	1,07	1,17
ZEY.A90'.250-60	250	1	60	1,34	1,46
ZEY.A90'.300-60	300	1,5	60	1,99	2,16
ZEY.A90'.400-60	400	1,5	60	3,59	3,91
ZEY.A90'.500-60	500	1,5	60	4,92	5,36
ZEY.A90'.600-60	600	1,5	60	6,48	7,06


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HORIZONTAL TEES

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.AT.50-40	50	1	40	0,55	0,60
ZEY.AT.100-40	100	1	40	0,71	0,78
ZEY.AT.150-40	150	1	40	0,91	0,99
ZEY.AT.200-40	200	1	40	1,14	1,24
ZEY.AT.250-40	250	1	40	1,41	1,54
ZEY.AT.300-40	300	1,5	40	2,06	2,25
ZEY.AT.400-40	400	1,5	40	3,67	4,00
ZEY.AT.500-40	500	1,5	40	4,98	5,43
ZEY.AT.600-40	600	1,5	40	6,52	7,11



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.AT.50-50	50	1	50	0,60	0,66
ZEY.AT.100-50	100	1	50	0,77	0,84
ZEY.AT.150-50	150	1	50	0,97	1,05
ZEY.AT.200-50	200	1	50	1,20	1,31
ZEY.AT.250-50	250	1	50	1,48	1,61
ZEY.AT.300-50	300	1,5	50	2,15	2,34
ZEY.AT.400-50	400	1,5	50	3,78	4,12
ZEY.AT.500-50	500	1,5	50	5,11	5,57
ZEY.AT.600-50	600	1,5	50	6,66	7,26




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.AT.50-60	50	1	60	0,65	0,71
ZEY.AT.100-60	100	1	60	0,82	0,89
ZEY.AT.150-60	150	1	60	1,02	1,12
ZEY.AT.200-60	200	1	60	1,26	1,38
ZEY.AT.250-60	250	1	60	1,54	1,68
ZEY.AT.300-60	300	1,5	60	2,23	2,43
ZEY.AT.400-60	400	1,5	60	3,90	4,25
ZEY.AT.500-60	500	1,5	60	5,23	5,71
ZEY.AT.600-60	600	1,5	60	6,80	7,41


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HORIZONTAL CROSSING

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.AX.50-40	50	1	40	0,71	0,77
ZEY.AX.100-40	100	1	40	0,86	0,94
ZEY.AX.150-40	150	1	40	1,05	1,14
ZEY.AX.200-40	200	1	40	1,28	1,39
ZEY.AX.250-40	250	1	40	1,54	1,68
ZEY.AX.300-40	300	1,5	40	2,21	2,41
ZEY.AX.400-40	400	1,5	40	3,84	4,19
ZEY.AX.500-40	500	1,5	40	5,14	5,60
ZEY.AX.600-40	600	1,5	40	6,66	7,26



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.AX.50-50	50	1	50	0,77	0,83
ZEY.AX.100-50	100	1	50	0,92	1,00
ZEY.AX.150-50	150	1	50	1,11	1,21
ZEY.AX.200-50	200	1	50	1,34	1,46
ZEY.AX.250-50	250	1	50	1,60	1,74
ZEY.AX.300-50	300	1,5	50	2,28	2,49
ZEY.AX.400-50	400	1,5	50	3,93	4,28
ZEY.AX.500-50	500	1,5	50	5,23	5,70
ZEY.AX.600-50	600	1,5	50	6,75	7,35




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.AX.50-60	50	1	60	0,82	0,90
ZEY.AX.100-60	100	1	60	0,98	1,06
ZEY.AX.150-60	150	1	60	1,17	1,27
ZEY.AX.200-60	200	1	60	1,39	1,52
ZEY.AX.250-60	250	1	60	1,66	1,81
ZEY.AX.300-60	300	1,5	60	2,94	3,21
ZEY.AX.400-60	400	1,5	60	4,01	4,38
ZEY.AX.500-60	500	1,5	60	5,31	5,79
ZEY.AX.600-60	600	1,5	60	6,83	7,45


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

REDUCING ANGLES

Order Code	Width B/A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.ARED.100-40	50/100	1	40	0,45	0,49
ZEY.ARED.150-40	100/150	1	40	0,63	0,68
ZEY.ARED.200-40	150/200	1	40	0,84	0,92
ZEY.ARED.250-40	200/250	1	40	1,10	1,20
ZEY.ARED.300-40	250/300	1	40	2,08	2,27
ZEY.ARED.400-40	300/400	1,5	40	3,12	3,40
ZEY.ARED.500-40	400/500	1,5	40	4,40	4,79
ZEY.ARED.600-40	500/600	1,5	40	5,75	6,27



Order Code	Width B/A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.ARED.100-50	50/100	1	50	0,49	0,53
ZEY.ARED.150-50	100/150	1	50	0,68	0,74
ZEY.ARED.200-50	150/200	1	50	0,90	0,98
ZEY.ARED.250-50	200/250	1	50	1,16	1,26
ZEY.ARED.300-50	250/300	1	50	2,19	2,38
ZEY.ARED.400-50	300/400	1,5	50	3,25	3,54
ZEY.ARED.500-50	400/500	1,5	50	4,54	4,95
ZEY.ARED.600-50	500/600	1,5	50	5,91	6,44




Order Code	Width B/A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.ARED.100-60	50/100	1	60	0,53	0,58
ZEY.ARED.150-60	100/150	1	60	0,72	0,79
ZEY.ARED.200-60	150/200	1	60	0,95	1,04
ZEY.ARED.250-60	200/250	1	60	1,22	1,33
ZEY.ARED.300-60	250/300	1	60	2,29	2,50
ZEY.ARED.400-60	300/400	1,5	60	3,38	3,68
ZEY.ARED.500-60	400/500	1,5	60	4,69	5,11
ZEY.ARED.600-60	500/600	1,5	60	6,06	6,61


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

INTERNAL AND EXTERNAL BEND

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.AF.50-40	50	1	40	0,76	0,83
ZEY.AF.100-40	100	1	40	0,98	1,07
ZEY.AF.150-40	150	1	40	1,21	1,32
ZEY.AF.200-40	200	1	40	1,43	1,56
ZEY.AF.250-40	250	1	40	1,66	1,80
ZEY.AF.300-40	300	1,5	40	2,82	3,07
ZEY.AF.400-40	400	1,5	40	3,49	3,80
ZEY.AF.500-40	500	1,5	40	4,16	4,54
ZEY.AF.600-40	600	1,5	40	4,83	5,27



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.AF.50-50	50	1	50	0,85	0,93
ZEY.AF.100-50	100	1	50	1,07	1,17
ZEY.AF.150-50	150	1	50	1,30	1,41
ZEY.AF.200-50	200	1	50	1,52	1,66
ZEY.AF.250-50	250	1	50	1,75	1,90
ZEY.AF.300-50	300	1,5	50	2,95	3,22
ZEY.AF.400-50	400	1,5	50	3,62	3,95
ZEY.AF.500-50	500	1,5	50	4,30	4,68
ZEY.AF.600-50	600	1,5	50	4,97	5,41




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.AF.50-60	50	1	60	0,94	1,02
ZEY.AF.100-60	100	1	60	1,16	1,27
ZEY.AF.150-60	150	1	60	1,39	1,51
ZEY.AF.200-60	200	1	60	1,61	1,76
ZEY.AF.250-60	250	1	60	1,83	2,00
ZEY.AF.300-60	300	1,5	60	3,09	3,37
ZEY.AF.400-60	400	1,5	60	3,76	4,10
ZEY.AF.500-60	500	1,5	60	4,43	4,83
ZEY.AF.600-60	600	1,5	60	5,10	5,56


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order



CABLE TRAY NON-PERFORATED H:40 mm

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.DTK.50-10-40	50	1	40	1,00	1,09
ZEY.DTK.50-12-40	50	1,2	40	1,20	1,30
ZEY.DTK.50-15-40	50	1,5	40	1,50	1,63
ZEY.DTK.50-20-40	50	2	40	1,99	2,17
ZEY.DTK.100-10-40	100	1	40	1,39	1,51
ZEY.DTK.100-12-40	100	1,2	40	1,67	1,82
ZEY.DTK.100-15-40	100	1,5	40	2,08	2,27
ZEY.DTK.100-20-40	100	2	40	2,78	3,03
ZEY.DTK.150-10-40	150	1	40	1,78	1,94
ZEY.DTK.150-12-40	150	1,2	40	2,14	2,33
ZEY.DTK.150-15-40	150	1,5	40	2,67	2,91
ZEY.DTK.150-20-40	150	2	40	3,56	3,88
ZEY.DTK.200-10-40	200	1	40	2,16	2,35
ZEY.DTK.200-12-40	200	1,2	40	2,59	2,82
ZEY.DTK.200-15-40	200	1,5	40	3,24	3,53
ZEY.DTK.200-20-40	200	2	40	4,32	4,71
ZEY.DTK.250-10-40	250	1	40	2,55	2,78
ZEY.DTK.250-12-40	250	1,2	40	3,06	3,34
ZEY.DTK.250-15-40	250	1,5	40	3,83	4,17
ZEY.DTK.250-20-40	250	2	40	5,10	5,56
ZEY.DTK.300-12-40	300	1,2	40	3,53	3,85
ZEY.DTK.300-15-40	300	1,5	40	4,42	4,81
ZEY.DTK.300-20-40	300	2	40	5,89	6,42
ZEY.DTK.400-15-40	400	1,5	40	5,59	6,10
ZEY.DTK.400-20-40	400	2	40	7,46	8,13
ZEY.DTK.500-15-40	500	1,5	40	6,77	7,38
ZEY.DTK.500-20-40	500	2	40	9,03	9,84
ZEY.DTK.600-15-40	600	1,5	40	7,95	8,66
ZEY.DTK.600-20-40	600	2	40	10,60	11,55







Mts weight tolerance ± %10
Standard Length 2400 mm
Special size (dimensions) pls call us
Pls define order codes when you offer or order

CABLE TRAY NON-PERFORATED H:50 mm

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.DTK.50-10-50	50	1	50	1,15	1,26
ZEY.DTK.50-12-50	50	1,2	50	1,38	1,51
ZEY.DTK.50-15-50	50	1,5	50	1,73	1,89
ZEY.DTK.50-20-50	50	2	50	2,31	2,52
ZEY.DTK.100-10-50	100	1	50	1,55	1,69
ZEY.DTK.100-12-50	100	1,2	50	1,86	2,02
ZEY.DTK.100-15-50	100	1,5	50	2,32	2,53
ZEY.DTK.100-20-50	100	2	50	3,09	3,37
ZEY.DTK.150-10-50	150	1	50	1,94	2,11
ZEY.DTK.150-12-50	150	1,2	50	2,33	2,54
ZEY.DTK.150-15-50	150	1,5	50	2,91	3,17
ZEY.DTK.150-20-50	150	2	50	3,88	4,23
ZEY.DTK.200-10-50	200	1	50	2,32	2,52
ZEY.DTK.200-12-50	200	1,2	50	2,78	3,03
ZEY.DTK.200-15-50	200	1,5	50	3,47	3,79
ZEY.DTK.200-20-50	200	2	50	4,63	5,05
ZEY.DTK.250-10-50	250	1	50	2,71	2,95
ZEY.DTK.250-12-50	250	1,2	50	3,25	3,54
ZEY.DTK.250-15-50	250	1,5	50	4,06	4,43
ZEY.DTK.250-20-50	250	2	50	5,42	5,90
ZEY.DTK.300-12-50	300	1,2	50	3,72	4,06
ZEY.DTK.300-15-50	300	1,5	50	4,65	5,07
ZEY.DTK.300-20-50	300	2	50	6,20	6,76
ZEY.DTK.400-15-50	400	1,5	50	5,83	6,35
ZEY.DTK.400-20-50	400	2	50	7,77	8,47
ZEY.DTK.500-15-50	500	1,5	50	7,01	7,64
ZEY.DTK.500-20-50	500	2	50	9,34	10,18
ZEY.DTK.600-15-50	600	1,5	50	8,18	8,92
ZEY.DTK.600-20-50	600	2	50	10,91	11,89







Mts weight tolerance ± %10
Standard Length 2400 mm
Special size (dimensions) pls call us
Pls define order codes when you offer or order

CABLE TRAY NON-PERFORATED H:60 mm

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.DTK.50-10-60	50	1	60	1,31	1,43
ZEY.DTK.50-12-60	50	1, 2	60	1,57	1,71
ZEY.DTK.50-15-60	50	1,5	60	1,97	2,14
ZEY.DTK.50-20-60	50	2	60	2,62	2,86
ZEY.DTK.100-10-60	100	1	60	1,70	1,86
ZEY.DTK.100-12-60	100	1,2	60	2,04	2,23
ZEY.DTK.100-15-60	100	1,5	60	2,56	2,79
ZEY.DTK.100-20-60	100	2	60	3,41	3,71
ZEY.DTK.150-10-60	150	1	60	2,10	2,28
ZEY.DTK.150-12-60	150	1,2	60	2,52	2,74
ZEY.DTK.150-15-60	150	1,5	60	3,14	3,43
ZEY.DTK.150-20-60	150	2	60	4,19	4,57
ZEY.DTK.200-10-60	200	1	60	2,47	2,70
ZEY.DTK.200-12-60	200	1,2	60	2,97	3,23
ZEY.DTK.200-15-60	200	1,5	60	3,71	4,04
ZEY.DTK.200-20-60	200	2	60	4,95	5,39
ZEY.DTK.250-10-60	250	1	60	2,87	3,12
ZEY.DTK.250-12-60	250	1,2	60	3,44	3,75
ZEY.DTK.250-15-60	250	1,5	60	4,30	4,68
ZEY.DTK.250-20-60	250	2	60	5,73	6,25
ZEY.DTK.300-12-60	300	1,2	60	3,91	4,26
ZEY.DTK.300-15-60	300	1,5	60	4,89	5,33
ZEY.DTK.300-20-60	300	2	60	6,52	7,10
ZEY.DTK.400-15-60	400	1,5	60	6,06	6,61
ZEY.DTK.400-20-60	400	2	60	8,09	8,81
ZEY.DTK.500-15-60	500	1,5	60	7,24	7,89
ZEY.DTK.500-20-60	500	2	60	9,66	10,52
ZEY.DTK.600-15-60	600	1,5	60	8,42	9,18
ZEY.DTK.600-20-60	600	2	60	11,23	12,24






Mts weight tolerance ± %10
Standard Length 2400 mm
Special size (dimensions) pls call us
Pls define order codes when you offer or order


HORIZONTAL BENDS 90º

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTK90'.50-40	50	1	40	0,35	0,38
ZEY.DTK90'.100-40	100	1	40	0,49	0,54
ZEY.DTK90'.150-40	150	1	40	0,68	0,74
ZEY.DTK90'.200-40	200	1	40	0,90	0,99
ZEY.DTK90'.250-40	250	1	40	1,17	1,27
ZEY.DTK90'.300-40	300	1,5	40	1,29	1,41
ZEY.DTK90'.400-40	400	1,5	40	3,31	3,61
ZEY.DTK90'.500-40	500	1,5	40	4,64	5,06
ZEY.DTK90'.600-40	600	1,5	40	6,20	6,76

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTK90'.50-50	50	1	50	0,39	0,42
ZEY.DTK90'.100-50	100	1	50	0,54	0,59
ZEY.DTK90'.150-50	150	1	50	0,73	0,79
ZEY.DTK90'.200-50	200	1	50	0,96	1,05
ZEY.DTK90'.250-50	250	1	50	1,23	1,34
ZEY.DTK90'.300-50	300	1,5	50	2,31	2,52
ZEY.DTK90'.400-50	400	1,5	50	3,43	3,73
ZEY.DTK90'.500-50	500	1,5	50	4,77	5,20
ZEY.DTK90'.600-50	600	1,5	50	6,36	6,93

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTK90'.50-60	50	1	60	0,42	0,46
ZEY.DTK90'.100-60	100	1	60	0,58	0,63
ZEY.DTK90'.150-60	150	1	60	0,78	0,85
ZEY.DTK90'.200-60	200	1	60	1,02	1,11
ZEY.DTK90'.250-60	250	1	60	1,29	1,41
ZEY.DTK90'.300-60	300	1,5	60	1,93	2,10
ZEY.DTK90'.400-60	400	1,5	60	3,54	3,86
ZEY.DTK90'.500-60	500	1,5	60	4,91	5,35
ZEY.DTK90'.600-60	600	1,5	60	6,51	7,10







Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HORIZONTAL TEES

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTKT.50-40	50	1	40	0,48	0,52
ZEY.DTKT.100-40	100	1	40	0,64	0,69
ZEY.DTKT.150-40	150	1	40	0,84	0,91
ZEY.DTKT.200-40	200	1	40	1,07	1,17
ZEY.DTKT.250-40	250	1	40	1,35	1,47
ZEY.DTKT.300-40	300	1,5	40	2,50	2,72
ZEY.DTKT.400-40	400	1,5	40	3,62	3,95
ZEY.DTKT.500-40	500	1,5	40	4,98	5,43
ZEY.DTKT.600-40	600	1,5	40	6,58	7,17



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTKT.50-50	50	1	50	0,53	0,58
ZEY.DTKT.100-50	100	1	50	0,69	0,76
ZEY.DTKT.150-50	150	1	50	0,90	0,98
ZEY.DTKT.200-50	200	1	50	1,14	1,24
ZEY.DTKT.250-50	250	1	50	1,42	1,55
ZEY.DTKT.300-50	300	1,5	50	2,09	2,27
ZEY.DTKT.500-50	500	1,5	50	3,74	4,08
ZEY.DTKT.500-50	500	1,5	50	5,11	5,57
ZEY.DTKT.600-50	600	1,5	50	6,72	7,33




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTKT.50-60	50	1	60	0,58	0,64
ZEY.DTKT.100-60	100	1	60	0,75	0,82
ZEY.DTKT.150-60	150	1	60	0,96	1,04
ZEY.DTKT.200-60	200	1	60	1,20	1,31
ZEY.DTKT.250-60	250	1	60	1,49	1,62
ZEY.DTKT.300-60	300	1,5	60	2,17	2,37
ZEY.DTKT.400-60	400	1,5	60	3,86	4,21
ZEY.DTKT.500-60	500	1,5	60	5,25	5,72
ZEY.DTKT.600-60	600	1,5	60	6,87	7,48


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HORIZONTAL CROSSING

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTKX.50-40	50	1	40	0,62	0,68
ZEY.DTKX.100-40	100	1	40	0,78	0,85
ZEY.DTKX.150-40	150	1	40	0,98	1,07
ZEY.DTKX.200-40	200	1	40	1,22	1,33
ZEY.DTKX.250-40	250	1	40	1,50	1,64
ZEY.DTKX.300-40	300	1,5	40	2,73	2,97
ZEY.DTKX.400-40	400	1,5	40	3,86	4,21
ZEY.DTKX.500-40	500	1,5	40	5,22	5,69
ZEY.DTKX.600-40	600	1,5	40	6,83	7,44



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTKX.50-50	50	1	50	0,68	0,74
ZEY.DTKX.100-50	100	1	50	0,84	0,92
ZEY.DTKX.150-50	150	1	50	1,04	1,14
ZEY.DTKX.200-50	200	1	50	1,28	1,40
ZEY.DTKX.250-50	250	1	50	1,56	1,70
ZEY.DTKX.300-50	300	1,5	50	2,82	3,07
ZEY.DTKX.400-50	400	1,5	50	3,95	4,31
ZEY.DTKX.500-50	500	1,5	50	5,32	5,79
ZEY.DTKX.600-50	600	1,5	50	6,92	7,54




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTKX.50-60	50	1	60	0,74	0,81
ZEY.DTKX.100-60	100	1	60	0,91	0,99
ZEY.DTKX.150-60	150	1	60	1,11	1,20
ZEY.DTKX.200-60	200	1	60	1,34	1,47
ZEY.DTKX.250-60	250	1	60	1,62	1,77
ZEY.DTKX.300-60	300	1,5	60	2,91	3,17
ZEY.DTKX.400-60	400	1,5	60	4,04	4,41
ZEY.DTKX.500-60	500	1,5	60	5,41	5,90
ZEY.DTKX.600-60	600	1,5	60	7,01	7,64


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

REDUCING ANGLES

Order Code	Width B/A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTKRED.100-40	50/100	1	40	0,39	0,42
ZEY.DTKRED.150-40	100/150	1	40	0,56	0,61
ZEY.DTKRED.200-40	150/200	1	40	0,77	0,84
ZEY.DTKRED.250-40	200/250	1	40	1,02	1,12
ZEY.DTKRED.300-40	250/300	1	40	1,97	2,15
ZEY.DTKRED.400-40	300/400	1,5	40	3,02	3,29
ZEY.DTKRED.500-40	400/500	1,5	40	4,32	4,71
ZEY.DTKRED.600-40	500/600	1,5	40	5,72	6,24



Order Code	Width B/A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTKRED.100-50	50/100	1	50	0,43	0,47
ZEY.DTKRED.150-50	100/150	1	50	0,61	0,67
ZEY.DTKRED.200-50	150/200	1	50	0,83	0,91
ZEY.DTKRED.250-50	200/250	1	50	1,09	1,19
ZEY.DTKRED.300-50	250/300	1	50	2,08	2,27
ZEY.DTKRED.400-50	300/400	1,5	50	3,15	3,44
ZEY.DTKRED.500-50	400/500	1,5	50	4,47	4,88
ZEY.DTKRED.600-50	500/600	1,5	50	5,89	6,42




Order Code	Width B/A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTKRED.100-60	50/100	1	60	0,47	0,52
ZEY.DTKRED.150-60	100/150	1	60	0,66	0,72
ZEY.DTKRED.200-60	150/200	1	60	0,89	0,97
ZEY.DTKRED.250-60	200/250	1	60	1,16	1,26
ZEY.DTKRED.300-60	250/300	1	60	2,19	2,39
ZEY.DTKRED.400-60	300/400	1,5	60	3,29	3,58
ZEY.DTKRED.500-60	400/500	1,5	60	4,63	5,05
ZEY.DTKRED.600-60	500/600	1,5	60	6,05	6,60


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

INTERNAL AND EXTERNAL BEND

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTKF.50-40	50	1	40	0,71	0,77
ZEY.DTKF.100-40	100	1	40	0,94	1,03
ZEY.DTKF.150-40	150	1	40	1,18	1,28
ZEY.DTKF.200-40	200	1	40	1,41	1,54
ZEY.DTKF.250-40	250	1	40	1,65	1,80
ZEY.DTKF.300-40	300	1,5	40	2,83	3,08
ZEY.DTKF.400-40	400	1,5	40	3,53	3,85
ZEY.DTKF.500-40	500	1,5	40	4,24	4,62
ZEY.DTKF.600-40	600	1,5	40	4,95	5,39



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTKF.50-50	50	1	50	0,80	0,87
ZEY.DTKF.100-50	100	1	50	1,04	1,13
ZEY.DTKF.150-50	150	1	50	1,27	1,39
ZEY.DTKF.200-50	200	1	50	1,51	1,64
ZEY.DTKF.250-50	250	1	50	1,74	1,90
ZEY.DTKF.300-50	300	1,5	50	2,97	3,23
ZEY.DTKF.400-50	400	1,5	50	3,67	4,00
ZEY.DTKF.500-50	500	1,5	50	4,38	4,77
ZEY.DTKF.600-50	600	1,5	50	5,09	5,54



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DTKF.50-60	50	1	60	0,89	0,98
ZEY.DTKF.100-60	100	1	60	1,13	1,23
ZEY.DTKF.150-60	150	1	60	1,37	1,49
ZEY.DTKF.200-60	200	1	60	1,60	1,75
ZEY.DTKF.250-60	250	1	60	1,84	2,00
ZEY.DTKF.300-60	300	1,5	60	3,11	3,39
ZEY.DTKF.400-60	400	1,5	60	3,82	4,16
ZEY.DTKF.500-60	500	1,5	60	4,52	4,93
ZEY.DTKF.600-60	600	1,5	60	5,23	5,70

Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order




KABLO MERDİVENİ UYGULAMA VE MONTAJ DETAYLARI

CABLE LADDERS APPLICATION AND FIXING DETAILS

CABLE LADDERS H:50 mm

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.KM.100-12-50	100	1,2	50	1,76	1,92
ZEY.KM.100-15-50	100	1,5	50	2,20	2,40
ZEY.KM.100-20-50	100	2	50	2,93	3,20
ZEY.KM.150-12-50	150	1,2	50	1,84	2,01
ZEY.KM.150-15-50	150	1,5	50	2,30	2,51
ZEY.KM.150-20-50	150	2	50	3,07	3,34
ZEY.KM.200-12-50	200	1,2	50	1,92	2,09
ZEY.KM.200-15-50	200	1,5	50	2,40	2,62
ZEY.KM.200-20-50	200	2	50	3,20	3,49
ZEY.KM.250-12-50	250	1,2	50	2,00	2,18
ZEY.KM.250-15-50	250	1,5	50	2,50	2,72
ZEY.KM.250-20-50	250	2	50	3,33	3,63
ZEY.KM.300-12-50	300	1,2	50	2,08	2,27
ZEY.KM.300-15-50	300	1,5	50	2,60	2,83
ZEY.KM.300-20-50	300	2	50	3,47	3,78
ZEY.KM.400-12-50	400	1,2	50	2,24	2,44
ZEY.KM.400-15-50	400	1,5	50	2,80	3,05
ZEY.KM.400-20-50	400	2	50	3,73	4,07
ZEY.KM.500-12-50	500	1,2	50	2,40	2,61
ZEY.KM.500-15-50	500	1,5	50	3,00	3,27
ZEY.KM.500-20-50	500	2	50	4,00	4,36
ZEY.KM.600-12-50	600	1,2	50	2,56	2,79
ZEY.KM.600-15-50	600	1,5	50	3,20	3,48
ZEY.KM.600-20-50	600	2	50	4,26	4,65






Mts weight tolerance ± %10
Standard Length 2400 mm
Special size (dimensions) pls call us
Pls define order codes when you offer or order

CABLE LADDERS H:60 mm

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.KM.100-12-60	100	1,2	60	1,95	2,12
ZEY.KM.100-15-60	100	1,5	60	2,44	2,66
ZEY.KM.100-20-60	100	2	60	3,25	3,54
ZEY.KM.150-12-60	150	1,2	60	2,03	2,21
ZEY.KM.150-15-60	150	1,5	60	2,54	2,76
ZEY.KM.150-20-60	150	2	60	3,38	3,69
ZEY.KM.200-12-60	200	1,2	60	2,11	2,30
ZEY.KM.200-15-60	200	1,5	60	2,64	2,87
ZEY.KM.200-20-60	200	2	60	3,51	3,83
ZEY.KM.250-12-60	250	1,2	60	2,19	2,39
ZEY.KM.250-15-60	250	1,5	60	2,74	2,98
ZEY.KM.250-20-60	250	2	60	3,65	3,98
ZEY.KM.300-12-60	300	1,2	60	2,27	2,47
ZEY.KM.300-15-60	300	1,5	60	2,83	3,09
ZEY.KM.300-20-60	300	2	60	3,78	4,12
ZEY.KM.400-12-60	400	1,2	60	2,43	2,65
ZEY.KM.400-15-60	400	1,5	60	3,03	3,31
ZEY.KM.400-20-60	400	2	60	4,05	4,41
ZEY.KM.500-12-60	500	1,2	60	2,59	2,82
ZEY.KM.500-15-60	500	1,5	60	3,23	3,52
ZEY.KM.500-20-60	500	2	60	4,31	4,70
ZEY.KM.600-12-60	600	1,2	60	2,75	2,99
ZEY.KM.600-15-60	600	1,5	60	3,43	3,74
ZEY.KM.600-20-60	600	2	60	4,58	4,99






Mts weight tolerance ± %10
Standard Length 2400 mm
Special size (dimensions) pls call us
Pls define order codes when you offer or order

CABLE LADDERS H:100 mm

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.KM.100-12-100	100	1,2	100	2,73	2,97
ZEY.KM.100-15-100	100	1,5	100	3,41	3,71
ZEY.KM.100-20-100	100	2	100	4,54	4,95
ZEY.KM.150-12-100	150	1,2	100	2,82	3,07
ZEY.KM.150-15-100	150	1,5	100	3,52	3,84
ZEY.KM.150-20-100	150	2	100	4,69	5,12
ZEY.KM.200-12-100	200	1,2	100	2,91	3,17
ZEY.KM.200-15-100	200	1,5	100	3,63	3,96
ZEY.KM.200-20-100	200	2	100	4,85	5,28
ZEY.KM.250-12-100	250	1,2	100	3,00	3,27
ZEY.KM.250-15-100	250	1,5	100	3,75	4,09
ZEY.KM.250-20-100	250	2	100	5,00	5,45
ZEY.KM.300-12-100	300	1,2	100	3,09	3,37
ZEY.KM.300-15-100	300	1,5	100	3,86	4,21
ZEY.KM.300-20-100	300	2	100	5,15	5,61
ZEY.KM.400-12-100	400	1,2	100	3,27	3,57
ZEY.KM.400-15-100	400	1,5	100	4,09	4,46
ZEY.KM.400-20-100	400	2	100	5,45	5,94
ZEY.KM.500-12-100	500	1,2	100	3,45	3,76
ZEY.KM.500-15-100	500	1,5	100	4,32	4,71
ZEY.KM.500-20-100	500	2	100	5,76	6,27
ZEY.KM.600-12-100	600	1,2	100	3,64	3,96
ZEY.KM.600-15-100	600	1,5	100	4,55	4,95
ZEY.KM.600-20-100	600	2	100	6,06	6,61







Mts weight tolerance ± %10
Standard Length 2400 mm
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HORIZONTAL BENDS 90 º

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KM90'.100-50	100	1,2	50	0,55	0,60
ZEY.KM90'.150-50	150	1,2	50	0,70	0,76
ZEY.KM90'.200-50	200	1,2	50	0,80	0,87
ZEY.KM90'.250-50	250	1,2	50	0,90	0,98
ZEY.KM90'.300-50	300	1,5	50	1,50	1,64
ZEY.KM90'.400-50	400	1,5	50	1,90	2,07
ZEY.KM90'.500-50	500	1,5	50	2,65	2,89
ZEY.KM90'.600-50	600	1,5	50	3,10	3,38



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KM90'.100-60	100	1,2	60	0,61	0,67
ZEY.KM90'.150-60	150	1,2	60	0,74	0,80
ZEY.KM90'.200-60	200	1,2	60	0,86	0,94
ZEY.KM90'.250-60	250	1,2	60	0,99	1,08
ZEY.KM90'.300-60	300	1,5	60	1,61	1,76
ZEY.KM90'.400-60	400	1,5	60	1,99	2,17
ZEY.KM90'.500-60	500	1,5	60	2,73	2,98
ZEY.KM90'.600-60	600	1,5	60	3,19	3,48




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KM90'.100-100	100	1,2	100	0,82	0,90
ZEY.KM90'.150-100	150	1,2	100	0,98	1,07
ZEY.KM90'.200-100	200	1,2	100	1,13	1,24
ZEY.KM90'.250-100	250	1,2	100	1,29	1,41
ZEY.KM90'.300-100	300	1,5	100	1,62	1,77
ZEY.KM90'.400-100	400	1,5	100	2,49	2,71
ZEY.KM90'.500-100	500	1,5	100	3,31	3,60
ZEY.KM90'.600-100	600	1,5	100	3,85	4,20


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HORIZONTAL TEES

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMT.100-50	100	1,2	50	0,70	0,76
ZEY.KMT.150-50	150	1,2	50	0,85	0,93
ZEY.KMT.200-50	200	1,2	50	1,00	1,09
ZEY.KMT.250-50	250	1,2	50	1,10	1,20
ZEY.KMT.300-50	300	1,5	50	1,40	1,53
ZEY.KMT.400-50	400	1,5	50	2,40	2,62
ZEY.KMT.500-50	500	1,5	50	2,85	3,11
ZEY.KMT.600-50	600	1,5	50	3,20	3,49



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMT.100-60	100	1,2	60	0,80	0,87
ZEY.KMT.150-60	150	1,2	60	0,93	1,01
ZEY.KMT.200-60	200	1,2	60	1,05	1,15
ZEY.KMT.250-60	250	1,2	60	1,18	1,29
ZEY.KMT.300-60	300	1,5	60	1,47	1,60
ZEY.KMT.400-60	400	1,5	60	2,50	2,72
ZEY.KMT.500-60	500	1,5	60	2,95	3,21
ZEY.KMT.600-60	600	1,5	60	3,40	3,71




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMT.100-100	100	1,2	100	1,07	1,16
ZEY.KMT.150-100	150	1,2	100	1,21	1,32
ZEY.KMT.200-100	200	1,2	100	1,36	1,48
ZEY.KMT.250-100	250	1,2	100	1,50	1,64
ZEY.KMT.300-100	300	1,5	100	1,81	1,98
ZEY.KMT.400-100	400	1,5	100	2,97	3,24
ZEY.KMT.500-100	500	1,5	100	3,47	3,78
ZEY.KMT.600-100	600	1,5	100	3,97	4,33


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

HORIZONTAL CROSSING

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMX.100-50	100	1,2	50	0,80	0,87
ZEY.KMX.150-50	150	1,2	50	0,90	0,98
ZEY.KMX.200-50	200	1,2	50	1,00	1,09
ZEY.KMX.250-50	250	1,2	50	1,13	1,23
ZEY.KMX.300-50	300	1,5	50	1,95	2,13
ZEY.KMX.400-50	400	1,5	50	2,40	2,62
ZEY.KMX.500-50	500	1,5	50	2,80	3,05
ZEY.KMX.600-50	600	1,5	50	3,15	3,43



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMX.100-60	100	1,2	60	0,90	0,98
ZEY.KMX.150-60	150	1,2	60	1,01	1,10
ZEY.KMX.200-60	200	1,2	60	1,12	1,22
ZEY.KMX.250-60	250	1,2	60	1,23	1,34
ZEY.KMX.300-60	300	1,5	60	2,08	2,27
ZEY.KMX.400-60	400	1,5	60	2,49	2,71
ZEY.KMX.500-60	500	1,5	60	2,90	3,16
ZEY.KMX.600-60	600	1,5	60	3,31	3,61




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMX.100-100	100	1,2	100	1,19	1,29
ZEY.KMX.150-100	150	1,2	100	1,29	1,41
ZEY.KMX.200-100	200	1,2	100	1,40	1,53
ZEY.KMX.250-100	250	1,2	100	1,51	1,65
ZEY.KMX.300-100	300	1,5	100	2,44	2,66
ZEY.KMX.400-100	400	1,5	100	2,85	3,10
ZEY.KMX.500-100	500	1,5	100	3,26	3,55
ZEY.KMX.600-100	600	1,5	100	3,67	4,00


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

REDUCING ANGLES

Order Code	Width A/B (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMR.150-50	150/100	1,2	50	0,90	0,98
ZEY.KMR.200-50	200/150	1,2	50	1,15	1,25
ZEY.KMR.250-50	250/200	1,2	50	1,25	1,36
ZEY.KMR.300-50	300/250	1,5	50	1,70	1,85
ZEY.KMR.400-50	400/300	1,5	50	2,30	2,51
ZEY.KMR.500-50	500/400	1,5	50	2,50	2,73
ZEY.KMR.600-50	600/500	1,5	50	3,00	3,27



Order Code	Width A/B (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMR.150-60	150/100	1,2	60	0,98	1,07
ZEY.KMR.200-60	200/150	1,2	60	1,29	1,41
ZEY.KMR.250-60	250/200	1,2	60	1,38	1,50
ZEY.KMR.300-60	300/250	1,5	60	1,82	1,99
ZEY.KMR.400-60	400/300	1,5	60	2,44	2,65
ZEY.KMR.500-60	500/400	1,5	60	2,71	2,95
ZEY.KMR.600-60	600/500	1,5	60	3,21	3,49



Order Code	Width A/B (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMR.150-100	150/100	1,2	100	1,29	1,40
ZEY.KMR.200-100	200/150	1,2	100	1,70	1,85
ZEY.KMR.250-100	250/200	1,2	100	1,78	1,94
ZEY.KMR.300-100	300/250	1,5	100	2,33	2,54
ZEY.KMR.400-100	400/300	1,5	100	3,00	3,27
ZEY.KMR.500-100	500/400	1,5	100	3,27	3,57
ZEY.KMR.600-100	600/500	1,5	100	3,86	4,21


Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

INTERNAL AND EXTERNAL BEND

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMF.100-50	100	1	50	1,50	1,64
ZEY.KMF.150-50	150	1	50	1,60	1,74
ZEY.KMF.200-50	200	1	50	1,70	1,85
ZEY.KMF.250-50	250	1	50	1,80	1,96
ZEY.KMF.300-50	300	1,2	50	2,20	2,40
ZEY.KMF.400-50	400	1,2	50	2,50	2,73
ZEY.KMF.500-50	500	1,2	50	2,90	3,16
ZEY.KMF.600-50	600	1,2	50	3,20	3,49



Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMF.100-60	100	1	60	1,67	1,82
ZEY.KMF.150-60	150	1	60	1,76	1,92
ZEY.KMF.200-60	200	1	60	1,86	2,02
ZEY.KMF.250-60	250	1	60	1,95	2,12
ZEY.KMF.300-60	300	1,2	60	2,45	2,67
ZEY.KMF.400-60	400	1,2	60	2,88	3,14
ZEY.KMF.500-60	500	1,2	60	3,16	3,44
ZEY.KMF.600-60	600	1,2	60	3,43	3,74




Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMF.100-100	100	1	100	2,30	2,51
ZEY.KMF.150-100	150	1	100	2,39	2,61
ZEY.KMF.200-100	200	1	100	2,48	2,71
ZEY.KMF.250-100	250	1	100	2,57	2,81
ZEY.KMF.300-100	300	1,2	100	3,20	3,49
ZEY.KMF.400-100	400	1,2	100	3,64	3,96
ZEY.KMF.500-100	500	1,2	100	3,91	4,26
ZEY.KMF.600-100	600	1,2	100	4,18	4,56

Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

STRAIGHT JOINTING PIECE

Order Code	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMEK.50	1,5	50	0,16	0,18
ZEY.KMEK.60	1,5	60	0,19	0,21
ZEY.KMEK.100	1,5	100	0,24	0,27




LADDER JOİNTİNG CLAMP

Order Code	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMY.80	1,5	120	0,11	0,12
ZEY.KMY.160	1,5	120	0,23	0,25



HINGE (LEVELING) PIECE


Order Code	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KMS.60	1,5	60	0,19	0,21
ZEY.KMS.100	1,5	100	0,24	0,26



Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order


UNDER FLOOR CABLE TRAYS H:30 mm

Order Code	Channel	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)
ZEY.DAKK-70-30-2400	1	70	1,2	30	2,64
ZEY.DAKK-140-30-2400	2	140	1,2	30	4,24
ZEY.DAKK-210-30-2400	3	210	1,2	30	6,69
ZEY.DAKK-300-30-2400	3	300	1,2	30	7,91




UNDER FLOOR CABLE TRAYS H:40 mm

Order Code	Channel	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/mt)
ZEY.DAKK-70-40-2400	1	70	1,2	40	2,83
ZEY.DAKK-140-40-2400	2	140	1,2	40	4,52
ZEY.DAKK-210-40-2400	3	210	1,2	40	7,07
ZEY.DAKK-300-40-2400	3	300	1,2	40	8,29




JUNCTION BOX

Order Code	Width A (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)
ZEY.DAKK.30	30	30	2,35
ZEY.DAKK.40	40	40	3



LEVELLING PIECE


Order Code	Width A (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)
ZEY.DAKK.SA.140	140	1,2	0,22
ZEY.DAKK.SA.210	210	1,2	0,3
ZEY.DAKK.SA.300	300	1,2	0,46



Mts weight tolerance + %10 / Special size (dimensions) pls call us / Pls define order codes when you offer or order


STRAIGHT CONNECTOR

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)
ZEY.DAKK.EK.70-30	70	1,2	30	0,13
ZEY.DAKK.EK.140-30	140	1,2	30	0,21
ZEY.DAKK.EK.210-30	210	1,2	30	0,28
ZEY.DAKK.EK.300-30	300	1,2	30	0,35
ZEY.DAKK.EK.70-40	70	1,2	40	0,14
ZEY.DAKK.EK.140-40	140	1,2	40	0,22
ZEY.DAKK.EK.210-40	210	1,2	40	0,30
ZEY.DAKK.EK.300-40	300	1,2	40	0,36



90º BENDING UNİT

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)
ZEY.DAKK.90'.70-30	70	1,2	30	1,55
ZEY.DAKK.90'.140-30	140	1,2	30	2,40
ZEY.DAKK.90'.210-30	210	1,2	30	3,24
ZEY.DAKK.90'.300-30	300	1,2	30	4,02
ZEY.DAKK.90'.70-40	70	1,2	40	1,64
ZEY.DAKK.90'.140-40	140	1,2	40	2,53
ZEY.DAKK.90'.210-40	210	1,2	40	3,41
ZEY.DAKK.90'.300-40	300	1,2	40	4,11




ENDING UNIT

Order Code	Width A (mm)	Thickness T (mm)	Height H (mm)	Sendzimir Galvanization /Weight (kg/piece)
ZEY.DAKK.SON.70-30	70	1,2	30	0,13
ZEY.DAKK.SON.140-30	140	1,2	30	0,21
ZEY.DAKK.SON.210-30	210	1,2	30	0,28
ZEY.DAKK.SON.300-30	300	1,2	30	0,35
ZEY.DAKK.SON.70-40	70	1,2	40	0,14
ZEY.DAKK.SON.140-40	140	1,2	40	0,22
ZEY.DAKK.SON.210-40	210	1,2	40	0,30
ZEY.DAKK.SON.300-40	300	1,2	40	0,36




Mts weight tolerance + %10 / Special size (dimensions) pls call us / Pls define order codes when you offer or order




1. I Support Applications
2. U Support Applications
3. Tray Down Applications
4. Wall Bracket Support Applications
5. Tray up Applications
6. Tray Rising Bracket Applications

I HANGING SUPPORTS APPLICATION AND FIXING

DOUBLE SIDE APPLICATION




SINGLE SIDE APPLICATION



I SUPPORTS

Order Code	Length L (mm)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.ID.200	200	1,20
ZEY.ID.300	300	1,80
ZEY.ID.400	400	2,40
ZEY.ID.500	500	3,00
ZEY.ID.600	600	3,60
ZEY.ID.700	700	4,20
ZEY.ID.800	800	4,80
ZEY.ID.900	900	5,40
ZEY.ID.1000	1000	6,00
ZEY.ID.1100	1100	6,60
ZEY.ID.1200	1200	7,20
ZEY.ID.1300	1300	7,80
ZEY.ID.1400	1400	8,40
ZEY.ID.1500	1500	9,00
ZEY.ID.1600	1600	9,60
ZEY.ID.1700	1700	10,20
ZEY.ID.1800	1800	10,80
ZEY.ID.1900	1900	11,40
ZEY.ID.2000	2000	12,00
ZEY.ID.6000	6000	36,00







Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

I HANGING SUPPORTS (CEILING)


Order Code	Length L (mm)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.TID.200	200	1,90
ZEY.TID.300	300	2,50
ZEY.TID.400	400	3,10
ZEY.TID.500	500	3,70
ZEY.TID.600	600	4,30
ZEY.TID.700	700	4,90
ZEY.TID.800	800	5,50
ZEY.TID.900	900	6,10
ZEY.TID.1000	1000	6,70
ZEY.TID.1100	1100	7,30
ZEY.TID.1200	1200	7,90
ZEY.TID.1300	1300	8,50
ZEY.TID.1400	1400	9,10
ZEY.TID.1500	1500	9,70
ZEY.TID.1600	1600	10,30
ZEY.TID.1700	1700	10,90
ZEY.TID.1800	1800	11,50
ZEY.TID.1900	1900	12,10
ZEY.TID.2000	2000	12,70





Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

I SUPPORT FOR WALL APPLICATION AND FIXING DETAILS






I SUPPORT FOR WALL

Order Code	Length L (mm)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DID.200	200	1,55
ZEY.DID.300	300	2,15
ZEY.DID.400	400	2,75
ZEY.DID.500	500	3,35
ZEY.DID.600	600	3,95
ZEY.DID.700	700	4,55
ZEY.DID.800	800	5,15
ZEY.DID.900	900	5,75
ZEY.DID.1000	1000	6,35
ZEY.DID.1100	1100	6,95
ZEY.DID.1200	1200	7,73
ZEY.DID.1300	1300	8,33
ZEY.DID.1400	1400	8,93
ZEY.DID.1500	1500	9,53
ZEY.DID.1600	1600	10,30
ZEY.DID.1700	1700	10,90
ZEY.DID.1800	1800	11,50
ZEY.DID.1900	1900	12,10
ZEY.DID.2000	2000	12,70






Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

T SUPPORTS

Order Code	Length L (mm)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.TD.200	200	0,43
ZEY.TD.300	300	0,64
ZEY.TD.400	400	0,86
ZEY.TD.500	500	1,07
ZEY.TD.600	600	1,29
ZEY.TD.700	700	1,50
ZEY.TD.800	800	1,71
ZEY.TD.900	900	1,93
ZEY.TD.1000	1000	2,14
ZEY.TD.1100	1100	2,36
ZEY.TD.1200	1200	2,57
ZEY.TD.1300	1300	2,78
ZEY.TD.1400	1400	3,00
ZEY.TD.1500	1500	3,21
ZEY.TD.1600	1600	3,43
ZEY.TD.1700	1700	3,64
ZEY.TD.1800	1800	3,86
ZEY.TD.1900	1900	4,07
ZEY.TD.2000	2000	4,28






Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order


T HANGİNG SUPPORTS (CEILING)

Order Code	Length L (mm)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.TDB.200	200	1,13
ZEY.TDB.300	300	1,34
ZEY.TDB.400	400	1,56
ZEY.TDB.500	500	1,77
ZEY.TDB.600	600	1,99
ZEY.TDB.700	700	2,20
ZEY.TDB.800	800	2,41
ZEY.TDB.900	900	2,63
ZEY.TDB.1000	1000	2,84
ZEY.TDB.1100	1100	3,06
ZEY.TDB.1200	1200	3,27
ZEY.TDB.1300	1300	3,48
ZEY.TDB.1400	1400	3,70
ZEY.TDB.1500	1500	3,91
ZEY.TDB.1600	1600	4,13
ZEY.TDB.1700	1700	4,34
ZEY.TDB.1800	1800	4,56
ZEY.TDB.1900	1900	4,77
ZEY.TDB.2000	2000	4,98




I - T BRACKETS


Order Code	Length L (mm)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.IDK.100	100	0,45
ZEY.IDK.150	150	0,55
ZEY.IDK.200	200	0,65
ZEY.IDK.250	250	0,70
ZEY.IDK.300	300	0,80
ZEY.IDK.400	400	1,00
ZEY.IDK.500	500	1,35
ZEY.IDK.600	600	1,60



Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order


L SUPPORTS APPLICATION AND FIXING DETAILS






L SUPPORTS


Order Code	Length L (mm)	Thickness T (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.LD.500	500	2	0,57	0,62
ZEY.LD.600	600	2	0,68	0,75
ZEY.LD.800	800	2	0,90	0,99
ZEY.LD.1000	1000	2	1,13	1,24
ZEY.LD.1200	1200	2	1,36	1,49
ZEY.LD.2000	2000	2	2,26	2,49
ZEY.LD.2400	2400	2	2,71	2,98



CEILING SUPPORT BAR


Order Code	Length L (mm)	Thickness T (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.ASK.1	2400	2	1,35	1,48






Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order


U SUPPORTS APPLICATION AND FIXING DETAILS



U SUPPORTS APPLICATION AND FIXING DETAILS



U SUPPORTS DOOBLE SIDE APPLICATION




RTS SINGLE SIDE APPLICATION



U SUPPORTS

Order Code	Length L (mm)	Thickness T (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.UD.200	200	2	0,28	0,31
ZEY.UD.300	300	2	0,42	0,47
ZEY.UD.400	400	2	0,57	0,62
ZEY.UD.600	600	2	0,85	0,93
ZEY.UD.800	800	2	1,13	1,24
ZEY.UD.1000	1000	2	1,41	1,55
ZEY.UD.1200	1200	2	1,70	1,87
ZEY.UD.2000	2000	2	2,83	3,11
ZEY.UD.2400	2400	2	3,37	3,71



U SUPPORTS WITH CEILING UNIT


Order Code	Length L (mm)	Thickness T (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.TUD.200	200	2	0,34	0,37
ZEY.TUD.300	300	2	0,48	0,53
ZEY.TUD.400	400	2	0,62	0,68
ZEY.TUD.600	600	2	0,90	0,99
ZEY.TUD.800	800	2	1,19	1,31
ZEY.TUD.1000	1000	2	1,47	1,62
ZEY.TUD.1200	1200	2	1,75	1,93
ZEY.TUD.2000	2000	2	2,88	3,17
ZEY.TUD.2400	2400	2	3,43	3,77




Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

U BRACKETS


Order Code	Length L (mm)	Width A (mm)	Thickness T (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.UDK.100	100	75	2	0,24	0,26
ZEY.UDK.150	150	75	2	0,35	0,38
ZEY.UDK.200	200	75	2	0,45	0,50
ZEY.UDK.250	250	75	2	0,58	0,63
ZEY.UDK.300	300	75	2	0,67	0,71
ZEY.UDK.400	400	75	2	0,87	0,94
ZEY.UDK.500	500	75	2	1,08	1,15
ZEY.UDK.600	600	75	2	1,29	1,37






HEAD PLATES FOR U SUPPORTS


Order Code	Length L (mm)	Thickness T (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.UDTB.1	150	2	0,30	0,325






Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order


TRAY UP APPLICATION AND FIXING DETAILS



TRAY DOWN APPLICATION AND FIXING DETAILS




C TYPE SUPPORT APPLICATION AND FIXING DETAILS




TRAY CARRIES WITH THREADED ROD

Order Code	Length L (mm)	Thickness T (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KUK.50	50	1,5	0,085	0,094
ZEY.KUK.100	100	1,5	0,115	0,127
ZEY.KUK.150	150	1,5	0,150	0,165
ZEY.KUK.200	200	1,5	0,175	0,193
ZEY.KAK.100	160	1,5	0,120	0,132
ZEY.KAK.200	260	1,5	0,270	0,297
ZEY.KAK.250	310	1,5	0,305	0,336
ZEY.KAK.300	360	2	0,350	0,385
ZEY.KAK.400	460	2	0,440	0,484
ZEY.KAK.500	560	2	0,535	0,589
ZEY.KAK.600	660	2	0,630	0,693



C TYPE SUPPORT


Order Code	Width A (mm)	Thickness T (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.CD.50	60	3	0,16	0,176
ZEY.CD.100	110	3	0,207	0,228
ZEY.CD.150	160	3	0,263	0,289
ZEY.CD.200	210	3	0,395	0,435




Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order

U TYPE BOLT - NUTS SUPPORTS


Order Code	Length L (mm)	Width A (mm)	Height H (mm)	Thickness T (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.TUT.100	160	30	15	1,5	0,101	0,111
ZEY.TUT.150	210	30	15	1,5	0,133	0,146
ZEY.TUT.200	260	30	15	1,5	0,165	0,182
ZEY.TUT.250	310	30	15	1,5	0,197	0,217
ZEY.TUT.300	360	30	15	1,5	0,229	0,252
ZEY.TUT.400	460	30	15	1,5	0,292	0,321
ZEY.TUT.500	560	30	15	1,5	0,356	0,392
ZEY.TUT.600	660	30	15	1,5	0,420	0,462



U TYPE BOLT - NUTS SUPPORT APPLICATION AND FIXING DETAILS



WALL BRACKET APPLICATION AND FIXING DETAILS





WELDED WALL BRACKET APPLICATION AND FIXING DETAILS



WALL BRACKETS


Order Code	Length L (mm)	Width A (mm)	Thick-ness T (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.DK.50	50	100	1,5	0,075	0,083
ZEY.DK.100	100	100	1,5	0,125	0,138
ZEY.DK.150	150	100	1,5	0,175	0,193
ZEY.DK.200	200	100	1,5	0,235	0,259
ZEY.DK.250	250	100	1,5	0,280	0,308
ZEY.DK.300	300	100	1,5	0,350	0,385
ZEY.DK.400	400	100	2	0,445	0,490
ZEY.DK.500	500	100	2	0,750	0,825
ZEY.DK.600	600	100	2	0,885	0,974






WELDED WALL BRACKED

Order Code	Length L (mm)	Width A (mm)	Thick-ness T (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.ADK.50	50	75	2	0,353	0,388
ZEY.ADK.100	100	75	2	0,424	0,466
ZEY.ADK.150	150	75	2	0,494	0,544
ZEY.ADK.200	200	75	2	0,565	0,621
ZEY.ADK.250	250	75	2	0,636	0,699
ZEY.ADK.300	300	75	2	0,706	0,777
ZEY.ADK.400	400	75	2	0,847	0,932
ZEY.ADK.500	500	75	2	0,989	1,088
ZEY.ADK.600	600	75	2	1,130	1,243






Mts weight tolerance ± %10
Special size (dimensions) pls call us
Pls define order codes when you offer or order


C PROFILES

Order Code	Length L (mm)	Width A (mm)	Height H (mm)	Thickness T (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.CP1-21	2400	40	21	1,5	2,59	2,82
ZEY.CP2-21	2400	40	21	2	3,45	3,76




C PROFILES

Order Code	Length L (mm)	Width A (mm)	Height H (mm)	Thickness T (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.CP1-40	2400	40	40	1,5	3,55	3,87
ZEY.CP2-40	2400	40	40	2	4,74	5,17




UNPUNCHED C PROFILES

Order Code	Length L (mm)	Width A (mm)	Height H (mm)	Thickness T (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.CP3-21	2400	40	21	1,5	2,88	3,14
ZEY.CP4-21	2400	40	21	2	3,84	4,19



UNPUNCHED C PROFILES

Order Code	Length L (mm)	Width A (mm)	Height H (mm)	Thickness T (mm)	Sendzimir Galvanization /Weight (kg/mt)	Hot Dip Galvanization /Weight (kg/mt)
ZEY.CP3-40	2400	40	40	1,5	3,95	4,31
ZEY.CP4-40	2400	40	40	2	5,27	5,75





TRAY RISING BRACKET APPLICATION AND FIXING DETAILS



RISING BRACKETS FOR WALL AND FLOOR

Order Code	Length L (mm)	Width A (mm)	Thickness T (mm)	Sendzimir Galvanization /Weight (kg/piece)	Hot Dip Galvanization /Weight (kg/piece)
ZEY.KYK.50	50	30	1,5	0,048	0,052
ZEY.KYK.100	100	30	1,5	0,100	0,110
ZEY.KYK.150	150	30	1,5	0,150	0,165
ZEY.KYK.200	200	30	1,5	0,191	0,210
ZEY.KYK.250	250	30	1,5	0,238	0,262
ZEY.KYK.300	300	30	2	0,415	0,457
ZEY.KYK.400	400	30	2	0,535	0,589
ZEY.KYK.500	500	30	2	0,680	0,748
ZEY.KYK.600	600	30	2	0,825	0,908






THREADED RODS

Order Code	Length L (mm)	Tooth Size	Weight (kg/piece)
ZEY.TİJ.1	1000	M8 Tij	0,300
ZEY.TİJ.2	2000	M8 Tij	0,600




PIN AND STEEL DOWEL


Order Code	Uzunluk Product Name	Weight (kg/piece)
ZEY.CEKD.M8	M8 Steel Wall Peg Type 1	0,040
ZEY.CAKD.M8	M8 Steel Wall Peg Type 2	0,022
ZEY.KOV.M8	Expansion Nuts	0,030
ZEY.KOP.1	Pin	0,035



BOLT, NUT, WASHER


Order Code	Uzunluk Product Name	Weight (kg/piece)
ZEY.CSP.M6	M6*15 Bolt Nut Washer	0,023
ZEY.CIVATA.M6	M6*15 Bolt	0,006
ZEY.CIVATA.M8	M8*15 Bolt	0,010
ZEY.SOMUN.M6	M6 Nut	0,002
ZEY.SOMUN.M8	M8 Nut	0,005
ZEY.FSOMUN.M6	M6 Flanged Nut	0,006
ZEY.FSOMUN.M8	M8 Flanged Nut	0,009
ZEY.PUL.M6	M6 Washer	0,015
ZEY.PUL.M8	M8 Washer	0,020






Electro Galvanization

After the treatment of the prepared steel metal surface for corrosion protection electro-galvanizing coating applied for this purpose. Thickness of zinc coating 8-12 Micron



Sendzimir Galvanization

This type of coating is for continuously hot-dip zinc coated flat products in thicknesses <2,5 mm made of the steels. Thickness of zinc coating 15-20 µ (Mikron)



Hot Dip Galvanization

(TS 914 EN ISO 1461)

Hot dip galvanizing is done after fabrication which results in a compact zinc surface. Hot dip galvanizing is better proection other method. Thickness of zinc coating 40-60 µ (Mikron)



ELECTRO STATIC POWDER COATING

Used the indoor decoration materials and the other mts coated according to the RAL color catalogue in our painting section applied electro static powder coated Technologies (methods).

19” GOLD LINE STANDING TYPE RACK CABINETS



- Our Bestrack Standing Type Cabinets different depth size and heights give to clients large selection.
- Multi-bending body frames, bottom and top base strength reinforce construction.

STRUCTURED DETAILED

Main Body Profile Construction;

Top&Bottom plates&Mainframe verticals; In a single piece top &buttom base (chassis) thikcness 1,5 mm, main frame profiles connected 32 points also modular structurred.

Carcass Verticals; 1,5 mm thickness mild steel and 6 twisted 1,5 mm thickness mild steel strengthen.

Top Cover; easy to removable and to reach to the fan module.

Front Door; On 1,5 mm metal frame 4mm-6mm tempered glass door, one point loced arm-lock, for changing direction mill springe hinged. For optional 3 point-locked system also can apply with a special 3 cm wide metal frame fort he protect the door.

Side Panels; 1-1,5 mm metal thick sylindiric type lock fix mechanisme and bolt-lock out middle pin system, locable and removable so easy to maintain. On cover there are ventilation holes so air circulation much easy.

Back Door: 1,5mm metal thick for 600 mm cabinets one, 800 mm cabinets double-angle products. 32U and upper sizes cabinets back doors top&bottom for cable inlet with brushes cable inlet used.

Cable Inlet; From bottom plate , back door top & bottom section cable inlet is avaible. Also bottom chassis have in-line 19” 2U Blanking panels

19” Equipment Mounting Verticals; verticals (posts) 1,5 mm thickcnees and made by pregalvanized steel solid accor. TS 822 std. & also It contains on printed “U” marks both posts. (Verticals). Option; For optional also can produce 2mm thick TS822 type metal glv steel.

Side Support; Up to 32U sizes 2 right-hand 2 left hand there are 4 pieces, upper 32U cabinet 3 left,3 right there are 6 pieces used.

Vertical Cable Organizers; Vertical cable organizers according to the Project can assembly front or back side of the cabinets. There is also one bolt-locked apparatus. So easy for cabling data and power cable. It covers for cables pollution. Our 800*800 mm and 800*1000 mm cabinet can use.

Body Color; RAL 9005- RAL 7035 optional color. Painted (finishing) Electro Static powder coating.

Ventilation; Placedunder the top plate the fan thermostat modules makes high air circulation low level noise inside of the cabinet in good effective ventilation.

Power Distribution Unit; The PDU is on power sockets combination. There are two options.One is PVC the other Aluminium body. It contains Earth Socket, UPS socket, Fuses, or observable and manageable. It is also convenience 19” Rack Cabinet mounting on the rack.

Delivering; After the quality control is passed our all product wrapped and packed with strapor protection, cartoon pack it is strengthen to the impact resistance and after delivered with safety and secure as assembling packing.In our cabinets comply with to the structured cabling system and also comply with the Project, so putting inside equipments of network as switch, router modem, server, patch panel, telephone exchange&electronics equipment mounting and convenience cabling rigid, safe, secure functional and aesthetic production continuous.



BASIC FEATURES

- BESTRACK cabinets give to the clients best convenience solutions for server and stocking.
- Our Standing Cabinets comply with the TS EN 61587-1 Mechanical construction stds. (For Electronic Equipments cabinets) Also our main factory located in Ankara-TURKEY covered 13.000 m^2 areas andproduced according to the ISO 9001:2015 Quality Management Sytems Regulations.
- ALL cabinet’s vertical hole spacing and horizontal hole spacing (sizes) comply with IEC 297-2, ANSI/EIARS-310-D, DIN 41494-1-7 standards.
- Also avaible EIA-310 19” Rack standards mounting equipments.
- For standing cabinets width 600 mm dimensions are Height from 12 U to 47 U different “U” height and width 800 mm dimensions are 26 U up to 47 U different “U” height service to the clients.
- Toughened tempered glass front door 4-6 mm thick. Optional and also rear door & side panels solid steel door, Lockable and removable side panels.
- 19” Equipment Rack Mounting verticals are punched square holes and also adjustable along the depth.
- “U” Marking along the vertical makes easy to install the rack mount equipments.
- Our standing type cabinets to with stand capacity min. 800-1000 kg static loading.
- Application areas are, big capacity scale network installing, DATA centers, F/O aplications, security, CCTV used properly.



Tests & Certificates

- Our cabinets has been tested according to the TS EN 61587-1 standards and climatical tests part 4.2 cold, dry heat and wet heat tests accor. C1 class, Part 4.3 Industry Environment 41 class SL7, comply.
- Mechanical Load tests accor par. 5.21 and 5.2.2 and class SL7 comply
- Dynamic Load, vibration, mechanical impact (force) tests applies DL 4 class,
- External Mechanical Impacts K2 class.
- Earth (Grounding) connecting continuity tested TS EN 61587-2-1/6.2 comply
- Produced & tested accor to the IP 20 (Index of Protection)

Test Conditions




Mechanical Load Tests (SL7)

Test Conditions




Dynamic load, vibration and mechanical impact tests (DL4)

EXPLODED ISOMETRIC VIEWS




19” GOLD LINE STANDING TYPE RACK CABINETS


CONSTRUCTION DRAWING




FRONT VIEW




SIDE VIEW





REAR VIEW



REAR COVER CABLE
INPUT WITH BRUSH









LOWER CHASSIS
CABLE INPUT MODULE
WITH BRUSH

800X1000 SERIES	800	1000
800X800 SERIES	800	800
600X1000 SERIES	600	1000
600X800 SERIES	600	800
600X600 SERIES	600	600
MODEL	W (mm)	D (mm)



DEVICE ASSEMBLY DISTANCES
CABLE INPUT SECTIONS



WIDTH AND
HEIGHT
DIMENSIONS

FOR DEPTH OF 1000	920	760	720
FOR DEPTH OF 800	720	570	530
FOR DEPTH OF 600	520	360	400
CABINET DEPTHS	D Max mm	D Min mm	D Std mm


COVER OPTIONALS

NOTES:

* PERFORATED COVERS ARE 63% PERFORATED.

** CABLE INPUTS WITH BRUSH ARE AVAILABLE FOR 32U AND BIGGER CABINETS.

*** REAR DOUBLE OPENING COVERS ARE ONLY IN CABINETS WITH WIDTH 800mm.



19” GOLD LINE STANDING TYPE RACK CABINETS

800*1000 mm GOLD LINE SERVER TYPE RACK CABINETS





Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.GLD26U80100	26U 800x1000 mm Gold Line Server Type Cabinet	800	1000	1306	1386	100,00
ZEY.GLD32U80100	32U 800x1000 mm Gold Line Server Type Cabinet	800	1000	1573	1653	122,00
ZEY.GLD36U80100	36U 800x1000 mm Gold Line Server Type Cabinet	800	1000	1751	1831	129,00
ZEY.GLD42U80100	42U 800x1000 mm Gold Line Server Type Cabinet	800	1000	2018	2098	143,00
ZEY.GLD44U80100	44U 800x1000 mm Gold Line Server Type Cabinet	800	1000	2107	2187	150,00
ZEY.GLD47U80100	47U 800x1000 mm Gold Line Server Type Cabinet	800	1000	2241	2321	152,00

600*1000 mm GOLD LINE SERVER TYPE RACK CABINETS





Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.GLD12U60100	12U 600x1000 mm Gold Line Server Type Cabinet	600	1000	683	763	57,00
ZEY.GLD16U60100	16U 600x1000 mm Gold Line Server Type Cabinet	600	1000	861	941	63,50
ZEY.GLD20U60100	20U 600x1000 mm Gold Line Server Type Cabinet	600	1000	1039	1119	70,00
ZEY.GLD22U60100	22U 600x1000 mm Gold Line Server Type Cabinet	600	1000	1128	1208	75,00
ZEY.GLD26U60100	26U 600x1000 mm Gold Line Server Type Cabinet	600	1000	1306	1386	86,00
ZEY.GLD32U60100	32U 600x1000 mm Gold Line Server Type Cabinet	600	1000	1573	1653	98,00
ZEY.GLD36U60100	36U 600x1000 mm Gold Line Server Type Cabinet	600	1000	1751	1831	103,00
ZEY.GLD42U60100	42U 600x1000 mm Gold Line Server Type Cabinet	600	1000	2018	2098	115,50
ZEY.GLD44U60100	44U 600x1000 mm Gold Line Server Type Cabinet	600	1000	2107	2187	118,00
ZEY.GLD47U60100	47U 600x1000 mm Gold Line Server Type Cabinet	600	1000	2241	2321	121,00

19” GOLD LINE STANDING TYPE RACK CABINETS

600*600 mm GOLD LINE STANDING TYPE RACK CABINETS





Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.GLD12U6060	12U 600x600 mm Gold Line Standing Type Cabinet	600	600	683	763	41,50
ZEY.GLD16U6060	16U 600x600 mm Gold Line Standing Type Cabinet	600	600	861	941	47,00
ZEY.GLD20U6060	20U 600x600 mm Gold Line Standing Type Cabinet	600	600	1039	1119	54,50
ZEY.GLD22U6060	22U 600x600 mm Gold Line Standing Type Cabinet	600	600	1128	1208	55,50
ZEY.GLD26U6060	26U 600x600 mm Gold Line Standing Type Cabinet	600	600	1306	1386	61,50
ZEY.GLD32U6060	32U 600x600 mm Gold Line Standing Type Cabinet	600	600	1573	1653	70,50
ZEY.GLD36U6060	36U 600x600 mm Gold Line Standing Type Cabinet	600	600	1751	1831	76,50
ZEY.GLD42U6060	42U 600x600 mm Gold Line Standing Type Cabinet	600	600	2018	2098	87,50
ZEY.GLD44U6060	44U 600x600 mm Gold Line Standing Type Cabinet	600	600	2107	2187	89,50
ZEY.GLD47U6060	47U 600x600 mm Gold Line Standing Type Cabinet	600	600	2241	2321	92,50

600*800 mm GOLD LINE STANDING TYPE RACK CABINETS





Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.GLD12U6080	12U 600x800 mm Gold Line Standing Type Cabinet	600	800	683	763	49,00
ZEY.GLD16U6080	16U 600x800 mm Gold Line Standing Type Cabinet	600	800	861	941	56,00
ZEY.GLD20U6080	20U 600x800 mm Gold Line Standing Type Cabinet	600	800	1039	1119	63,00
ZEY.GLD22U6080	22U 600x800 mm Gold Line Standing Type Cabinet	600	800	1128	1208	65,00
ZEY.GLD26U6080	26U 600x800 mm Gold Line Standing Type Cabinet	600	800	1306	1386	72,00
ZEY.GLD32U6080	32U 600x800 mm Gold Line Standing Type Cabinet	600	800	1573	1653	84,00
ZEY.GLD36U6080	36U 600x800 mm Gold Line Standing Type Cabinet	600	800	1751	1831	94,00
ZEY.GLD42U6080	42U 600x800 mm Gold Line Standing Type Cabinet	600	800	2018	2098	201,00
ZEY.GLD44U6080	44U 600x800 mm Gold Line Standing Type Cabinet	600	800	2107	2187	103,50
ZEY.GLD47U6080	47U 600x800 mm Gold Line Standing Type Cabinet	600	800	2241	2321	107,00

19” GOLD LINE STANDING TYPE RACK CABINETS

800*800 mm GOLD LINE STANDING TYPE RACK CABINETS





Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.GLD26U8080	26U 800x800 mm Gold Line Standing Type Cabinet	800	800	1306	1386	88,00
ZEY.GLD32U8080	32U 800x800 mm Gold Line Standing Type Cabinet	800	800	1573	1653	106,00
ZEY.GLD36U8080	36U 800x800 mm Gold Line Standing Type Cabinet	800	800	1751	1831	112,00
ZEY.GLD42U8080	42U 800x800 mm Gold Line Standing Type Cabinet	800	800	2018	2098	124,50
ZEY.GLD44U8080	44U 800x800 mm Gold Line Standing Type Cabinet	800	800	2107	2187	130,00
ZEY.GLD47U8080	47U 800x800 mm Gold Line Standing Type Cabinet	800	800	2241	2321	133,00

19” SILVER LINE STANDING TYPE RACK CABINETS



- Our Bestrack Standing Type Cabinets different depth size and heights give to clients large selection.
- Multi-bending body frames, bottom and top base strenthen reinforce construction.

19” SILVER LINE STANDING TYPE RACK CABINETS

STRUCTURED DETAILED

Main Body Profile Construction;

ToP&Bottom plates&Mainframe verticals; In a single piece top &buttom base (chassis) thikcness 1,5 mm, main frame profiles connected 32 points also modular structurred.

Front Door; 4 mm – 6 mm tempered glass door strengthen both side steel.

Side Panels; Thicknees 1,5 mm steel rigid Lockable top & bottom so gives easy repair & maintenance facility.

Cable Inlet; From bottom plate, back door top & bottom section cable inlet is avaible.

19” Equipment Mounting Verticals: verticals (posts) 1,5 mm thickcnees and made by pregalvanized steel solid accor. TS 822 std. & also It contains on printed “U” marks both posts. (Verticals)

Side Support; 2 mm thickness 3 left-3 right side total 6 side support used so they are pounched & avaible to adjust to the depth.

Body Color; RAL 9005- RAL 7035 optional color. Painted (finishing) Electro Static powder coating.

Ventilation: Placed under the top plate the fan thermostat modules makes high air circulation low level noise inside of the cabinet in good effective ventilation.

Power Distribution Unit: The PDU is on power sockets combination. There are two options.One is PVC the other Aluminium body. It contains Earth Socket, UPS socket, Fuses,or observable and manageable. It is also convenience 19” Rack Cabinet mounting on the rack.

Delivering: After the quality control is passed our all product wrapped and packed with strapor protection,cartoon pack it is strengthen to the impact resistance and after delivered with safety and secure as assembling packing.

In our cabinets comply with to the structured cabling system and also comply with the Project, so putting inside equipments of network as switch, router modem, server, patch panel,telephone exchange&electronics equipment mounting and convenience cabling rigid, safe, secure functional and aesthetic production continuous.



BASIC FEATURES


- Our Best Rack Server Cabinets for server&stocking application they give to the client’s best convenience solutions.
- Our Server Cabinets comply with **TS EN 61857-1** Standards Mechanical Construction (For Electronic Equipments Cabinets)Also our main factroy Located in ANKARA-TURKEY covered 13000 m^2 areas and Produced according to the **ISO 9001:2015** Quality Management System Regulations.
- All Cabinet’s vertical hole spacing and horizontal hole spacing (sizes) comply with **IEC-297-2 ANS1/EIA RS-310-D DIN41494-1-7** Standards

  Our Server Cabinets **width are 600mm** products heights from 12U up to 47U different ‘‘U” heights and **width 800mm** products are from 26U up to 47U heights serving to the clients.
- **Front Door’s** of server Cabinets perforated or tempered door option, **back door and side panels** all of them lockable removable construction. Side panel’s top section is lockable both left&right side slide -lock also makes easy for repair&maintenance operation user.
- **Rerforated (punched) front&back door** helps to ventilate makes also easy to come in fresh air from the out side effectivly. The ratio of perforation is about %63-75 for these doors.

  19” Equipment Mounting Verticals(posts) are square holes punched (9,5*9,5 mm-3/8”*3/8” measures) also adjustable along the depth construction.
- **‘‘U” Marking** on the verticals makes easy to install the rack-mount equipments placement.


  Our Server cabinets can carry min. **800-1000 kg static load capacity** also.
- **Using Areas;** Big scale network install, data center, Airports Telecom, Network, Call centers F/O application used generally.

EXPLODED ISOMETRIC VIEWS




19” SILVER LINE STANDING TYPE RACK CABINETS


CONSTRUCTION DRAWING




FRONT VIEW




SIDE VIEW





REAR VIEW



REAR COVER CABLE
INPUT WITH BRUSH









LOWER CHASSIS
CABLE INPUT MODULE
WITH BRUSH

800X1000 SERIES	800	1000
800X800 SERIES	800	800
600X1000 SERIES	600	1000
600X800 SERIES	600	800
600X600 SERIES	600	600
MODEL	W (mm)	D (mm)



DEVICE ASSEMBLY DISTANCES
CABLE INPUT SECTIONS



U DETAIL

FOR DEPTH OF 1000	920	760	720
FOR DEPTH OF 800	720	570	530
FOR DEPTH OF 600	520	360	400
CABINET DEPTHS	D Max mm	D Min mm	D Std mm

WIDTH AND
HEIGHT
DIMENSIONS


COVER OPTIONALS

NOTES:

* PERFORATED COVERS ARE 63% PERFORATED.

** CABLE INPUTS WITH BRUSH ARE AVAILABLE FOR 32U AND BIGGER CABINETS.

*** REAR DOUBLE OPENING COVERS ARE ONLY IN CABINETS WITH WIDTH 800mm.



19” SILVER LINE STANDING TYPE RACK CABINETS

800*1000 mm SILVER LINE SERVER TYPE RACK CABINETS





Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.D26U810	26U 800x1000 mm Silver Line Server Type Cabinet	800	1000	1306	1386	100,00
ZEY.D32U810	32U 800x1000 mm Silver Line Server Type Cabinet	800	1000	1533	1613	122,00
ZEY.D36U810	36U 800x1000 mm Silver Line Server Type Cabinet	800	1000	1711	1791	129,00
ZEY.D42U810	42U 800x1000 mm Silver Line Server Type Cabinet	800	1000	1978	2058	143,00
ZEY.D44U810	44U 800x1000 mm Silver Line Server Type Cabinet	800	1000	2067	2147	150,00
ZEY.D47U810	47U 800x1000 mm Silver Line Server Type Cabinet	800	1000	2201	2281	152,00

600*1000 mm SILVER LINE SERVER TYPE RACK CABINETS



Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.D12U610	12U 600x1000 mm Silver Line Server Type Cabinet	600	1000	643	723	58,00
ZEY.D16U610	16U 600x1000 mm Silver Line Server Type Cabinet	600	1000	821	901	64,50
ZEY.D20U610	20U 600x1000 mm Silver Line Server Type Cabinet	600	1000	999	1079	71,00
ZEY.D22U610	22U 600x1000 mm Silver Line Server Type Cabinet	600	1000	1088	1168	76,00
ZEY.D26U610	26U 600x1000 mm Silver Line Server Type Cabinet	600	1000	1266	1346	87,00
ZEY.D32U610	32U 600x1000 mm Silver Line Server Type Cabinet	600	1000	1533	1613	99,00
ZEY.D36U610	36U 600x1000 mm Silver Line Server Type Cabinet	600	1000	1711	1791	104,00
ZEY.D42U610	42U 600x1000 mm Silver Line Server Type Cabinet	600	1000	1978	2058	116,50
ZEY.D44U610	44U 600x1000 mm Silver Line Server Type Cabinet	600	1000	2067	2147	119,00
ZEY.D47U610	47U 600x1000 mm Silver Line Server Type Cabinet	600	1000	2201	2281	122,00

19” SILVER LINE STANDING TYPE RACK CABINETS

600*600 mm SILVER LINE STANDING TYPE RACK CABINETS





Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.D12U66	12U 600x600 mm Silver Line Standing Type Cabinet	600	600	643	723	42,00
ZEY.D16U66	16U 600x600 mm Silver Line Standing Type Cabinet	600	600	821	901	47,50
ZEY.D20U66	20U 600x600 mm Silver Line Standing Type Cabinet	600	600	999	1079	55,00
ZEY.D22U66	22U 600x600 mm Silver Line Standing Type Cabinet	600	600	1088	1168	56,00
ZEY.D26U66	26U 600x600 mm Silver Line Standing Type Cabinet	600	600	1266	1346	62,00
ZEY.D32U66	32U 600x600 mm Silver Line Standing Type Cabinet	600	600	1533	1613	71,00
ZEY.D36U66	36U 600x600 mm Silver Line Standing Type Cabinet	600	600	1711	1791	77,00
ZEY.D42U66	42U 600x600 mm Silver Line Standing Type Cabinet	600	600	1978	2058	88,00
ZEY.D44U66	44U 600x600 mm Silver Line Standing Type Cabinet	600	600	2067	2147	90,00
ZEY.D47U66	47U 600x600 mm Silver Line Standing Type Cabinet	600	600	2201	2281	93,00

600*800 mm SILVER LINE STANDING TYPE RACK CABINETS



Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.D12U68	12U 600x800 mm Silver Line Standing Type Cabinet	600	800	643	723	50,00
ZEY.D16U68	16U 600x800 mm Silver Line Standing Type Cabinet	600	800	821	901	57,00
ZEY.D20U68	20U 600x800 mm Silver Line Standing Type Cabinet	600	800	999	1079	64,00
ZEY.D22U68	22U 600x800 mm Silver Line Standing Type Cabinet	600	800	1088	1168	66,00
ZEY.D26U68	26U 600x800 mm Silver Line Standing Type Cabinet	600	800	1266	1346	73,00
ZEY.D32U68	32U 600x800 mm Silver Line Standing Type Cabinet	600	800	1533	1613	85,00
ZEY.D36U68	36U 600x800 mm Silver Line Standing Type Cabinet	600	800	1711	1791	95,00
ZEY.D42U68	42U 600x800 mm Silver Line Standing Type Cabinet	600	800	1978	2058	102,00
ZEY.D44U68	44U 600x800 mm Silver Line Standing Type Cabinet	600	800	2067	2147	104,50
ZEY.D47U68	47U 600x800 mm Silver Line Standing Type Cabinet	600	800	2201	2281	108,00

19” SILVER LINE STANDING TYPE RACK CABINETS

800*800 mm SILVER LINE STANDING TYPE RACK CABINETS





Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.D26U88	26U 800x800 mm Silver Line Standing Type Cabinet	800	800	1266	1346	80,00
ZEY.D32U88	32U 800x800 mm Silver Line Standing Type Cabinet	800	800	1533	1613	91,00
ZEY.D36U88	36U 800x800 mm Silver Line Standing Type Cabinet	800	800	1711	1791	102,00
ZEY.D42U88	42U 800x800 mm Silver Line Standing Type Cabinet	800	800	1978	2058	125,00
ZEY.D44U88	44U 800x800 mm Silver Line Standing Type Cabinet	800	800	2067	2147	130,00
ZEY.D47U88	47U 800x800 mm Silver Line Standing Type Cabinet	800	800	2201	2281	141,00

800*600 mm SILVER LINE STANDING TYPE RACK CABINETS





Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.D26U86	26U 800x600 mm Silver Line Standing Type Cabinet	800	600	1266	1346	79,00
ZEY.D32U86	32U 800x600 mm Silver Line Standing Type Cabinet	800	600	1533	1613	91,00
ZEY.D36U86	36U 800x600 mm Silver Line Standing Type Cabinet	800	600	1711	1791	101,00
ZEY.D42U86	42U 800x600 mm Silver Line Standing Type Cabinet	800	600	1978	2058	108,00
ZEY.D44U86	44U 800x600 mm Silver Line Standing Type Cabinet	800	600	2067	2147	110,00
ZEY.D47U86	47U 800x600 mm Silver Line Standing Type Cabinet	800	600	2201	2281	114,00

19” ECO LINE STANDING TYPE RACK CABINETS

BASIC FEATURES

- BESTRACK cabinets present to the clients best convenience solutions for server and stocking.
- Our Standing Type Cabinets comply with the TS EN 61587-1 Mechanical construction stds. (For Electronic Equipments cabinets) Also our main factory located in Ankara/TURKEY covered 8000m^2 areas and produced according to the ISO 9001:2008 Quality Management Sytems Regulations.
- All cabinets vertical hole spacing and horizontal hole spacing(sizes) comply with IEC 297-2, ANSI/EIARS-310-D, DIN 41494-1-7 standards.
- Our standing cabinets are available to our customers in different “U” heights from 16U to 32U in products with a width of 600mm.
- The front doors of our standing cabinets are with 4mm tempered glass option, and all of the back and side doors are lockable and removable.
- 19” Equipment Rack Mounting verticals are punched square holes(9,5mm*9,5mm) and also adjustable along the depth.
- “U” Marking along the vertical makes easy to install the rack mount equipments.
- Application areas are, big capacity scale network installing, DATA centers, F/O applications, security, CCTV used properly.

TESTS & CERTIFICATES

- Our cabinets has been tested according to the TS EN 61587-1 standards and climatical tests part 4.2 cold ,dry heat and wet heat tests accor.C1 class , Part 4.3 Industry Environment 41 class SL7, comply.
- Mechanical Load tests accor par.5.21 and 5.2.2 and class SL7 comply
- Dynamic Load,vibration,mechanical impact (force) tests applies DL 4 class,
- External Mechanical Impacts K2 class.
- Earth (Grounding) connecting continuity tested TS EN 61587-2-1/6.2 comply
- Produced & tested accor to the IP 20 (Index of Protection)



STRUCTURED DETAILED

Main Body Profile Construction;

- **ToP&Bottom plates&Mainframe verticals;** In a single piece top & buttom base (chassis) thikcness 1,0 mm, main frame profiles connected 32 points also modular structurred.
- **Front Door;** 4,00 mm tempered glass door strengthen both side steel.
- **Side Panels;** Thicknees 1,00 mm steel rigid Lockable top & bottom so gives easy repair & maintenance facility.
- **Cable Inlet;** From bottom plate, back door top & bottom section cable inlet is avaible.
- **19” Equipment Mounting Verticals:** Verticals (posts) 1,5 mm thickcnees and made by pregalvanized steel solid accor. TS 822 std. & also it contains on printed “U” marks both posts.(Verticals)
- **Body Color;** RAL 9005- RAL 7035 optional color. Painted (finishing) Electro Static powder coating.
- **Ventilation:** Placed under the top plate the fan thermostat modules makes high air circulation low level noise inside of the cabinet in good effective ventilation.
- **Power Distribution Unit:** The PDU is on power sockets combination. There are two options. One is PVC the other aluminium body. It contains Earth Socket, UPS socket, Fuses or observable and manageable. It is also convenience 19” Rack Cabinet mounting on the rack.
- **Delivery:** After the quality control is passed our all product wrapped and packed with strapor protection, cartoon pack it is strengthen to the impact resistance and after delivered with safety and secure as assembling packing.

In our server type cabinets comply with to the structured cabling system and also comply with the Project,so putting inside equipments of network as switch,router modem,server,patch panel,telephone exchange&electronics equipment mounting and convenience cabling rigid,safe,secure functional and aesthetic production continuous.



19” ECO LINE STANDING TYPE RACK CABINETS



TS EN 61587-1

600*600 mm ECO LINE STANDING TYPE RACK CABINETS


Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.E12U66	12U 600x600 mm Eko Line Standing Type Cabinet	600	600	639	724	31,40
ZEY.E16U66	16U 600x600 mm Eko Line Standing Type Cabinet	600	600	817	902	37,00
ZEY.E20U66	20U 600x600 mm Eko Line Standing Type Cabinet	600	600	995	1080	42,00
ZEY.E22U66	22U 600x600 mm Eko Line Standing Type Cabinet	600	600	1084	1169	45,20
ZEY.E26U66	26U 600x600 mm Eko Line Standing Type Cabinet	600	600	1262	1347	50,40
ZEY.E32U66	32U 600x600 mm Eko Line Standing Type Cabinet	600	600	1529	1614	61,00

600*800 mm ECO LINE STANDING TYPE RACK CABINETS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	With Castor Height (mm)	Weight (kg)
ZEY.E12U68	12U 600x800 mm Eko Line Standing Type Cabinet	600	800	639	724	35,60
ZEY.E16U68	16U 600x800 mm Eko Line Standing Type Cabinet	600	800	817	902	42,20
ZEY.E20U68	20U 600x800 mm Eko Line Standing Type Cabinet	600	800	995	1080	48,00
ZEY.E22U68	22U 600x800 mm Eko Line Standing Type Cabinet	600	800	1084	1169	52,00
ZEY.E26U68	26U 600x800 mm Eko Line Standing Type Cabinet	600	800	1262	1347	55,00


Dimensions are in mm.

EXPLODED ISOMETRIC VIEWS




19” ECO LINE STANDING TYPE RACK CABINETS


CONSTRUCTION DRAWING




FRONT VIEW




SIDE VIEW




REAR VIEW






REAR COVER CABLE
INPUT WITH BRUSH

MODEL	W (mm)	D (mm)
600X800 SERIES	600	800
600X600 SERIES	600	600




DEVICE ASSEMBLY DISTANCES
CABLE INPUT SECTIONS



WIDTH AND
HEIGHT
DIMENSIONS

CABINET DEPTHS	D Max mm	D Min mm	D Std mm
FOR DEPTH OF 600	520	360	400
FOR DEPTH OF 800	720	570	530

COVER OPTIONALS




19”RACK CABINET ACCESSORIES

SHELVES

FIXED SHELVES

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.SR0636	19” Fixed Shelf for d=600 mm	465	400	30	1,85
ZEY.SR0848	19” Fixed Shelf for d=800 mm	465	520	30	3,50
ZEY.SR1064	19” Fixed Shelf for d=1000 mm	465	720	30	4,50
ZEY.SR1072	19” 1U Fixed Shelf for D=720mm (Server heavy duty type)	483	720	44,5	5,00



SLIDING SHELVES

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.HR060	19” Sliding Shelf for d= 600 mm	483	400	44,5	3
ZEY.HR080	19” Sliding Shelf for d= 800 mm	483	520	44,5	4,5
ZEY.HR100	19” Sliding Shelf for d= 1000 mm	483	720	44,5	5,5



EQUIPMENT SHELVES

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.MR1U25B	19” 1U Rack Mount Shelf for d=250mm (for Mount Type Cabinet)	483	250	44,5	1,10
ZEY.MR1U35B	19” 1U Rack Mount Shelf for d=350mm (for Mount Type Cabinet)	483	350	44,5	2,20
ZEY.MR1U40B	19” 1U Rack Mount Shelf for d=400mm (for Mount Type Cabinet)	483	400	44,5	2,40
ZEY.MR1U25	19” 1U Rack Mount Shelf for d=250mm	483	250	44,5	1,10
ZEY.MR1U35	19” 1U Rack Mount Shelf for d=350mm	483	350	44,5	2,20
ZEY.MR1U40	19” 1U Rack Mount Shelf for d=400mm	483	400	44,5	2,40
ZEY.MR2U35	19” 2U Rack Mount Shelf for d=350mm	483	350	89	2,50
ZEY.MR2U40	19” 2U Rack Mount Shelf for d=400mm	483	400	89	2,70
ZEY.MR3U35	19” 3U Rack Mount Shelf for d=350mm	483	350	133,5	2,60





KEYBOARD DRAWER

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.KR060	Keyboard drawer for d=600 mm	483	400	44,5	3,20
ZEY.KR080	Keyboard drawer for d=800 mm	483	520	44,5	3,60
ZEY.KR100	Keyboard drawer for d=1000 mm	483	720	44,5	4,00



COOLING FAN UNITS INCLUDED THERMOSTAT

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.FN01	Cooling unit with 1 fan + Thermostat Controlled (for mount type cabinet)	470	200	45	1,60
ZEY.FN02	Cooling unit with 2 fan + Thermostat Controlled (for mount type cabinet)	470	200	45	2,60
ZEY.FN12	Cooling unit with 2 fan + Thermostat Controlled (for d=600/800 mm type cabinet)	430	460	45	3,40
ZEY.FN04	Cooling unit with 4 fan + Thermostat Controlled (for d=600/800 mm type cabinet)	430	460	45	4,30
ZEY.FN22	Cooling unit with 2 fan + Thermostat Controlled (for d=1000 mm type cabinet)	430	660	45	4,30
ZEY.FN14	Cooling unit with 4 fan + Thermostat Controlled (for d=1000 mm type cabinet)	430	660	45	4,90
ZEY.FN06	Cooling unit with 6 fan + Thermostat Controlled (for d=1000 mm type cabinet)	430	660	45	5,80







COOLING FAN UNITS INCLUDED DIGITAL THERMOSTAT

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.DFN01	Cooling unit with 1 fan + Dig. Thermostat Controlled (for mount type cabinet)	470	200	45	1,60
ZEY.DFN02	Cooling unit with 2 fan + Dig. Thermostat Controlled (for mount type cabinet)	470	200	45	2,60
ZEY.DFN12	Cooling unit with 2 fan + Dig. Thermostat Controlled (for d=600/800 mm type cabinet)	430	460	45	3,40
ZEY.DFN04	Cooling unit with 4 fan + Dig. Thermostat Controlled (for d=600/800 mm type cabinet)	430	460	45	4,30
ZEY.DFN22	Cooling unit with 2 fan + Dig. Thermostat Controlled (for d=1000 mm type cabinet)	430	660	45	4,30
ZEY.DFN14	Cooling unit with 4 fan + Dig. Thermostat Controlled (for d=1000 mm type cabinet)	430	660	45	4,90
ZEY.DFN06	Cooling unit with 6 fan + Dig. Thermostat Controlled (for d=1000 mm type cabinet)	430	660	45	5,80

The Fan Sizes: 120*120*38 mm

* Voice Level **(Noise dBA)**: 43/48

** (Air Flow): m3/ hr ---->138/162

CFM---->82/95

19”RACK CABINET ACCESSORIES

POWER DISTRIBUTION UNITS

Order Code	Product Name	Weight (kg)
ZEY.PG03	19” 1U Aliminium Profile frame, 3xDIN49440 Socket Schuke PDU, 3*1,5mm 2m cord	0,65
ZEY.PG06	19” 1U Aliminium Profile frame, 6xDIN49440 Socket Schuke PDU, 3*1,5mm 2m cord	0,75
ZEY.PG08	19” 1U Aliminium Profile frame, 8xDIN49440 Socket Schuke PDU, 3*1,5mm 2m cord	0,90
ZEY.PG12	19” 2U Aliminium Profile frame, 12xDIN49440 Socket Schuke PDU, 3*1,5mm 2m cord	1,30



Order Code	Product Name	Weight (kg)
ZEY.SPG03	19” 1U Aliminium Profile frame, 3xDIN49440 Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	0,90
ZEY.SPG06	19” 1U Aliminium Profile frame, 6xDIN49440 Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	0,95
ZEY.SPG09	19” 2U Aliminium Profile frame, 9xDIN49440 Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	1,40
ZEY.SPG12	19” 2U Aliminium Profile frame, 12xDIN49440 Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	1,55



Order Code	Product Name	Weight (kg)
ZEY.SPG03-IEC	19” 1U Aliminium Profile frame, 3xIEC 320 C13 Socket PDU, 1X16A MCB, 3*1,5mm 2m cord	0,90
ZEY.SPG06-IEC	19” 1U Aliminium Profile frame, 6xIEC 320 C13 Socket PDU, 1X16A MCB, 3*1,5mm 2m cord	0,95
ZEY.SPG09-IEC	19” 2U Aliminium Profile frame, 9xIEC 320 C13 Socket PDU, 1X16A MCB, 3*1,5mm 2m cord	1,40
ZEY.SPG12-IEC	19” 2U Aliminium Profile frame, 12xIEC 320 C13 Socket PDU, 1X16A MCB, 3*1,5mm 2m cord	1,55



Order Code	Product Name	Weight (kg)
ZEY.SUPG03	19” 1U Aliminium Profile frame, 3xUPS Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	0,95
ZEY.SUPG06	19” 1U Aliminium Profile frame, 6xUPS Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	1,00
ZEY.SUPG09	19” 2U Aliminium Profile frame, 9xUPS Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	1,45
ZEY.SUPG12	19” 2U Aliminium Profile frame, 12xUPS Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord	1,60



POWER DISTRIBUTION UNITS

Order Code	Product Name	Weight (kg)
ZEY.SAKP03	19” 1U Aliminium Profile frame, 3xDIN49440 Socket Schuke current protected PDU, 1X16A MCB, 3*1,5mm 2m cord	0,95
ZEY.SAKP06	19” 1U Aliminium Profile frame, 6xDIN49440 Socket Schuke current protected PDU, 1X16A MCB, 3*1,5mm 2m cord	1,00
ZEY.SAKP09	19” 2U Aliminium Profile frame, 9xDIN49440 Socket Schuke current protected PDU, 1X16A MCB, 3*1,5mm 2m cord	1,45
ZEY.SAKP12	19” 2U Aliminium Profile frame, 12xDIN49440 Socket Schuke current protected PDU, 1X16A MCB, 3*1,5mm 2m cord	1,60



Order Code	Product Name	Weight (kg)
ZEY.PPGA3	119” 1U Mounting plate, 3xDIN49440 Socket Schuke PDU, 3*1,5mm 2m cord	0,80
ZEY.PPGA6	19” 1U Mounting plate, 6xDIN49440 Socket Schuke PDU, 3*1,5mm 2m cord	1,00



Vertical Power Distribution Unit

Order Code	Product Name
ZEY.SPG12-26U	26U Aliminium Profile frame, 12xDIN49440 Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord
ZEY.SPG18-32U	32U Aliminium Profile frame, 18xDIN49440 Socket Schuke PDU, 2X16A MCB, 3*1,5mm 2m cord
ZEY.SPG18-36U	36U Aliminium Profile frame, 18xDIN49440 Socket Schuke PDU, 2X16A MCB, 3*1,5mm 2m cord
ZEY.SPG18-42U	42U Aliminium Profile frame, 18xDIN49440 Socket Schuke PDU, 2X16A MCB, 3*1,5mm 2m cord
ZEY.SPG12-26U-IEC	26U Aliminium Profile frame, 12xIEC 320 C13 Socket Schuke PDU, 1X16A MCB, 3*1,5mm 2m cord
ZEY.SPG18-32U-IEC	32U Aliminium Profile frame, 18xIEC 320 C13 Socket Schuke PDU, 2X16A MCB, 3*1,5mm 2m cord
ZEY.SPG18-36U-IEC	36U Aliminium Profile frame, 18xIEC 320 C13 Socket Schuke PDU, 2X16A MCB, 3*1,5mm 2m cord
ZEY.SPG18-42U-IEC	42U Aliminium Profile frame, 18xIEC 320 C13 Socket Schuke PDU, 2X16A MCB, 3*1,5mm 2m cord



19”RACK CABINET ACCESSORIES

HORIZONTAL CABLE ORGANIZERS

Order Code	Product Name	Weight (kg)
ZEY.ORG1U	1U 19” Cable Management 5 Metal Rings	0,60
ZEY.ORG2U	2U 19” Cable Management 5 Metal Rings	0,80
ZEY.ORG1UF	1U 19” Cable Management with brush	0,60
ZEY.ORG2UF	2U 19” Cable Management with brush	0,80



BLANK PANELS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.KAP1U	1U Blank Panel	483	15	44,5	0,30
ZEY.KAP2U	2U Blank Panel	483	15	89	0,40
ZEY.KAP3U	3U Blank Panel	483	15	133	0,60
ZEY.KAP4U	4U Blank Panel	483	15	174	0,80
ZEY.PKAP1U	1U Blank Panel vented	483	15	44,5	0,25
ZEY.PKAP2U	2U Blank Panel vented	483	15	89	0,35
ZEY.PKAP3U	3U Blank Panel vented	483	15	133	0,55
ZEY.PKAP4U	4U Blank Panel vented	483	15	174	0,75



VERTICAL CABLE ORGANIZERS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.ORG26	26U Vertical Cable Management (1 set: 2 piece)	90	90	966	5,00
ZEY.ORG32	32U Vertical Cable Management (1 set: 2 piece)	90	90	1233	6,00
ZEY.ORG36	36U Vertical Cable Management (1 set: 2 piece)	90	90	1411	6,80
ZEY.ORG42	42U Vertical Cable Management (1 set: 2 piece)	90	90	1678	7,20
ZEY.ORG44	44U Vertical Cable Management (1 set: 2 piece)	90	90	1767	7,80
ZEY.ORG47	47U Vertical Cable Management (1 set: 2 piece)	90	90	1900	8,20



* Vertical cable organizers has been used 800*600 mm, 800*800 mm and 800*1000 mm rack cabinets inside.

** The weight is 1 piece vertical organizer and it cover.


MOUNTING VERTICALS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.D12U	12U Mounting Vertical (1 Set: 2 Piece)	25	62,5	537	1,00
ZEY.D16U	16U Mounting Vertical (1 Set: 2 Piece)	25	62,5	715	1,40
ZEY.D20U	20U Mounting Vertical (1 Set: 2 Piece)	25	62,5	893	1,75
ZEY.D22U	22U Mounting Vertical (1 Set: 2 Piece)	25	62,5	982	1,95
ZEY.D26U	26U Mounting Vertical (1 Set: 2 Piece)	25	62,5	1160	2,30
ZEY.D32U	32U Mounting Vertical (1 Set: 2 Piece)	25	62,5	1427	2,85
ZEY.D36U	36U Mounting Vertical (1 Set: 2 Piece)	25	62,5	1605	3,12
ZEY.D42U	42U Mounting Vertical (1 Set: 2 Piece)	25	62,5	1872	3,68
ZEY.D44U	44U Mounting Vertical (1 Set: 2 Piece)	25	62,5	1961	3,86
ZEY.D47U	47U Mounting Vertical (1 Set: 2 Piece)	25	62,5	2095	4,10



MOUNTING VERTICALS

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.D7U	7 U Mounting Vertical (1 Set:2 Piece)	35	50	344	0,20
ZEY.D9U	9 U Mounting Vertical (1 Set:2 Piece)	35	50	433	0,40
ZEY.D12U	12 U Mounting Vertical (1 Set:2 Piece)	35	50	566	0,50
ZEY.D15U	15 U Mounting Vertical (1 Set:2 Piece)	35	50	700	0,80
ZEY.D18U	18 U Mounting Vertical (1 Set:2 Piece)	35	50	833	0,90



VERTICAL CABLE TRAYS METAL

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.KK12U	12U Vertical Cable Tray w=100mm	100	10	537	0,56
ZEY.KK16U	16U Vertical Cable Tray w=100mm	100	10	715	0,74
ZEY.KK20U	20U Vertical Cable Tray w=100mm	100	10	893	0,95
ZEY.KK22U	22U Vertical Cable Tray w=100mm	100	10	982	1,05
ZEY.KK26U	26U Vertical Cable Tray w=100mm	100	10	1160	1,25
ZEY.KK32U	32U Vertical Cable Tray w=100mm	100	10	1427	1,52
ZEY.KK36U	36U Vertical Cable Tray w=100mm	100	10	1605	1,70
ZEY.KK42U	42U Vertical Cable Tray w=100mm	100	10	1872	2,00
ZEY.KK44U	44U Vertical Cable Tray w=100mm	100	10	1961	2,10
ZEY.KK47U	47U Vertical Cable Tray w=100mm	100	10	2094	2,25



EQUIPMENT SUPPORT

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.LCD60	L-Type Equipment Support for d=600mm cabinet (1set:2 piece)	46,5	397	44,5	0,84
ZEY.LCD80	L-Type Equipment Support for d=800mm cabinet (1set:2 piece)	46,5	517	44,5	1,10
ZEY.LCD100	L-Type Equipment Support for d=1000mm cabinet (1set:2 piece)	46,5	717	44,5	1,52

19”RACK CABINET ACCESSORIES

LEVELLING FEET, CASTORS & MOUNTING ACCESSORIES

Order Code	Product Name	Weight (kg)
ZEY.AKS1	Castor group, 2ea front lockable, rotatable, 2ea rear rotatable for standing type cabinet	1,8
ZEY.AKS2	Levelling feet 1 set 4 piece	0,25
ZEY.AKS3	M6 caged nut, screw, washer 1 set:20 piece	0,19
ZEY.AKS4	Mounting set for wall mount type cabinet	0,30
ZEY.AKS5	Castor group, 2ea front lockable, rotatable, 2ea rear rotatable for mount type cabinet	0,82
ZEY.AKS6	M6 caged nut, screw, washer 1 set:50 piece	0,82
ZEY.AKS7	Floor fixing kit	0,49
ZEY.AKS8	Earthing set	0,35
ZEY.AKS9	Cabinet combining set	0,1



GROUND CONNECTION & EARTH-QUAKE SET

Order Code	Product Name
ZEY.ZBK600	Ground Connection Set Width: 600 mm
ZEY.ZBK800	Ground Connection Set Width: 800 mm

BASE MODULES

Order Code	Product Name	Dimensions (mm)	Weight (kg)
ZEY.B66	Base Module h:100 mm	600*600	4,20
ZEY.B68	Base Module h:100 mm	600*800	5,00
ZEY.B88	Base Module h:100 mm	800*800	5,60
ZEY.B610	Base Module h:100 mm	600*1000	5,60
ZEY.B810	Base Module h:100 mm	800*1000	6,30



LIGHTING MODULES

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.AYD1	19” 1U Manuel Lighting Module	483	26,5	44,5	0,20
ZEY.AYD2	19” 1U Automatic Lighting Module	483	26,5	44,5	0,25
ZEY.AYD3	19” 1U Manuel LED Lighting Module	483	26,5	44,5	0,25
ZEY.AYD4	19” 1U Automatic LED Lighting Module	483	26,5	44,5	0,30



OPEN TYPE RACK CABINETS

OPEN FRAME RACKS

Using & applications areas are as; Open system network cabling, test &measuring laboratories, Schools, Factories, Quality Control Sections, need to test equipment movement at the test places. They produce accordence to the 19” & “U” principles and general Rack Cobinet Std. TS EN 61587 & IEC 60297-2. Compliance.

The support verticals (Posts) are two types produced as;

A – 2 verticals posts

B – 4 Verticals posts

Width 19”(19*25,4 mm = 482,6 mm) comply. Heights starts from 16U (1U=44,5mm) up to 47U. Square holes sizes are 3/8”*3/8”=9,5*9,5 mm; Verticals mounted bottom & top with an strengthen support elements for the rigid frame body. Modular construction.

Painted Electro Static Powder Coating RAL std. Castors & bottom fixing facility so easy to transport the whole body.

Delivered assembled or disassembled.

150-250 kg max static load capacity.

Optional for ventilation may install middle fan.



19” IP CLASS OUTDOOR TYPE RACK CABINETS

Basic Features

- This type cabinet generally use voice-data and image (vision) transmission on Telecommunication sector, for signalling, camera controls, navigation remote control e.t.c requirement can use successfuly.
- Bestrack outdoor cabinet designing with bases and also Wall or pylons type cabinets type enclosures specifications.
- For corrision protected for outside using.
- In side of the cabinet there is natural ventilation.
- Index of Protection is IP 65 and IP 66
- Size are; 7U, 9U, 12U, 16U and 20U height, 600mm width, 450mm&600mm depth std. Sizes production
- Also can produce according to the technical specification compliance.




Structured Detailed


- Main frame construction is mono-block bending and welded. Thickness of the cabinet is 1,5-2 mm metal steel used thickness
- **Painting;** For finishing all the outdoor cabinets all parts are coated after the surface thretmant proccessing RAL 7035 light grey epoxy-polyester electro-static powder coating painting.
- **Head Cover Module;** Mono-block twist and welded so both sides of the cabinet there are ventilation holes makes its air circulation easy.
- **Cable Inlet Modules;** For incoming cables into cabinet used strong and proper cable glands so for to use best cabling inside.
- **Bases Module;** On the cabinet 4 points the base mounts so easy. Also with these 4 points it connects to the concrete bottom fixing.
- **Fan Module;** 1 or 2 fans are to discharge hot-air from the inside to the outside ventilation. The hot air vented head units air circulation holes.
- **Wall Structure;** Our Bestrack cabinets are avaible to use both single-wall or double Wall. In double–wall construction there is special isolation materials between the walls. Prevents cold-hot air.
- **Power Distribution Unit;** The PDU is on power sockets combination.There are two options.One is PVC the other Aluminium body. It contains Earth Socket,UPS socket, Fuses,or observable and manageable. It is also convenience 19” Rack Cabinet mounting on the rack.
- **Delivering;** After the quality control is passed our all product wrapped and packed with strapor protection, cartoon pack it is strengthen to the impact resistance and after delivered with safety and secure as assembling packing.





In our outdoor type cabinets comply with to the structured cabling system and also comply with the Project,so putting inside equipments of network as switch, router modem, server, patch panel, telephone exchange&electronics equipment mounting and convenience cabling rigid, safe, secure functional and aesthetic production continuous.

EXPLODED ISOMETRIC VIEWS









19” IP CLASS OUTDOOR TYPE RACK CABINETS

600*450 mm IP CLASS OUTDOOR TYPE RACK CABINETS



Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.IPCLS07U6045	07U 600x450 mm Outdoor Type Cabinet	600	450	484	29,00
ZEY.IPCLS09U6045	09U 600x450 mm Outdoor Type Cabinet	600	450	573	30,00
ZEY.IPCLS12U6045	12U 600x450 mm Outdoor Type Cabinet	600	450	707	36,00
ZEY.IPCLS16U6045	16U 600x450 mm Outdoor Type Cabinet	600	450	885	41,00
ZEY.IPCLS20U6045	20U 600x450 mm Outdoor Type Cabinet	600	450	1065	46,00

Note: In the table giving weights figures without base and single wall’s cabinets valided.

600*600 mm IP CLASS OUTDOOR TYPE RACK CABINETS



Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.IPCLS07U6060	07U 600x600 mm Outdoor Type Cabinet	600	600	484	36,00
ZEY.IPCLS09U6060	09U 600x600 mm Outdoor Type Cabinet	600	600	573	38,50
ZEY.IPCLS12U6060	12U 600x600 mm Outdoor Type Cabinet	600	600	707	43,50
ZEY.IPCLS16U6060	16U 600x600 mm Outdoor Type Cabinet	600	600	885	19,00
ZEY.IPCLS20U6060	20U 600x600 mm Outdoor Type Cabinet	600	600	1065	54,00

Note: In the table giving weights figures without base and double wall's cabinets valided.

19” IP CLASS OUTDOOR TYPE RACK CABINET ACCESSORIES

600*450 mm OUTDOOR TYPE RACK CABINET DOUBLE WALLS

Order Code	Product Name	Weight (kg)
ZEY.IPCLS07UCDR45	07U 600x450mm Double Wall	5,00
ZEY.IPCLS09UCDR45	09U 600x450mm Double Wall	6,50
ZEY.IPCLS12UCDR45	12U 600x450mm Double Wall	8,50
ZEY.IPCLS16UCDR45	16U 600x450mm Double Wall	11,50
ZEY.IPCLS20UCDR45	20U 600x450mm Double Wall	14,50



600*600 mm OUTDOOR TYPE RACK CABINET DOUBLE WALLS

Order Code	Product Name	Weight (kg)
ZEY.IPCLS07UCDR60	07U 600x600mm Double Wall	6,50
ZEY.IPCLS09UCDR60	09U 600x600mm Double Wall	7,50
ZEY.IPCLS12UCDR60	12U 600x600mm Double Wall	10,00
ZEY.IPCLS16UCDR60	16U 600x600mm Double Wall	13,00
ZEY.IPCLS20UCDR60	20U 600x600mm Double Wall	16,00



OUTDOOR TYPE RACK CABINET FAN UNITS

Order Code	Product Name	Weight (kg)
ZEY.IPCLSFNT1	Cooling Unit With 1 Fan+Thermostat Controlled (For Outdoor Cabinet)	0,90
ZEY.IPCLSFNT2	Cooling Unit With 2 Fan+Thermostat Controlled (For Outdoor Cabinet)	1,30



600*450 mm OUTDOOR TYPE RACK CABINET BASE MODULES

Order Code	Product Name	Weight (kg)
ZEY.IPCLS100PTH6045	600x450x100mm Base	4,25
ZEY.IPCLS200PTH6045	600x450x200mm Base	6,75
ZEY.IPCLS300PTH6045	600x450x300mm Base	9,25
ZEY.IPCLS400PTH6045	600x450x400mm Base	11,50
ZEY.IPCLS500PTH6045	600x450x500mm Base	14,00



600*600 mm OUTDOOR TYPE RACK CABINET BASE MODULES


Order Code	Product Name	Weight (kg)
ZEY.IPCLS100PTH6060	600x600x100mm Base	5,00
ZEY.IPCLS200PTH6060	600x600x200mm Base	7,50
ZEY.IPCLS300PTH6060	600x600x300mm Base	10,50
ZEY.IPCLS400PTH6060	600x600x400mm Base	13,25
ZEY.IPCLS500PTH6060	600x600x500mm Base	16,00



19” IP CLASS OUTDOOR TYPE RACK CABINET ACCESSORIES


OUTDOOR TYPE RACK CABINET HANGING AND FIXING ON THE POLES

Order Code	Product Name	Weight (kg)
ZEY.IPCLSPM	Fixing on the Pole	5,00



OUTDOOR TYPE RACK CABINET FIXING ON THE WALLS

Order Code	Product Name	Weight (kg)
ZEY.IPCLSWM07U	07U Fixing on the Wall	0,65
ZEY.IPCLSWM09U	09U Fixing on the Wall	0,90
ZEY.IPCLSWM12U	12U Fixing on the Wall	1,30
ZEY.IPCLSWM16U	16U Fixing on the Wall	1,85
ZEY.IPCLSWM20U	20U Fixing on the Wall	2,40



STRUCTURED DETAILED

Double – Wall Construction

Out – Wall 1,5 mm thick , Inside –wall 1 mm thick also prevents to the out-door impact with the special – izolation materials between two doors . This type protection is very high –level .

Active Circulation Construction

There are 2 suitable fans eqipped inside with the filter which can serve fort he flowing hot-air to the outside of the cabinet. Under the punched (holes) of top cover section . At the bottom section there is a fan which protects dust & water incoming to the cabinet .

Gasket Construction

There is very special fluid – gasket whic prevent dust & water incoming to the cabinet .

Easy Pole – Mounting & Camera Mounting

With the pole connection apparatus the cabinet can mount easly on the poles. There are also 4 (four) mounting space on the cabinet for camera mounting .

Mounting Rails

In side of the cabinet have the equipment which does electrical connection used DIN Type rails.

Movable UPS Rails

It can help fort he UPS Equipment's operation which have castors & movable body easly.

Lighting

There is automatic lighting modüle inside of the cabinet which serve in the dark environmental for lighting controls.

Front Door Construction for Locking

3 point locking and have gasket construction of the cabinet serve safety & secure inside maximum level.

Modem – Equipment & Switch Shelves

Top of the inside cabinet section is fixed rails also help easly to put on it modem or other electronic equipment.





19” WALL MOUNT TYPE RACK CABINETS



Basic Features

- Our Wall-mount type cabinets are serving for small scale network system installation comply with the right and security also best convenience solutions to the client.
- Our Wall-mount cabinets comply with TSEN 61587-1 Mechanical Construction (for Electronic equipments Cabinets) Also our main factory Located in ANKARA-TURKEY covered 13000 meter-square areas and produced according to the ISO 9001:2015 Quality Management Systems Regulations.
- All cabinet’s vertical hole spacing and horizontal hole spacing (sizes) comply with IEC 297-2 ANS/EIA RS -310-D DIN41494-1-7 Standards.
- Our Wall-mount cabinets depth 560mm heights are 7U, 9U,12U, 15U, 16U,18U and 20U,if the depts is 450mm products are 7U, 9U,12U, 15U, 16U,18U and 20U serving to the clients.

  Another ECO type Wall-mount products are 400mm depth and 7U-9U-12U heights serving to the clients.
- Wall-mount cabinet’s front door 4mm thick.Tempered glass, all side panels and back cover are lockable and removable construction design.
- 19” Equipment Rack Mounting verticals(posts) are punched square holes and also adjustable along the depth construction.

Tests & Certificates

- Our cabinets has been tested according to the TS EN 61587-1 standards and climatical tests part 4.2 cold ,dry heat and wet heat tests accor.C1 class , Part 4.3 Industry Environment 41 class SL7 , comply.
- Mechanical Load tests accor par.5.21 and 5.2.2 and class SL5 comply
- Dynamic Load,vibration,mechanical impact (force) tests applies DL 4 class,
- External Mechanical Impacts K2 class.
- Earth (Grounding) connecting continuity tested TS EN 61587-2-1/6.2 comply
- Produced & tested accor to the IP 20 (Index of Protection)

STRUCTURED DETAILED

Main Body Profile Construction;

Bottom and Top plates,main frame verticals; In a single piece(rigid) 1mm thick. Main frame profiles connected 32 points also modular structured.

Front Door; 4mm tempered glass with lock.

Side Panels; 1mm thick botton lockable removable rigid steel construction

Back Door; Is integrated with the main body.

Cable Inlet; On Bottom&Top plate there are enough cable inlet places for cabling

19” Equipment Mounting Verticals(posts): 1,5mm thick. Mounting verticals made by pregalnized solid steel accor. TS 822 Std.

Painting: RAL7035 Color code finishing Electro-Static powder coating painted.

Ventilation: Placedunder the top plate the fan thermostat modules makes high air circulation low level noise inside of the cabinet in good effective ventilation.

Power Distribution Unit: The PDU is on power sockets combination. There are two options. One is PVC the other Aluminium body. It contains Earth Socket, UPS socket, Fuses, or observable and manageable. It is also convenience 19” Rack Cabinet mounting on the rack.

Delivering: After the quality control is passed our all product wrapped and packed with strapor protection, cartoon pack it is strengthen to the impact resistance and after delivered with safety and secure as assembling packing.









19” GOLD LINE WALL MOUNT TYPE RACK CABINETS

EXPLODED ISOMETRIC VIEWS



CONSTRUCTION DRAWING



19” GOLD LINE WALL MOUNT TYPE RACK CABINETS



600*450 mm WALL MOUNT TYPE RACK CABINETS


Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.M07U64	7U 600x450 mm Gold Line Mount Type Cabinet	600	450	417,5	25,00
ZEY.M09U64	9U 600x450 mm Gold Line Mount Type Cabinet	600	450	506,5	27,00
ZEY.M12U64	12U 600x450 mm Gold Line Mount Type Cabinet	600	450	640	30,00
ZEY.M16U64	16U 600x450 mm Gold Line Mount Type Cabinet	600	450	818	34,00

600*600 mm WALL MOUNT TYPE RACK CABINETS


Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.M07U66	7U 600x600 mm Gold Line Mount Type Cabinet	600	600	417,5	27,00
ZEY.M09U66	9U 600x600 mm Gold Line Mount Type Cabinet	600	600	506,5	29,00
ZEY.M12U66	12U 600x600 mm Gold Line Mount Type Cabinet	600	600	640	34,00
ZEY.M16U66	16U 600x600 mm Gold Line Mount Type Cabinet	600	600	818	39,00

19” SILVER LINE WALL MOUNT TYPE RACK CABINETS

EXPLODED ISOMETRIC VIEWS



CONSTRUCTION DRAWING



19” SILVER LINE WALL MOUNT TYPE RACK CABINETS



600*560 mm SILVER LINE WALL MOUNT TYPE RACK CABINETS


Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.SLM07U6056	07U 600x560 mm Silver Line Mount Type Cabinet	600	560	405	15,90
ZEY.SLM09U6056	09U 600x560 mm Silver Line Mount Type Cabinet	600	560	495	18,00
ZEY.SLM12U6056	12U 600x560 mm Silver Line Mount Type Cabinet	600	560	625	15,80
ZEY.SLM16U6056	16U 600x560 mm Silver Line Mount Type Cabinet	600	560	805	26,00
ZEY.SLM20U6056	20U 600x560 mm Silver Line Mount Type Cabinet	600	560	980	30,50

600*450 mm SILVER LINE WALL MOUNT TYPE RACK CABINETS


Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.SLM07U6045	07U 600x450 mm Silver Line Mount Type Cabinet	600	450	405	14,00
ZEY.SLM09U6045	09U 600x450 mm Silver Line Mount Type Cabinet	600	450	495	15,90
ZEY.SLM12U6045	12U 600x450 mm Silver Line Mount Type Cabinet	600	450	625	18,90
ZEY.SLM16U6045	16U 600x450 mm Silver Line Mount Type Cabinet	600	450	805	22,50
ZEY.SLM20U6045	20U 600x450 mm Silver Line Mount Type Cabinet	600	450	980	29,00


19” ECO WALL MOUNT TYPE RACK CABINETS

EXPLODED ISOMETRIC VIEWS



CONSTRUCTION DRAWING





520*400 mm ECO WALL MOUNT TYPE RACK CABINETS





Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.E04U54	4U 520x400 mm Eco Mount Type Cabinet	520	400	216	9,5
ZEY.E07U54	7U 520x400 mm Eco Mount Type Cabinet	520	400	350	11,60
ZEY.E09U54	9U 520x400 mm Eco Mount Type Cabinet	520	400	440	13,20
ZEY.E12U54	12U 520x400 mm Eco Mount Type Cabinet	520	400	570	15,80

JUNIOR LINE WALL MOUNT TYPE RACK CABINETS

495*140 mm JUNIOR LINE WALL MOUNT TYPE RACK CABINETS









ISOMETRIC VIEW

Order Code	Product Name	Width (mm)	Depth (mm)	Height (mm)	Weight (kg)
ZEY.JNR05U	5U Junior Line Wall Mount Type Cabinet (3u Vertical, 2u Horizontal)	495	140	475	9,50


CONSTRUCTION DRAWING




BOTTOM VIEW




ISOMETRIC VIEW




ASSEMBLY PROFILE



FRONT VIEW



SIDE VIEW



REAR VIEW

FIBER PATCH PANELS

Order Code	Product Name	Weight (kg)
ZEY.FSK06	6 Port Fiber Optik SC Indoor Blind Cop Box	1,05



Order Code	Product Name	Weight (kg)
ZEY.FSK12	12 Port Fiber Optik SC Indoor Blind Cop Box	2,00



Order Code	Product Name	Weight (kg)
ZEY.FPP01	24 Port SC Simplex Rackmount Patch Panel	3,50




Order Code	Product Name	Weight (kg)
ZEY.FPP02	12 Port SC Simplex Rackmount Patch Panel	2,25





Area of Usage	Interior
IP Code	IP 54
Load - Bearing Construction	1,5mm Galvanized Plate
Paint	Epoxy Polyester Powder Paint
Color	RAL 7035
Compliant Standards	IEC 61439-1 IEC 61439-2 IEC 62208



1.1 Vertical Profile
1.2 Horizontal Profile (Depth)
1.3 Horizontal Profile (Width)
2. Base Module
3. Cable Entry Set
4. Top Lid
5. Side Lid
6. Rear Lid
7. Front Lid
8. Panel Cover Sheet Set
9. Cover Plates/Covering Plates
10. W Fuse Box Support
11. Mounting Plate


1950 MM SERIES STANDING TYPE MODULAR ELECTRIC PANELS

Order Code	Product Name	Height (mm)	Width (mm)	Depth (mm)
ZEY.301954040	1950*400*400 mm Standing Type Modular Electric Panels	1950	400	400
ZEY.301955040	1950*500*400 mm Standing Type Modular Electric Panels	1950	500	400
ZEY.301956040	1950*600*400 mm Standing Type Modular Electric Panels	1950	600	400
ZEY.301957040	1950*700*400 mm Standing Type Modular Electric Panels	1950	700	400
ZEY.301958040	1950*800*400 mm Standing Type Modular Electric Panels	1950	800	400
ZEY.301959040	1950*900*400 mm Standing Type Modular Electric Panels	1950	900	400



Order Code	Product Name	Height (mm)	Width (mm)	Depth (mm)
ZEY.301954050	1950*400*500 mm Standing Type Modular Electric Panels	1950	400	500
ZEY.301955050	1950*500*500 mm Standing Type Modular Electric Panels	1950	500	500
ZEY.301956050	1950*600*500 mm Standing Type Modular Electric Panels	1950	600	500
ZEY.301957050	1950*700*500 mm Standing Type Modular Electric Panels	1950	700	500
ZEY.301958050	1950*800*500 mm Standing Type Modular Electric Panels	1950	800	500
ZEY.301959050	1950*900*500 mm Standing Type Modular Electric Panels	1950	900	500

Order Code	Product Name	Height (mm)	Width (mm)	Depth (mm)
ZEY.301954060	1950*400*600 mm Standing Type Modular Electric Panels	1950	400	600
ZEY.301955060	1950*500*600 mm Standing Type Modular Electric Panels	1950	500	600
ZEY.301956060	1950*600*600 mm Standing Type Modular Electric Panels	1950	600	600
ZEY.301957060	1950*700*600 mm Standing Type Modular Electric Panels	1950	700	600
ZEY.301958060	1950*800*600 mm Standing Type Modular Electric Panels	1950	800	600
ZEY.301959060	1950*900*600 mm Standing Type Modular Electric Panels	1950	900	600




Order Code	Product Name	Height (mm)	Width (mm)	Depth (mm)
ZEY.301954070	1950*400*700 mm Standing Type Modular Electric Panels	1950	400	700
ZEY.301955070	1950*500*700 mm Standing Type Modular Electric Panels	1950	500	700
ZEY.301956070	1950*600*700 mm Standing Type Modular Electric Panels	1950	600	700
ZEY.301957070	1950*700*700 mm Standing Type Modular Electric Panels	1950	700	700
ZEY.301958070	1950*800*700 mm Standing Type Modular Electric Panels	1950	800	700
ZEY.301959070	1950*900*700 mm Standing Type Modular Electric Panels	1950	900	700

Order Code	Product Name	Height (mm)	Width (mm)	Depth (mm)
ZEY.301956080	1950*600*800 mm Standing Type Modular Electric Panels	1950	600	800
ZEY.301957080	1950*700*800 mm Standing Type Modular Electric Panels	1950	700	800
ZEY.301958080	1950*800*800 mm Standing Type Modular Electric Panels	1950	800	800
ZEY.301959080	1950*900*800 mm Standing Type Modular Electric Panels	1950	900	800

1950 MM SERIES DOUBLE DOOR STANDING TYPE MODULAR ELECTRIC

Order Code	Product Name	Height (mm)	Width (mm)	Depth (mm)
ZEY.3019510040	1950*1000*400 mm Double Door Standing Type Modular Electric Panels	1950	1000	400
ZEY.3019510050	1950*1000*500 mm Double Door Standing Type Modular Electric Panels	1950	1000	500
ZEY.3019510060	1950*1000*600 mm Double Door Standing Type Modular Electric Panels	1950	1000	600
ZEY.3019510070	1950*1000*700 mm Double Door Standing Type Modular Electric Panels	1950	1000	700
ZEY.3019510080	1950*1000*800 mm Double Door Standing Type Modular Electric Panels	1950	1000	800

Order Code	Product Name	Height (mm)	Width (mm)	Depth (mm)
ZEY.3019512040	1950*1200*400 mm Double Door Standing Type Modular Electric Panels	1950	1200	400
ZEY.3019512050	1950*1200*500 mm Double Door Standing Type Modular Electric Panels	1950	1200	500
ZEY.3019512060	1950*1200*600 mm Double Door Standing Type Modular Electric Panels	1950	1200	600
ZEY.3019512070	1950*1200*700 mm Double Door Standing Type Modular Electric Panels	1950	1200	700
ZEY.3019512080	1950*1200*800 mm Double Door Standing Type Modular Electric Panels	1950	1200	800



SIDE COVERS FOR 1950 MM SERIES

Order Code	Product Name	Depth (mm)
ZEY.3119540	1950*400 mm Side Covers (1 Set: 2 Pieces)	400
ZEY.3119550	1950*500 mm Side Covers (1 Set: 2 Pieces)	500
ZEY.3119560	1950*600 mm Side Covers (1 Set: 2 Pieces)	600
ZEY.3119570	1950*700 mm Side Covers (1 Set: 2 Pieces)	700
ZEY.3119580	1950*800 mm Side Covers (1 Set: 2 Pieces)	800




1600 MM SERIES STANDING TYPE MODULAR ELECTRIC PANELS

Order Code	Product Name	Height (mm)	Width (mm)	Depth (mm)
ZEY.301604040	1600*400*400 mm Standing Type Modular Electric Panels	1600	400	400
ZEY.301605040	1600*500*400 mm Standing Type Modular Electric Panels	1600	500	400
ZEY.301606040	1600*600*400 mm Standing Type Modular Electric Panels	1600	600	400
ZEY.301607040	1600*700*400 mm Standing Type Modular Electric Panels	1600	700	400
ZEY.301608040	1600*800*400 mm Standing Type Modular Electric Panels	1600	800	400
ZEY.301609040	1600*900*400 mm Standing Type Modular Electric Panels	1600	900	400

Order Code	Product Name	Height (mm)	Width (mm)	Depth (mm)
ZEY.301604050	1600*400*500 mm Standing Type Modular Electric Panels	1600	400	500
ZEY.301605050	1600*500*500 mm Standing Type Modular Electric Panels	1600	500	500
ZEY.301606050	1600*600*500 mm Standing Type Modular Electric Panels	1600	600	500
ZEY.301607050	1600*700*500 mm Standing Type Modular Electric Panels	1600	700	500
ZEY.301608050	1600*800*500 mm Standing Type Modular Electric Panels	1600	800	500
ZEY.301609050	1600*900*500 mm Standing Type Modular Electric Panels	1600	900	500

Order Code	Product Name	Height (mm)	Width (mm)	Depth (mm)
ZEY.301604060	1600*400*600 mm Standing Type Modular Electric Panels	1600	400	600
ZEY.301605060	1600*500*600 mm Standing Type Modular Electric Panels	1600	500	600
ZEY.301606060	1600*600*600 mm Standing Type Modular Electric Panels	1600	600	600
ZEY.301607060	1600*700*600 mm Standing Type Modular Electric Panels	1600	700	600
ZEY.301608060	1600*800*600 mm Standing Type Modular Electric Panels	1600	800	600
ZEY.301609060	1600*900*600 mm Standing Type Modular Electric Panels	1600	900	600



SIDE COVERS FOR 1600 MM SERIES


Order Code	Product Name	Depth (mm)
ZEY.3116040	1600*400 mm Side Covers (1 Set: 2 Pieces)	400
ZEY.3116050	1600*500 mm Side Covers (1 Set: 2 Pieces)	500
ZEY.3116060	1600*600 mm Side Covers (1 Set: 2 Pieces)	600



PANEL COVER SHEET SETS


PANEL COVER SHEET SETS FOR 1950 MM SERIES

Order Code	Product Name	Depth (mm)
ZEY.3619540	1950*400 mm Panel Cover Sheet Set	400
ZEY.3619550	1950*500 mm Panel Cover Sheet Set	500
ZEY.3619560	1950*600 mm Panel Cover Sheet Set	600
ZEY.3619570	1950*700 mm Panel Cover Sheet Set	700
ZEY.3619580	1950*800 mm Panel Cover Sheet Set	800
ZEY.3619590	1950*900 mm Panel Cover Sheet Set	900
ZEY.36195100	1950*1000 mm Panel Cover Sheet Set	1000
ZEY.36195120	1950*1200 mm Panel Cover Sheet Set	1200



PANEL COVER SHEET SETS FOR 1600 MM SERIES


Order Code	Product Name	Depth (mm)
ZEY.3616040	1600*400 mm Panel Cover Sheet Set	400
ZEY.3616050	1600*500 mm Panel Cover Sheet Set	500
ZEY.3616060	1600*600 mm Panel Cover Sheet Set	600
ZEY.3616070	1600*700 mm Panel Cover Sheet Set	700
ZEY.3616080	1600*800 mm Panel Cover Sheet Set	800
ZEY.3616090	1600*900 mm Panel Cover Sheet Set	900



PARTIAL MOUNTING PLATES

Order Code	Product Name	Height	Panel Width
ZEY.371540	15*40 cm Partial Mounting Plates	15 cm	40 cm
ZEY.372040	20*40 cm Partial Mounting Plates	20 cm	
ZEY.373040	30*40 cm Partial Mounting Plates	30 cm	
ZEY.374040	40*40 cm Partial Mounting Plates	40 cm	
ZEY.375040	50*40 cm Partial Mounting Plates	50 cm	
ZEY.376040	60*40 cm Partial Mounting Plates	60 cm	
ZEY.371550	15*50 cm Partial Mounting Plates	15 cm	50 cm
ZEY.372050	20*50 cm Partial Mounting Plates	20 cm	
ZEY.373050	30*50 cm Partial Mounting Plates	30 cm	
ZEY.374050	40*50 cm Partial Mounting Plates	40 cm	
ZEY.375050	50*50 cm Partial Mounting Plates	50 cm	
ZEY.376050	60*50 cm Partial Mounting Plates	60 cm	
ZEY.371560	15*60 cm Partial Mounting Plates	15 cm	60 cm
ZEY.372060	20*60 cm Partial Mounting Plates	20 cm	
ZEY.373060	30*60 cm Partial Mounting Plates	30 cm	
ZEY.374060	40*60 cm Partial Mounting Plates	40 cm	
ZEY.375060	50*60 cm Partial Mounting Plates	50 cm	
ZEY.376060	60*60 cm Partial Mounting Plates	60 cm	
ZEY.371570	15*70 cm Partial Mounting Plates	15 cm	70 cm
ZEY.372070	20*70 cm Partial Mounting Plates	20 cm	
ZEY.373070	30*70 cm Partial Mounting Plates	30 cm	
ZEY.374070	40*70 cm Partial Mounting Plates	40 cm	
ZEY.375070	50*70 cm Partial Mounting Plates	50 cm	
ZEY.376070	60*70 cm Partial Mounting Plates	60 cm	
ZEY.371580	15*80 cm Partial Mounting Plates	15 cm	80 cm
ZEY.372080	20*80 cm Partial Mounting Plates	20 cm	
ZEY.373080	30*80 cm Partial Mounting Plates	30 cm	
ZEY.374080	40*80 cm Partial Mounting Plates	40 cm	
ZEY.375080	50*80 cm Partial Mounting Plates	50 cm	
ZEY.376080	60*80 cm Partial Mounting Plates	60 cm	


Order Code	Product Name	Height	Panel Width
ZEY.371590	15*90 cm Partial Mounting Plates	15 cm	90 cm
ZEY.372090	20*90 cm Partial Mounting Plates	20 cm	
ZEY.373090	30*90 cm Partial Mounting Plates	30 cm	
ZEY.374090	40*90 cm Partial Mounting Plates	40 cm	
ZEY.375090	50*90 cm Partial Mounting Plates	50 cm	
ZEY.376090	60*90 cm Partial Mounting Plates	60 cm	
ZEY.3715100	15*100 cm Partial Mounting Plates	15 cm	100 cm
ZEY.3720100	20*100 cm Partial Mounting Plates	20 cm	
ZEY.3730100	30*100 cm Partial Mounting Plates	30 cm	
ZEY.3740100	40*100 cm Partial Mounting Plates	40 cm	
ZEY.3750100	50*100 cm Partial Mounting Plates	50 cm	
ZEY.3760100	60*100 cm Partial Mounting Plates	60 cm	
ZEY.3715120	15*120 cm Partial Mounting Plates	15 cm	120 cm
ZEY.3720120	20*120 cm Partial Mounting Plates	20 cm	
ZEY.3730120	30*120 cm Partial Mounting Plates	30 cm	
ZEY.3740120	40*120 cm Partial Mounting Plates	40 cm	
ZEY.3750120	50*120 cm Partial Mounting Plates	50 cm	
ZEY.3760120	60*120 cm Partial Mounting Plates	60 cm	



VERTICAL MOUNTING PLATES

VERTICAL MOUNTING PLATES FOR 1950 MM SERIES

Order Code	Product Name	Height (mm)	Width (mm)
ZEY.3718440	1840*400 mm Mounting Plate	1840	400
ZEY.3718450	1840*500 mm Mounting Plate	1840	500
ZEY.3718460	1840*600 mm Mounting Plate	1840	600
ZEY.3718470	1840*700 mm Mounting Plate	1840	700
ZEY.3718480	1840*800 mm Mounting Plate	1840	800
ZEY.3718490	1840*900 mm Mounting Plate	1840	900
ZEY.37184100	1840*1000 mm Mounting Plate	1840	1000
ZEY.37184120	1840*1200 mm Mounting Plate	1840	1200



VERTICAL MOUNTING PLATES FOR 1600 MM SERIES

Order Code	Product Name	Height (mm)	Width (mm)
ZEY.3714940	1490*400 mm Mounting Plate	1490	400
ZEY.3714950	1490*500 mm Mounting Plate	1490	500
ZEY.3714960	1490*600 mm Mounting Plate	1490	600
ZEY.3714970	1490*700 mm Mounting Plate	1490	700
ZEY.3714980	1490*800 mm Mounting Plate	1490	800
ZEY.3714990	1490*900 mm Mounting Plate	1490	900
ZEY.37149100	1490*1000 mm Mounting Plate	1490	1000
ZEY.37149120	1490*1200 mm Mounting Plate	1490	1200




BASE CABLE ENTRY SET

Order Code	Product Name	Panel Width	Panel Depth
ZEY.354040_1	400*400*100 mm Base Cable Entry Set	40 cm	40 cm
ZEY.355040_1	400*500 *100 mm Base Cable Entry Set	50 cm	
ZEY.356040_1	400*600 *100 mm Base Cable Entry Set	60 cm	
ZEY.357040_1	400*700 *100 mm Base Cable Entry Set	70 cm	
ZEY.358040_1	400*800 *100 mm Base Cable Entry Set	80 cm	
ZEY.359040_1	400*900 *100 mm Base Cable Entry Set	90 cm	
ZEY.3510040_1	400*1000 *100 mm Base Cable Entry Set	100 cm	
ZEY.3512040_1	400*1200*100 mm Base Cable Entry Set	120 cm	
ZEY.354050_1	500*400*100 mm Base Cable Entry Set	40 cm	50 cm
ZEY.355050_1	500*500 *100 mm Base Cable Entry Set	50 cm	
ZEY.356050_1	500*600 *100 mm Base Cable Entry Set	60 cm	
ZEY.357050_1	500*700 *100 mm Base Cable Entry Set	70 cm	
ZEY.358050_1	500*800 *100 mm Base Cable Entry Set	80 cm	
ZEY.359050_1	500*900 *100 mm Base Cable Entry Set	90 cm	
ZEY.3510050_1	500*1000 *100 mm Base Cable Entry Set	100 cm	
ZEY.3512050_1	500*1200*100 mm Base Cable Entry Set	120 cm	
ZEY.354060_1	600*400*100 mm Base Cable Entry Set	40 cm	60 cm
ZEY.355060_1	600*500 *100 mm Base Cable Entry Set	50 cm	
ZEY.356060_1	600*600 *100 mm Base Cable Entry Set	60 cm	
ZEY.357060_1	600*700 *100 mm Base Cable Entry Set	70 cm	
ZEY.358060_1	600*800 *100 mm Base Cable Entry Set	80 cm	
ZEY.359060_1	600*900 *100 mm Base Cable Entry Set	90 cm	
ZEY.3510060_1	600*1000 *100 mm Base Cable Entry Set	100 cm	
ZEY.3512060_1	600*1200*100 mm Base Cable Entry Set	120 cm	
ZEY.354070_1	700*400*100 mm Base Cable Entry Set	40 cm	70 cm
ZEY.355070_1	700*500 *100 mm Base Cable Entry Set	50 cm	
ZEY.356070_1	700*600 *100 mm Base Cable Entry Set	60 cm	
ZEY.357070_1	700*700 *100 mm Base Cable Entry Set	70 cm	
ZEY.358070_1	700*800 *100 mm Base Cable Entry Set	80 cm	
ZEY.359070_1	700*900 *100 mm Base Cable Entry Set	90 cm	
ZEY.3510070_1	700*1000 *100 mm Base Cable Entry Set	100 cm	
ZEY.3512070_1	700*1200*100 mm Base Cable Entry Set	120 cm	
ZEY.354080_1	800*400*100 mm Base Cable Entry Set	40 cm	80 cm
ZEY.355080_1	800*500 *100 mm Base Cable Entry Set	50 cm	
ZEY.356080_1	800*600 *100 mm Base Cable Entry Set	60 cm	
ZEY.357080_1	800*700 *100 mm Base Cable Entry Set	70 cm	
ZEY.358080_1	800*800 *100 mm Base Cable Entry Set	80 cm	
ZEY.359080_1	800*900 *100 mm Base Cable Entry Set	90 cm	
ZEY.3510080_1	800*1000 *100 mm Base Cable Entry Set	100 cm	
ZEY.3512080_1	800*1200*100 mm Base Cable Entry Set	120 cm	




COPPER BUSBAR INSULATOR SUPPORTS

Order Code	Product Name	Width (mm)
ZEY.3842	Copper Busbar Insulator Supports for 400 mm	400
ZEY.3852	Copper Busbar Insulator Supports for 500 mm	500
ZEY.3862	Copper Busbar Insulator Supports for 600 mm	600
ZEY.3872	Copper Busbar Insulator Supports for 700 mm	700
ZEY.3882	Copper Busbar Insulator Supports for 800 mm	800
ZEY.3847	Neutral- Earthing Copper Busbar Insulator Support for Standing Type	



FUSE BOX SUPPORT

Order Code	Product Name	Panel Width (mm)
ZEY.3840	Standing Type Modular Electric Panels Fuse Box Support L:400	400
ZEY.3850	Standing Type Modular Electric Panels Fuse Box Support L:500	500
ZEY.3860	Standing Type Modular Electric Panels Fuse Box Support L:600	600
ZEY.3870	Standing Type Modular Electric Panels Fuse Box Support L:700	700
ZEY.3880	Standing Type Modular Electric Panels Fuse Box Support L:800	800
ZEY.3890	Standing Type Modular Electric Panels Fuse Box Support L:900	900
ZEY.38100	Standing Type Modular Electric Panels Fuse Box Support L:1000	1000



CAPACITOR SUPPORTS

Order Code	Product Name	Panel Width (mm)
ZEY.3843	Capacitor Support for 400 mm	400
ZEY.3853	Capacitor Support for 500 mm	500
ZEY.3863	Capacitor Support for 600 mm	600
ZEY.3873	Capacitor Support for 700 mm	700
ZEY.3883	Capacitor Support for 800 mm	800
ZEY.3893	Capacitor Support for 900 mm	900
ZEY.38103	Capacitor Support for 1000 mm	1000




TOROIDAL TRANSFORMER SUPPORT

Order Code	Product Name	Panel Width (mm)	Order Code	Product Name	Panel Width (mm)
ZEY.3845	Toroidal Current Transformer Support for 400mm	400	ZEY.3875	Toroidal Current Transformer Support for 700mm	700
ZEY.3855	Toroidal Current Transformer Support for 500mm	500	ZEY.3885	Toroidal Current Transformer Support for 800mm	800
ZEY.3865	Toroidal Current Transformer Support for 600mm	600	ZEY.3895	Toroidal Current Transformer Support for 900mm	900

OPEN TYPE SWITCH SUPPORTS


Order Code	Product Name	Panel Width (mm)	Panel Depth (mm)
ZEY.38697	Standing Type Modular Panel Open Type Switch Supports L:600 mm D:700 mm	600	700
ZEY.38797	Standing Type Modular Panel Open Type Switch Supports L:700 mm D:700 mm	700	
ZEY.38897	Standing Type Modular Panel Open Type Switch Supports L:800 mm D:700 mm	800	
ZEY.38997	Standing Type Modular Panel Open Type Switch Supports L:900 mm D:700 mm	900	
ZEY.381097	Standing Type Modular Panel Open Type Switch Supports L:1000 mm D:700 mm	1000	
ZEY.38698	Standing Type Modular Panel Open Type Switch Supports L:600 mm D:800 mm	600	800
ZEY.38798	Standing Type Modular Panel Open Type Switch Supports L:700 mm D:800 mm	700	
ZEY.38898	Standing Type Modular Panel Open Type Switch Supports L:800 mm D:800 mm	800	
ZEY.38998	Standing Type Modular Panel Open Type Switch Supports L:900 mm D:800 mm	900	
ZEY.381098	Standing Type Modular Panel Open Type Switch Supports L:1000 mm D:800 mm	1000	



THERMAL MAGNETIC SWITCH (TMS) SUPPORTS


THERMAL MAGNETIC SWITCH(TMS) SUPPORTS FOR 400 MM

Order Code	Product Name	Panel Width (mm)	Panel Depth (mm)
ZEY.384124	Standing Type Moduler Electrical Panel TMS Support L:400 H:200 D:400 mm	400	400
ZEY.384154	Standing Type Moduler Electrical Panel TMS Support L:400 H:500 D:400 mm	400	
ZEY.385124	Standing Type Moduler Electrical Panel TMS Support L:500 H:200 D:400 mm	500	
ZEY.385154	Standing Type Moduler Electrical Panel TMS Support L:500 H:500 D:400 mm	500	
ZEY.386124	Standing Type Moduler Electrical Panel TMS Support L:600 H:200 D:400 mm	600	
ZEY.386154	Standing Type Moduler Electrical Panel TMS Support L:600 H:500 D:400 mm	600	
ZEY.387124	Standing Type Moduler Electrical Panel TMS Support L:700 H:200 D:400 mm	700	
ZEY.387154	Standing Type Moduler Electrical Panel TMS Support L:700 H:500 D:400 mm	700	
ZEY.388124	Standing Type Moduler Electrical Panel TMS Support L:800 H:200 D:400 mm	800	
ZEY.388154	Standing Type Moduler Electrical Panel TMS Support L:800 H:500 D:400 mm	800	
ZEY.389124	Standing Type Moduler Electrical Panel TMS Support L:900 H:200 D:400 mm	900	
ZEY.389154	Standing Type Moduler Electrical Panel TMS Support L:900 H:500 D:400 mm	900	
ZEY.3810124	Standing Type Moduler Electrical Panel TMS Support L:1000 H:200 D:400 mm	1000	
ZEY.3810154	Standing Type Moduler Electrical Panel TMS Support L:1000 H:500 D:400 mm	1000	



THERMAL MAGNETIC SWITCH(TMS) SUPPORTS FOR 500 MM

Order Code	Product Name	Panel Width (mm)	Panel Depth (mm)
ZEY.384125	Standing Type Moduler Electrical Panel TMS Support L:400 H:200 D:500 mm	400	500
ZEY.384155	Standing Type Moduler Electrical Panel TMS Support L:400 H:500 D:500 mm	400	
ZEY.385125	Standing Type Moduler Electrical Panel TMS Support L:500 H:200 D:500 mm	500	
ZEY.385155	Standing Type Moduler Electrical Panel TMS Support L:500 H:500 D:500 mm	500	
ZEY.386125	Standing Type Moduler Electrical Panel TMS Support L:600 H:200 D:500 mm	600	
ZEY.386155	Standing Type Moduler Electrical Panel TMS Support L:600 H:500 D:500 mm	600	
ZEY.387125	Standing Type Moduler Electrical Panel TMS Support L:700 H:200 D:500 mm	700	
ZEY.387155	Standing Type Moduler Electrical Panel TMS Support L:700 H:500 D:500 mm	700	
ZEY.388125	Standing Type Moduler Electrical Panel TMS Support L:800 H:200 D:500 mm	800	
ZEY.388155	Standing Type Moduler Electrical Panel TMS Support L:800 H:500 D:500 mm	800	
ZEY.389125	Standing Type Moduler Electrical Panel TMS Support L:900 H:200 D:500 mm	900	
ZEY.389155	Standing Type Moduler Electrical Panel TMS Support L:900 H:500 D:500 mm	900	
ZEY.3810125	Standing Type Moduler Electrical Panel TMS Support L:1000 H:200 D:500 mm	1000	
ZEY.3810155	Standing Type Moduler Electrical Panel TMS Support L:1000 H:500 D:500 mm	1000	




THERMAL MAGNETIC SWITCH(TMS) SUPPORTS FOR 600 MM

Order Code	Product Name	Panel Width (mm)	Panel Depth (mm)
ZEY.384126	Standing Type Moduler Electrical Panel TMS Support L:400 H:200 D:600 mm	400	600
ZEY.384156	Standing Type Moduler Electrical Panel TMS Support L:400 H:500 D:600 mm	400	
ZEY.385126	Standing Type Moduler Electrical Panel TMS Support L:500 H:200 D:600 mm	500	
ZEY.385156	Standing Type Moduler Electrical Panel TMS Support L:500 H:500 D:600 mm	500	
ZEY.386126	Standing Type Moduler Electrical Panel TMS Support L:600 H:200 D:600 mm	600	
ZEY.386156	Standing Type Moduler Electrical Panel TMS Support L:600 H:500 D:600 mm	600	
ZEY.387126	Standing Type Moduler Electrical Panel TMS Support L:700 H:200 D:600 mm	700	
ZEY.387156	Standing Type Moduler Electrical Panel TMS Support L:700 H:500 D:600 mm	700	
ZEY.388126	Standing Type Moduler Electrical Panel TMS Support L:800 H:200 D:600 mm	800	
ZEY.388156	Standing Type Moduler Electrical Panel TMS Support L:800 H:500 D:600 mm	800	
ZEY.389126	Standing Type Moduler Electrical Panel TMS Support L:900 H:200 D:600 mm	900	
ZEY.389156	Standing Type Moduler Electrical Panel TMS Support L:900 H:500 D:600 mm	900	
ZEY.3810126	Standing Type Moduler Electrical Panel TMS Support L:1000 H:200 D:600 mm	1000	
ZEY.3810156	Standing Type Moduler Electrical Panel TMS Support L:1000 H:500 D:600 mm	1000	

THERMAL MAGNETIC SWITCH (TMS) SUPPORTS


THERMAL MAGNETIC SWITCH(TMS) SUPPORTS FOR 700 MM

Order Code	Product Name	Panel Width (mm)	Panel Depth (mm)
ZEY.384127	Standing Type Moduler Electrical Panel TMS Support L:400 H:200 D:700 mm	400	700
ZEY.384157	Standing Type Moduler Electrical Panel TMS Support L:400 H:500 D:700 mm	400	
ZEY.385127	Standing Type Moduler Electrical Panel TMS Support L:500 H:200 D:700 mm	500	
ZEY.385157	Standing Type Moduler Electrical Panel TMS Support L:500 H:500 D:700 mm	500	
ZEY.386127	Standing Type Moduler Electrical Panel TMS Support L:600 H:200 D:700 mm	600	
ZEY.386157	Standing Type Moduler Electrical Panel TMS Support L:600 H:500 D:700 mm	600	
ZEY.387127	Standing Type Moduler Electrical Panel TMS Support L:700 H:200 D:700 mm	700	
ZEY.387157	Standing Type Moduler Electrical Panel TMS Support L:700 H:500 D:700 mm	700	
ZEY.388127	Standing Type Moduler Electrical Panel TMS Support L:800 H:200 D:700 mm	800	
ZEY.388157	Standing Type Moduler Electrical Panel TMS Support L:800 H:500 D:700 mm	800	
ZEY.389127	Standing Type Moduler Electrical Panel TMS Support L:900 H:200 D:700 mm	900	
ZEY.389157	Standing Type Moduler Electrical Panel TMS Support L:900 H:500 D:700 mm	900	
ZEY.3810127	Standing Type Moduler Electrical Panel TMS Support L:1000 H:200 D:700 mm	1000	
ZEY.3810157	Standing Type Moduler Electrical Panel TMS Support L:1000 H:500 D:700 mm	1000	



THERMAL MAGNETIC SWITCH(TMS) SUPPORTS FOR 800 MM

Order Code	Product Name	Panel Width (mm)	Panel Depth (mm)
ZEY.384128	Standing Type Moduler Electrical Panel TMS Support L:400 H:200 D:800 mm	400	800
ZEY.384158	Standing Type Moduler Electrical Panel TMS Support L:400 H:500 D:800 mm	400	
ZEY.385128	Standing Type Moduler Electrical Panel TMS Support L:500 H:200 D:800 mm	500	
ZEY.385158	Standing Type Moduler Electrical Panel TMS Support L:500 H:500 D:800 mm	500	
ZEY.386128	Standing Type Moduler Electrical Panel TMS Support L:600 H:200 D:800 mm	600	
ZEY.386158	Standing Type Moduler Electrical Panel TMS Support L:600 H:500 D:800 mm	600	
ZEY.387128	Standing Type Moduler Electrical Panel TMS Support L:700 H:200 D:800 mm	700	
ZEY.387158	Standing Type Moduler Electrical Panel TMS Support L:700 H:500 D:800 mm	700	
ZEY.388128	Standing Type Moduler Electrical Panel TMS Support L:800 H:200 D:800 mm	800	
ZEY.388158	Standing Type Moduler Electrical Panel TMS Support L:800 H:500 D:800 mm	800	
ZEY.389128	Standing Type Moduler Electrical Panel TMS Support L:900 H:200 D:800 mm	900	
ZEY.389158	Standing Type Moduler Electrical Panel TMS Support L:900 H:500 D:800 mm	900	
ZEY.3810128	Standing Type Moduler Electrical Panel TMS Support L:1000 H:200 D:800 mm	1000	
ZEY.3810158	Standing Type Moduler Electrical Panel TMS Support L:1000 H:500 D:800 mm	1000	



COVERING PLATES

Order Code	Product Name	Height	Panel Width
ZEY.391540	15*40 cm Covering Plate	15 cm	40 cm
ZEY.392040	20*40 cm Covering Plate	20 cm	
ZEY.393040	25*40 cm Covering Plate	30 cm	
ZEY.394040	30*40 cm Covering Plate	40 cm	
ZEY.395040	35*40 cm Covering Plate	50 cm	
ZEY.396040	40*40 cm Covering Plate	60 cm	
ZEY.391550	45*40 cm Covering Plate	15 cm	50 cm
ZEY.392050	50*40 cm Covering Plate	20 cm	
ZEY.393050	55*40 cm Covering Plate	30 cm	
ZEY.394050	60*40 cm Covering Plate	40 cm	
ZEY.395050	15*50 cm Covering Plate	50 cm	
ZEY.396050	20*50 cm Covering Plate	60 cm	
ZEY.391560	25*50 cm Covering Plate	15 cm	60 cm
ZEY.392060	30*50 cm Covering Plate	20 cm	
ZEY.393060	35*50 cm Covering Plate	30 cm	
ZEY.394060	40*50 cm Covering Plate	40 cm	
ZEY.395060	45*50 cm Covering Plate	50 cm	
ZEY.396060	50*50 cm Covering Plate	60 cm	
ZEY.391570	55*50 cm Covering Plate	15 cm	70 cm
ZEY.392070	60*50 cm Covering Plate	20 cm	
ZEY.393070	15*60 cm Covering Plate	30 cm	
ZEY.394070	20*60 cm Covering Plate	40 cm	
ZEY.395070	25*60 cm Covering Plate	50 cm	
ZEY.396070	30*60 cm Covering Plate	60 cm	
ZEY.391580	35*60 cm Covering Plate	15 cm	80 cm
ZEY.392080	40*60 cm Covering Plate	20 cm	
ZEY.393080	45*60 cm Covering Plate	30 cm	
ZEY.394080	50*60 cm Covering Plate	40 cm	
ZEY.395080	55*60 cm Covering Plate	50 cm	
ZEY.396080	60*60 cm Covering Plate	60 cm	
ZEY.391590	15*70 cm Covering Plate	15 cm	90 cm
ZEY.392090	20*70 cm Covering Plate	20 cm	
ZEY.393090	25*70 cm Covering Plate	30 cm	
ZEY.394090	30*70 cm Covering Plate	40 cm	
ZEY.395090	35*70 cm Covering Plate	50 cm	
ZEY.396090	40*70 cm Covering Plate	60 cm	



COVERING PLATES

Order Code	Product Name	Height (mm)
ZEY.3918540	Covering Plate 400 mm	1850
ZEY.3918550	Covering Plate 500 mm	1850
ZEY.3918560	Covering Plate 600 mm	1850
ZEY.3918570	Covering Plate 700 mm	1850
ZEY.3918580	Covering Plate 800 mm	1850
ZEY.3918590	Covering Plate 900 mm	1850

COMPENSATION BUSBAR COVER PLATE

Order Code	Product Name	Panel Width (mm)
ZEY.3920403	20*40 cm Compensation Busbar Cover Plate for 400 mm	400
ZEY.3920503	20*50 cm Compensation Busbar Cover Plate for 500 mm	500
ZEY.3920603	20*60 cm Compensation Busbar Cover Plate for 600 mm	600
ZEY.3920703	20*70 cm Compensation Busbar Cover Plate for 700 mm	700
ZEY.3920803	20*80 cm Compensation Busbar Cover Plate for 800 mm	800
ZEY.3920903	20*90 cm Compensation Busbar Cover Plate for 900 mm	900

PANEL ACCESSORIES

TOP FANS

Order Code	Product Name
ZEY.901	Top Fan 384 m3/h 230VAC
ZEY.902	Top Fan 570 m3/h 230VAC
ZEY.903	Top Fan 950 m3/h 230VAC
ZEY.904	Top Fan 1200 m3/h 110VAC



FANNED FILTERS

Order Code	Product Name
ZEY.911	Fan Filter 120x110 41 m3/h 230VAC
ZEY.912	Fan Filter 162x155 156 m3/h 230VAC
ZEY.913	Fan Filter 217x210 174 m3/h 230VAC
ZEY.914	Fan Filter 269x262 300 m3/h 230VAC



FANLESS PANEL HEATERS

Order Code	Product Name
ZEY.921	20W Fanless Panel Heater
ZEY.922	30W Fanless Panel Heater
ZEY.923	50W Fanless Panel Heater
ZEY.924	100W Fanless Panel Heater



COOLING – HEATING THERMOSTAT

Order Code	Product Name
ZEY.931	Panel Heating Thermostat
ZEY.932	Panel Cooling Thermostat



WALL MOUNTED PANELS WITH MOUNTING PLATE

Order Code	Product Name	Width (mm)	Height (mm)	Depth (mm)
ZEY.10403020	400*300*200 mm Wall Mounted Panels With Mounting Plate	300	400	200
ZEY.10504020	500*400*200 mm Wall Mounted Panels With Mounting Plate	400	500	200
ZEY.10604020	600*400*200 mm Wall Mounted Panels With Mounting Plate	400	600	200
ZEY.10705020	700*500*200 mm Wall Mounted Panels With Mounting Plate	500	700	200
ZEY.10806020	800*600*200 mm Wall Mounted Panels With Mounting Plate	600	800	200
ZEY.101006020	1000*600*200 mm Wall Mounted Panels With Mounting Plate	600	1000	200
ZEY.101006030	1000*600*300 mm Wall Mounted Panels With Mounting Plate	600	1000	300
ZEY.101008020	1000*800*200 mm Wall Mounted Panels With Mounting Plate	800	1000	200
ZEY.101008030	1000*800*300 mm Wall Mounted Panels With Mounting Plate	800	1000	300
ZEY.101206030	1200*600*300 mm Wall Mounted Panels With Mounting Plate	600	1200	300
ZEY.101208030	1200*800*300 mm Wall Mounted Panels With Mounting Plate	800	1200	300



WALL MOUNTED DISTRIBUTION PANELS

Order Code	Product Name	Width (mm)	Height (mm)	Depth (mm)
ZEY.11403020	400*300*200 mm Wall Mounted Panels	300	400	200
ZEY.11504020	500*400*200 mm Wall Mounted Panels	400	500	200
ZEY.11604020	600*400*200 mm Wall Mounted Panels	400	600	200
ZEY.11705020	700*500*200 mm Wall Mounted Panels	500	700	200
ZEY.11806020	800*600*200 mm Wall Mounted Panels	600	800	200
ZEY.111006020	1000*600*200 mm Wall Mounted Panels	600	1000	200
ZEY.111006030	1000*600*300 mm Wall Mounted Panels	600	1000	300
ZEY.111008020	1000*800*200 mm Wall Mounted Panels	800	1000	200
ZEY.111008030	1000*800*300 mm Wall Mounted Panels	800	1000	300
ZEY.111206030	1200*600*300 mm Wall Mounted Panels	600	1200	300
ZEY.111208030	1200*800*300 mm Wall Mounted Panels	800	1200	300



gencoelectro.com